



INDEX TO VOLUME 30

Authors

- Abbas, A., 264
 Abbasi, H.R., 1, 1146
 Abdalvand, A., 1141, 2092
 Abdelmalak, H.D., 2093
 Abdulkarim, J., 835
 Abe, M., 2098
 Abello, A., Jr., 1061
 Abib, S.C.V., 1684
 Abualenain, J., 302
 Abuhandan, M., 1657
 Acar, A., 775, 1915
 Acar, A.Y., 1760
 Acar, Y.A., 358
 Achilli, F., 1306
 Açıkalın, A., 1657
 Adams, M., 1627
 Adhikari, S., 634
 Agarwal, D., 673
 Agarwal, N., 629
 Agarwal, R., 255
 Aggarwal, P., 2091, 2096
 Agosti, S., 248
 Agrawal, B.K., 1306
 Agrawal, U., 1306
 Agrogiannis, G., 1549
 Ahari, J., 2080
 Ahern, M., 472
 Ahluwalia, J., 517
 Ahmadi, O., 75
 Ahmed, A., 389, 1061
 Ahmed, S., 1001
 Ahn, K.O., 1810
 Aihara, K., 2083
 Aizawa, Y., 638
 Akbarzadeh, F., 2101
 Akihisa, Y., 499
 Akin, F., 637
 Akkas, M., 390
 Ako, A., 2086
 Akpinar, O., 1657
 Aksakal, E., 2086, 2101
 Al Khudairy, A., 2084
 Al, B., 2103
 Alagappan, K., 347
 Alam, H.B., 1429
 Alegiani, F., 504
 Algren, D.A., 261
 Alhabib, A., 638
 Aliakbarian, M., 540
 Alibertis, K., e1, 240
 Alimohammadi, H., 2092
 Al-Jufaili, M., 834, 1660
 Allo, J.-C., 1378
 AlMahmeed, W., 97
 Al-Mukhaini, M., 834, 1660
 AlNabti, A., 97
 Alpert, M.A., 633
 AlQahtani, A.A., 638
 Al-Rajhi, K., 2084
 Altay, S., 635
 Altug Cakmak, H., 635
 Alvi, M., 373
 Alzetta, M., 1664
 Amdahl, J., 151
 Amini, A., 1141
 Amponsah, D., 778
 Anderson, C.L., 1371
 Anderson, C.P., 1114, 1650
 Anderson, K.L., 1134
 Anderson, L., 110
 Anderson, W., 1561
 Andoh, T., 499
 Andronikof, M., 741
 Antón-Santos, J.M., 1943
 Antopolsky, M., 1055
 Aoki, K., 2098
 Aprà, F., 712, 2030
 Arango, C.M., 325
 Arbogast, P.G., 1474
 Ardic, S., 1486, 1915
 Ardissino, D., 2082
 Arguin, P.M., 972
 Arhami Dolatabadi, A., 1141
 Arhan, A., 1872, 1877
 Arnold, D.H., 1215
 Aronsky, D., 1860
 Arora, S., 429, 481, 754, 2091
 Arslan, D., 1760
 Artho, M.R., 51
 Arya, R., 311
 Arziman, I., 1486
 Arziman, İ., 358
 Asaria, R., 637
 Asencio, Y., 245, 936
 Askew, K., 597
 Aso, C., 1125
 Asulin, E., 726
 Atilla, R., 1176
 Attof, R., 258
 Atzema, C.L., 1743
 Au, A.K., 1134, 1950
 Auffray, J.P., 1015
 Auneau, J.C., 170
 Austin, P.C., 1743
 Avci, A., 1657
 Ay, D., 390
 Ay, H., 545
 Aydin, B., 84
 Aydin, L.Y., 1663, 2065
 Aydin, M.M., 512
 Azim, A., 389
 Azimifar, A., 826
 Azizi, S.H., 540
 Baba, Y., 1125
 Babineau, M., 203, 2064
 Bacasnot, J.V., 1765
 Bacchiari, F., 504
 Baehren, D., 331
 Bailey, B., 456
 Bailey, C., 1627
 Baker, H., 1822
 Bakirci, E.M., 2101
 Balamurgan, N., 515, 1310
 Balamurugan, N., 2069
 Baldino, K.T., 519
 Ballard, D.W., 1152
 Band, R.A., 1274
 Banks, C.J., 2095
 Bansal, R.C., 1845
 Bar, F., 317
 Barker, G., 264
 Barnett, B., 347
 Baronia, A.K., 389
 Barrett, T.W., 151, 1581
 Barros, A.J., 1282
 Barsotti, A., 248
 Barth, L., 1357
 Barton, E., 1402
 Basavaiah, T., 2096
 Baskerville, J.R., 367, 737
 Bastani, A., 1561
 Bataglia, T.V., 1684
 Batard, E., 170, 184
 Baumann, B.M., 104
 Bawden, J., 5
 Bayir, A., 1486
 Bayram, B., 1176
 Bayramoglu, A., 2086
 Bebar, V.S., 374
 Bechtel, B.F., 2100
 Beck-da-Silva, L., 925
 Beckett, R., 1095
 Behringer, W., 643
 Bekar, Y., 263
 Bektas, F., 1323
 Bektasoglu, G., 908
 Belleflamme, M., 1325
 Bendahou, M., 1877
 Bengtson, A., 1788
 Bennett, K., 896
 Benoit, J.L., 174
 Berchialla, P., 317
 Bérend, M., 258
 Berger, M., 829
 Berger, T., 1, 1569
 Berglund, A., 1712
 Bergman, B., 1515, 1788
 Berk, N.V., 821
 Berkovitch, M., 726
 Bernstein, S.L., 2067
 Bertero, G., 248
 Berthier, F., 765
 Bessereau, J., 2080
 Best, H.A., 886
 Best, R., 214
 Beydoun, H.A., 886
 Beyer, H., 489
 Bhalla, A., 1659
 Bhalla, V., 485

- Bhasin, D., 1321
 Biddinger, P.D., 532
 Bigiarini, S., 1665
 Bijur, P., 2067
 Bijur, P.E., 1241, 1852
 Bilgi, C., 1915
 Bingisser, R., 1639, 1662
 Birkhan, O.A., 1429
 Birmingham, C.M., 374
 Birocchi, S., 2064
 Black, K., 1402
 Blaivas, M., 338
 Blankenship, J.F., 1613
 Bledsoe, J., 1402
 Blumenthal, D., 304, 1105
 Bobbia, X., 1235, 1319
 Boccafolli, A., 826
 Bodkin, R., 635
 Boet, S., 1928
 Bolandparvaz, S., 1, 1146
 Bolleter, S., 1095
 Bollinger, H.R., 819
 Bollinger, M., 819
 Bomann, S., 2088
 Bombert, C., 1591
 Bonacchi, M., 1014
 Bond, M.C., 606, 615, 1296
 Boni, V., 1962
 Boniface, K., 2082
 Bonithon-Kopp, C., 1032
 Bonnec, J.-M., 1235
 Bonnet, P., 1378
 Bonomo, J.B., 181
 Bonzi, M., 2064
 Boom, H., 1607
 Boret, H., 936
 Borsetti, G., 826
 Borthwick, B., 637
 Borys, D.J., 374
 Bossart, C., 472
 Bossart, P., 1402
 Bostan, C., 637
 Boudou, N., 259
 Boutin, C., 1319
 Boyd, T., 811
 Boz, B.V., 2065
 Bozkus, F., 1657
 Brackney, A., 778
 Bradburn, M., 37
 Brady, W., 236, 811
 Brady, W.J., e1, 231, 240, 491, 606, 615, 966, 1268, 1282, 1296, 1630
 Brasil, P.M., 1921
 Breyer, M.J., 247
 Brieger, B., 1061
 Briese, B., 1774
 Bronstein, J.-A., 1591
 Bronze, M.S., 1322
 Brown, D.F.M., 532, 545
 Brown, N., 104
 Browne, B.J., 2011
 Brown-Vargas, D., 2102
 Brun, J.P., 1015
 Brun, P.-M., 2080
 Brun-Buisson, C., 1407
 Brunelli, C., 248
 Brunner, W., 12
 Bullard, M.J., 5, 412
 Burah, A., 1466
 Burke, J.P., 247
 Burke, L., 203
 Burkhoff, D., 174
 Burkholder, D.B., 2079
 Burnett, A.M., 1114
 Buser, P.J., 1662
 Buss, G., 1658
 Butler, J.S., 2084
 Byczkowski, T., 1019
 Cabrales, P., 1336
 Cadeo, G., 1013
 Çağdaş, M., 257
 Caglar, S.O., 2065
 Cairns, C., 1639
 Calderone, M., 639
 Çalik, A.N., 257
 Calik, M., 1657
 Callaway, D.W., 1274
 Camargo, C.A., Jr, 304, 1105
 Camporesi, E.M., 2093
 Camp-Rogers, T., 387, 491
 Candar, M., 1321
 Canuti, E., 1719, 1962
 Cao, Y., 1829
 Capano-Wehrle, L.M., 104
 Caputo, N.D., 833, 835
 Cardillo, M., 2103
 Cardinale, L., 317
 Carey, A., 1613
 Carey, J.L., 261
 Carignan, S.B., 532
 Carlson, C.G., 1650
 Carnant, L., 2000
 Carneiro, L.L.R., 1921
 Camell, J., 1627
 Carney, E., 587
 Carpenter, K., 1507
 Carr, J.J., 597
 Casalino, L., 248
 Cascio, A., 519
 Cassidy-Smith, T., 104
 Castellant, P., 1591
 Castillo, E.M., 526, 1196
 Cavel, C., 1591
 Caviness, A.C., 426
 Cazes, N., 2080
 Celbek, G., 2065
 Çeliker, E., 257
 Celikmen, M.F., 390
 Cerini, G., 1719
 Cernuschi, G., 2064
 Cevik, E., 1486, 1760, 1915
 Chabrot, C., 1928
 Chalkias, A., 502, 1311, 1935
 Chan, C.-M., 732, 1461
 Chan, C.P.-y., 629
 Chan, G., 1659
 Chan, S.S.-W., 629
 Chan, Y.-H., 1009, 1661
 Chandra, A., 214
 Chandra, S., 673, 1414
 Chang, A.K., 1241
 Chang, A.M., 597, 2015
 Chang, C.-J., 513
 Chang, C.-M., 562, 839
 Chang, C.-P., 1865
 Chang, K.-C., 1865
 Chang, S.-C., 1796
 Chang, T.-H., 1327
 Chang, W.-T., 1319, 1540
 Chang, Y., 532
 Chanprasert, S., 383, 384
 Chao, A.C., 2079
 Chao, H.L., 2079
 Chao, J.H., 633
 Chappell, J.D., 1955
 Charlton, N., 231
 Charpentier, S., 440
 Chase, M., 587, 1691
 Chaudhary, A., 1042
 Chaudhry, S.A., 1535
 Chavez, C., 389
 Chen, C.-C., 1352
 Chen, C.-H., 45, 252, 253
 Chen, C.I., 248
 Chen, C.-S., 1327
 Chen, C.-Y., 1080
 Chen, D.-L., 1326
 Chen, H., 1089
 Chen, H.-A., 513
 Chen, H.-C., 1663
 Chen, H.-W., 1540
 Chen, I.-C., 1555
 Chen, J.-H., 143, 651, 732, 1461, 2085
 Chen, J.-J., 1326
 Chen, J.-W., 1012
 Chen, K.-S., 257
 Chen, L.-A., 1322, 2086
 Chen, M.-H., 2087
 Chen, N., 1196, 1474
 Chen, P.-L., 256, 562, 839
 Chen, R.J., 26
 Chen, R.-J., 207, 570
 Chen, S.-C., 1319, 1654, 1796
 Chen, S.-G., 592
 Chen, S.-J., 1327, 1663
 Chen, S.-Y., 1782, 1796
 Chen, T.-E., 1865
 Chen, W.-C., 45
 Chen, W.-J., 1540, 1796
 Chen, W.-L., 143, 651, 732, 1461, 2085
 Chen, Y.-C., 1796
 Chen, Y.F., 26
 Chen, Y.-L., 2070
 Chen, Y.-P., 1865
 Chen, Y.-q., 1016
 Chenaitia, H., 1015, 2080
 Chenevier-Gobeaux, C., 440, 1378
 Cheng, A.B., 386
 Cheng, C.-A., 2087
 Cheng, D., 481
 Cheng, H.-J., 1540
 Cheng, H.-T., 1656
 Cherkas, D., 489
 Chettipally, U., 1152
 Cheung, W.-K., 513, 2089
 Cheungpasitporn, W., 373, 383, 384, 819, 1001, 1309
 Chiang, W.-C., 1796
 Chiang, W.-F., 2100
 Chiang, W.-H., 516
 Chie, W.-C., 1796
 Chih-hsien, W., 259
 Chimot, L., 266
 Chin, R.F., 2073
 Chiostri, M., 92
 Chipman, A., 1263
 Chiu, T.-F., 651, 1597
 Cho, J.S., 1395
 Cho, Y.C., 1068
 Cho, Y.M., 1395
 Cho, Y.S., 226
 Chohan, J., 57
 Choi, H., 1852
 Choi, H.K., 1433
 Choi, H.S., 362
 Choi, J.-Y., 1229
 Choi, S.P., 124, 690, 1248
 Choi, Y.C., 749
 Choi, Y.H., 837
 Chong, S., 1602
 Chongnarungsin, D., 1001
 Choo, E.K., 890
 Chou, H.-C., 1012
 Chou, P.S., 2079
 Chou, S.-L., 636, 1011
 Choy, C.-S., 1461
 Christ, M., 1639
 Chu, P.-H., 1009, 1661
 Chua, M., 1622
 Chuang, M.-C., 839, 1447
 Chuidian, F., 1017
 Chung, D.R., 165, 1169
 Chung, S.P., 226, 1068, 1229
 Chung, T.N., 226
 Chung, Y.E., 1229
 Cienki, J.J., 2102
 Cinar, O., 358, 1486, 1760, 1915
 Claessens, Y.-E., 440, 1378
 Claret, P.-G., 1235, 1319
 Clausell, N., 925
 Close, B.R., 2095
 Clower, J.H., 657, 846
 Coghlan, J.G., 1118
 Cole, J.B., 950
 Coli, S., 414
 Colvin, C.S., 1012
 Comert, B., 1915
 Connor, B.A., 1274
 Conti, A., 1665, 1698, 1719, 1962
 Contou, D., 1407
 Converso, M., 712
 Cooperman, N., 2067
 Coppa, A., 1665
 Cordero-Ampuero, J., 630
 Cornily, J.-C., 1591
 Cornwall, A.H., 1224
 Corso, R.M., 829
 Cortese, T., 1655
 Cosson, C., 1378
 Cotte, J., 936
 Cottez, S., 1006
 Couch, S.A., 1581
 Courtney, D.M., 432, 1072

- Courville, C., 390
 Cowburn, P., 2103
 Cox, M., 251
 Crean, P., 267
 Creavin, S.T., 2103
 Crockard, M., 267
 Crocker, P.J., 861
 Crum, T., 634
 Cummings, C., 1654
 Cunningham, L.M., 1630
 Curtin, E., 267
 Cushing, T.A., 836
 Cuttitta, F., 2103

 Dagain, A., 936
 D'Agostino, J., 1017
 Dalipi, R., 347
 Dan-Goor, E., 637
 Daoulah, A., 638
 Darbandsar Mazandarani, P., 1141
 Darbar, D., 151
 Dart, R.C., 1481
 Das, A., 129
 Daubert, M., 1706
 Daulaire, S., 1654
 Dautherville, S., 741
 Davenport, J., 266
 David, J.-S., 258
 Davidson, P., 1822
 Davies, I.O., 2088
 Davis, C.P., 1364
 Davis, V., 1402, 1817
 Davitt, M., 1852
 Dawson, M., 472
 de Albuquerque, C.A., 1921
 de Araujo, B.S., 925
 de Casasola, G.G., 277
 de Castro-Garcia, M., 277
 De Filippi, G., 712
 De Giorgi, A., 826, 1306
 de Graaff, L.C.G., 1607
 de La Coussaye, J.-E., 1235, 1319
 de la Plaza Horche, E., 1001
 De la Rosa, G., 325
 de la Torre, P.G., 1943
 de Lezo, J.S., 2078
 de Oliveira, L.S.N., 1921
 Dean, A., 387
 Dean, A.J., 1134
 Dear, K., 1061
 Deballon, I.O., 1001
 Decker, C.S., 639
 Decoster, L.C., 1163
 Dehbozorgi, A., 1
 Dehpour, A., 75
 Delorme, S., 1872
 deMoya, M.A., 1429
 Deng, Y., 2094
 Derakhshanfar, H., 1141
 Derr, C., 2093
 Deswal, V., 1306
 Devilliers, C., 1872
 Di Lascio, G., 1014
 Diana, M., 1017
 Dickinson, D., 57
 Dickman, E., 389

 Dietrich, E., 352
 Dikici, S., 1663
 Dill, C., 254, 387, 1011
 Dimet, J., 377
 Dinh, V.A., 1845
 Dipti, A., 1414
 Dittus, R.S., 1474
 Dixit, R., 129
 Doaty, S., 2080
 Doering, L.V., 1822
 Dogar, F., 2097
 Dognini, G.P., 1013
 Dolan, R.T., 2084
 Dolcino, L., 1013
 Dolich, M.O., 1371
 Domanovits, H., 1324
 Domingo, A., 1706
 Donato, A.A., 1042
 Dong, X., 553
 Donnino, M.W., 587, 1691
 Dontas, I., 1389
 Dorfman, A., 1658
 Dorr, K., 516
 dos Santos, E.Q., 1684
 dos Santos, M.B.S., 925
 Dossantos, F., 311
 DosSantos, F., 519
 Doumenc, B., 741, 1378
 Drachman, D., 110, 1357, 1617
 Dracup, K., 1822
 Drago, L.A., 104
 Dragoumanos, V., 1935
 Drake, J.M., 2093
 Drake, W., 214
 Drayna, P.C., 1215
 Drew, J., 1662
 Du, M.H., 248
 Duberkar, D., 517
 Dubey, I.B., 832
 Duffoo, F., 2096
 Dufresne, A., 1325
 Dumont, R., 1928
 Duong, M., 266
 Durukan, B., 2095
 Durukan, P., 431, 2095, 2097
 Duschek, E.J.J., 1607

 Eason, A., 932
 Easter, B.D., 1183
 Edlow, J.A., 587
 Ege, M.R., 908
 Eifer, D.A., 925
 Einav, S., 800
 Ekci, B., 390
 Ekinozu, I., 1804
 Eledjam, J.-J., 1928
 El-Husseini, A., 390
 Elia, F., 712, 2030
 Elixhauser, A., 657
 Ellanti, P., 1327
 Elli, M., 371
 Ellison, S., 261
 Ellsworth, H., 950
 El-Menyar, A., 97
 Emamhadi, M., 1481
 Emami-Razavi, H., 2091
 Emet, M., 2087, 2101

 Engineer, R.S., 174
 Enlund, M., 1712
 Entriokin, D., 597
 Erbas, M., 1321
 Erdogan, F.F., 431
 Erdogan, H.I., 386, 2092
 Erdur, B., 84
 Erer, B., 635
 Erer, M., 386
 Ergin, A., 84
 Erhart, F., 12
 Ernst, A.A., 717, 2094
 Eroglu, M., 2066
 Eryigit, U., 908, 1804
 Eshraghian, A., 1146
 Eslami, V., 1100
 Esmaili, H., 540
 Esnault, P., 936
 Espina, I.M., 1567
 Esses, D., 1241, 1852
 Estrada, C., 1215, 1457
 Evans, D., 553, 2087
 Eyi, E.Y., 1760
 Eyi, Y.E., 358
 Ezzeddine, M.A., 158

 Fabbian, F., 826, 1306
 Fabbri, A., 61, 829
 Fabricatore, L., 741
 Faine, B., 1255
 Falzarano, A., 1561
 Fan, X.-G., 1907
 Fang, C.-C., 1654
 Fang, J.-F., 919, 1597
 Farah, A., 580
 Farahmand, S., 75, 1100
 Farooq, F.T., 129
 Farris, S., 778
 Farrokhnia, F., 1146
 Farzad, G., 1003, 1008
 Favier, J.-C., 626, 1006
 Feemster, A.A., 2011
 Fees, M., 717
 Feigenberg, Z., 726
 Feinglass, J., 432
 Feng, S.-Y., 1320
 Ferrari, G., 712, 2030
 Ferraro, S., 1706
 Ferreira, P.S.V.S., 1684
 Ferrell, M., 1660
 Ferro, J., 2082
 Fertel, B.S., 181
 Fesmire, F.M., 994, 1829
 Fields, J.M., 1134, 1950
 Fikry, K., 1429
 Filip, M., 961
 Filos, K.S., 476
 Fine, L., 1654
 Fiorelli, E., 2064
 Firme, C., 1371
 Firth, O., 637
 Fischer, C., 1183
 Fisher, J., 1183
 Fisher, J.W., 1441
 Fitzgerald, C.J., 1013
 Fitzgerald, S.P., 267
 Fix, M.L., 545

 Fligou, F., 476
 Folt, J., 2090
 Foo, D., 1323
 Forloni, F., 1013
 Forsberg, S., 320
 Fosnocht, D., 1613
 Foster, D., 1329
 Fournier, M., 1015
 Franzen, D.S., 872
 Francisco, M.F., 317
 Fraser, A.G., 1015
 Fraser, R.M., 835
 Frazee, B.W., 942
 Freeman, D., 214
 Frenkel, O., 1263
 Freund, Y., 1378
 Freysz, M., 1032
 Friedman, B.W., 1852
 Friedman, J., 388
 Fu, C.Y., 26
 Fu, C.-Y., 207, 570
 Fu, R., 1329, 1860
 Fu, X., 1089
 Fuentes, J.M., 1212
 Fuhrmann, J.T., 580
 Fukuda, K., 263

 Gagnon, N., 626, 1006
 Gain, M., 1371
 Galens, S., 1561
 Galinier, M., 259
 Gallagher, E.J., 1241, 1852, 2067
 Gallitelli, M., 1664
 Galvani, M., 61
 Gambale, G., 829
 Gámez-Diez, S., 1943
 Ganapathi, S., 835
 Garcia, A., 325
 Garcia, A.J., 954
 García, S., 630
 García-Gutierrez, I., 1943
 Garg, N., 1667
 Garg, P., 389
 Garner, C.L., Jr, 51
 Garrido, F., 1569
 Garrigue, D., 1032
 Gatidis, S., 325
 Gattermeier, M., 12
 Gautschi, O.P., 831
 Gee, C., 1320, 1817
 Gee, K., 2034
 Geller, J.C., 580
 Gemme, S., 191
 Genes, N., 819
 Genes, N.G., 1860
 Genger, C., 516
 Gensini, G.F., 92, 1698, 1962
 Georgiou, C.D., 476
 Gergel, L., 258
 Ghaffarpasand, F., 1
 Gilard, M., 1591
 Gilardon, L., 1013
 Gilcrease, G.W., III, 32
 Gilmore, T., 1655
 Ginde, A.A., 1860
 Ginty, C.T., 2015
 Giovannini, G., 829

- Gittler, D., 1655
 Givner, L.B., 1013
 Gleisinger, R., 79
 Gok, H., 2092
 Goldflam, K., 1025
 Goldhaber, S.Z., 1774
 Goldhahn, L., 2034
 Goldstein, J.N., 545
 Goldstein, L.H., 726
 Golshan, Y., 1146
 Golwala, H., 1322
 Gómez, C.I., 325
 Gonen, I., 1321
 Gong, P., 1420
 Gonzales, R., 942
 Gonzi, G., 2082
 Goodacre, S.W., 37
 Goodman, M., 1817
 Gordon, J.A., 304, 1105
 Goulas, S., 1549
 Goulet, H., 1872, 1877
 Goyal, H., 2091, 2096
 Graham, C.A., 629
 Grandvuillemin, A., 513
 Gray, A., 37
 Green, J., 1569, 1617
 Green, J.P., 1667
 Greenberg, S.M., 545
 Greenwald, A., 374
 Griffin, M.R., 1955
 Grijalva, C.G., 1955
 Grossman, S.A., 203, 1574, 2064
 Grzybowski, R.J., 1950
 Gu, W., 2039
 Guu, B., 513
 Gul, E.E., 386, 2092
 Gulati, A., 1659
 Gulati, K., 1025
 Guler, E., 834
 Guler, G.B., 834
 Guner, A., 263
 Güney, A., 2097
 Gunnerson, K., 387
 Guo, S., 2075
 Guo, X., 412
 Guo, Z.J., 2039
 Gupta, J., 1569
 Gurfinkel, R., 79
 Gurjar, M., 389
 Gurmen, T., 637
 Guven, F.M.K., 1804
 Güzelburç, Ö., 257
 Haap, M.M., 325
 Haas, C.S., 250, 325
 Hackman, J.L., 1860
 Hagar, Y., 1667
 Hagger, R., 835
 Haim, S.B., 726
 Hainaut, P., 1325
 Haines, L., 389
 Hajiseyedyavady, H., 1100
 Hamilton, B., 639
 Hampson, N.B., 846, 1653, 2021
 Handel, D.A., 1329, 1860
 Hardouin, J.-B., 184
 Haritos, D., 1347
 Harmelin, G., 1014
 Harper, H., 376
 Harrell, F.E., Jr., 151
 Harris, C.R., 950
 Hart, K.W., 181
 Harter, K., 302
 Hartman, M., 2087
 Hartman, S.M., 1282
 Hasegawa, K., 545
 Hassan, A.E., 158, 1535
 Hastings, S.N., 135
 Hatamabadi, H.R., 1141
 Hatch, B., 472
 Houghton, B.P., 1274
 Hausfater, P., 741, 1639
 Havel, C., 1729
 Hayashi, H., 342
 Hayashida, M., 242
 Hayes, B.D., 2011
 Hayter, M., 1928
 Heard, K., 511
 Heard, K.J., 836
 Heath, G.W., 1829
 Hee Wee, J., 464
 Heflin, M., 135
 Hegde, G.G., 2025
 Hegg, A.J., 778
 Heidinger, B., 1729
 Heist, E.K., 1660
 Heller, M.T., 2087
 Hennings, J.R., 994
 Henry, L., 265
 Henry, M.C., 1706
 Herkner, H., 1729
 Herlitz, J., 1515, 1712, 1788
 Hernandez, A.E., 1163
 Herrick, J., 367
 Herring, A.A., 759, 1263
 Herzig, R., 961
 Hesketh, G., 1328
 Hess, E.P., 673
 Hessert, M.J., 399
 Heukelom, J.V., 1255
 Hicks, C.W., 174
 Hidalgo, I., 1655
 Hiestand, B., 1774
 Higashi, T., 499
 Higginbotham, E., 861
 Higgins, N., 247
 Hilleman, D.E., 981
 Hiller, N., 1055
 Hilton, J.A., 1860
 Hirakata, H., 1326
 Hirasawa, H., 1838
 Hirayama, Y., 1838
 Hirschl, M.M., 12
 Hirshon, J.M., 2011
 His, S.-C., 1016
 Hlavin, G., 643
 Ho, B.-L., 2078
 Ho, C.-H., 2070
 Ho, F.-M., 1661, 1665
 Ho, G.Y.-L., 629
 Ho, M.-P., 513, 2088
 Hocaoglu, N., 1176
 Hocker, M., 135
 Hoffman, R.S., 347, 374
 Hogan, C.J., 196, 872
 Hogrefe, C., 1255
 Höjer, J., 320
 Hollander, J.E., 597, 639, 2015
 Holly, J., 1402
 Holmes, J.F., 574, 1129
 Holroyd, B.R., 412
 Holzer, M., 643
 Honda, Y., 254
 Hong, C.K., 749
 Hong, H.P., 362
 Hong, K.J., 1491
 Hong, M.-Y., 562, 852, 1447
 Hong, S.-Y., 680
 Hoon Oh, S., 464
 Hopkins, C., 1613
 Hopkins, C.L., 1817
 Hopkins, G., 706
 Horger, M., 325
 Hori, S., 263
 Horney, C., 135
 Horowitz, G.L., 188, 1574
 Hossain, A., 2096
 Hosseini, S.-v., 1146
 Hou, S.-K., 379
 Hou, X.M., 2039
 Houdek, L., 347
 Houston, P.L., 1928
 How, C.-K., 379
 Hoyte, C.O., 836
 Hrabakova, H., 695
 Hsia, T.-C., 45
 Hsieh, C.-H., 207, 570
 Hsieh, K.-Y., 1326
 Hsieh, L.-C., 1865
 Hsieh, M.-J., 1654
 Hsieh, Y.-H., 1466
 Hsin, M.-C., 919
 Hsu, C.-k., 1016
 Hsu, C.-W., 2070
 Hsu, C.-Y., 1352, 1540, 2078
 Hsu, H.-C., 1447
 Hsu, J., 1152
 Hsu, J.-C., 1661, 1665
 Hsu, W.-H., 45
 Hsu, Y.-P., 1597
 Hsueh, C., 1661
 Hu, H.-F., 1327
 Hua, R., 1420
 Huang, C.-C., 143, 651, 732, 1461, 2085
 Huang, C.-H., 732, 1319, 1540
 Huang, C.-N., 257
 Huang, C.-Y., 513
 Huang, H.C., 26
 Huang, H.-C., 207
 Huang, J., 1152
 Huang, J.C., 26
 Huang, J.-C., 207
 Huang, M.-S., 379, 405
 Huang, P., 252, 253
 Huang, Y.C., 26
 Huang, Y.-C., 207
 Hughes, I., 637, 2034
 Hugli, O., 1658
 Huixin, L., 1313
 Hussein, H.M., 158
 Hwang, J.-w., 1679
 Hwang, S.S., 1749, 1810
 Hwang, S.Y., 749
 Hwang, U., 1860
 Hyun Kim, S., 464
 Hyun, S.Y., 1395
 Iacovidou, N., 1935
 Iacoviello, M., 517
 Iba, T., 2083
 Ibrahim, I., 1622
 Ibrahim, M., 252
 Ide, A., 222
 Ide, T., 222
 Ikeda, K., 1326
 İlgenli, T.F., 1657
 İlhan, E., 635
 Iliopoulos, D., 1549
 Ilveskoski, E., 256
 Ingole, A., 633
 Innes, G., 412
 Innocenti, F., 1665, 1698, 1719
 Iqbal, S., 657, 846
 Iscan, A., 1657
 Isenberg, D.L., 1385
 Ishida, H., 342
 Isikay, S., 2085
 Ismail, S., 2000
 Isman, F.K., 775
 Isoda, S., 634
 Iverson, K., 1347
 Iyer, H., 249
 Izadifard, F., 1146
 Jaafari, Z., 1146
 Jackson, H.A., 115
 Jackson, I., 472
 Jadhav, A.P., 633
 Jaimes, F.A., 325
 Jain, B.K., 832
 Jain, S., 1588
 Jalali, S.M., 2090
 Jambet, S., 513
 Janata, A., 643
 Jangjoo, A., 540
 Jara, F., 833
 Jay, L., 1760
 Jeanmonod, D., 1048
 Jeanmonod, R., 1048
 Jearld, S., 2067
 Jebali, C., 1235
 Jehle, C., 191
 Jehle, D., 191
 Jeng, J.-S., 516
 Jenkins, C.A., 151, 1581
 Jeon, Y.-T., 1679
 Jeong, J.H., 315
 Jeong, T., 449
 Jeong, W.J., 124
 Jiang, Y., 1530
 Jie, J., 1313
 Jimmy, H.O., 1323
 Jin, Q., 1313
 Jin, Y.H., 449
 Jo, S., 449
 Jo, Y.H., 315, 1749
 Johanson, P., 1515, 1788

- Johari, H.G., 1, 826
 John, R.S., 260
 Johnson, J.S., 2100
 Johnston, S.C., 665
 Jolobe, O.M., 1311, 2074
 Jones, A.E., 51
 Jones, I.D., 1474
 Jones, J.L., 2094
 Joon Kim, H., 464
 Jourdain, P., 440
 Joyce, N.R., 587, 1691
 Juillien, G., 1877
 Juliano, M., 399
 Jun, Y.K., 449
 Jung Jeong, W., 464
 Jung, C.-K., 1679
 Jung, J.H., 1189
 Jung, J.J., 1466
 Jung, K.Y., 1014
 Jung, W.J., 2097
- Kabay, B., 84
 Kahn, C.A., 505, 1371
 Kahraman, I., 263
 Kaiser, E., 936
 Kalayci, A., 260
 Kalkan, S., 1176
 Källestedt, M.-L.S., 1712
 Kallistratos, M.S., 1328
 Kamali, M., 635, 1860
 Kamijo, Y., 222
 Kan, P.G., 1522
 Kancharla, A., 203, 2064
 Kandis, H., 1321, 1663, 2065
 Kane, C., 1320
 Kang, C., 376, 706
 Kang, C.-I., 165, 1169
 Kang, K.W., 1749
 Kang, S.-C., 919
 Kang, Y.J., 1395
 Kanki, H., 638
 Kannikeswaran, N., 1347
 Kantarci, M., 2086
 Kao, C.-K., 249
 Kao, M.-L., 258
 Kao, T.-L., 258
 Kao, W.-F., 379
 Kara, P.H., 821
 Karabay, C.Y., 255, 260
 Karaca, O., 834
 Karaca, T., 1245
 Karasek, J., 695
 Karatzas, T., 1389
 Kariman, H., 1141
 Karlinski, R., 2093
 Karlsen-Ayala, N., 1224
 Karlson, B.W., 1788
 Karlsson, T., 1515, 1788
 Karsli, B., 2103
 Karthikeyan, V., 515
 Karvouniaris, M., 832
 Katoh, S., 2098
 Katsahian, S., 1407
 Katsoulas, N., 835
 Kaucky, C., 881
 Kaushal, R., 304, 1105
 Kavalci, C., 2095
- Kaya, C., 1915
 Kayayurt, K., 821
 Kayrak, M., 386
 Kazemi, B., 2101
 Kece, C., 263
 Keddington, J., 515
 Keiko, T., 634
 Keim, A., 302
 Kelen, G.D., 1466
 Kepner, A.M., 1765
 Kerfome, T., 631
 Kerrey, B., 1501
 Keskek, M., 775
 Ketepe-Arachi, T., 264
 Khan, A.A., 1535
 Khandelwal, N., 517
 Khanduri, S., 1321
 Khare, R.K., 432, 1072
 Khashayar, P., 75
 Khawcharoenporn, T., 68
 Khor, G.-T., 252, 253
 Khor, K.-N., 1357, 1617
 Kierzek, G., 741
 Kilic, E., 358
 Kilkeny, J., 597
 Kim, A.S., 665
 Kim, D.K., 1189, 1433
 Kim, H.B., 1189
 Kim, H.J., 124, 690, 1756
 Kim, J.J., 1395
 Kim, K., 315, 1679, 1749
 Kim, K.W., 1229
 Kim, M.-J., 1229
 Kim, S., 1229, 2098
 Kim, S.H., 124, 1674
 Kim, S.W., 226, 1068
 Kim, T., 315
 Kim, T.E., 1845
 Kimura, B.J., 32
 Kimura, M., 1125
 King, B., 1061
 King, B.T., 861
 King, C.-C., 1796
 King, D.R., 1429
 Kingston, G.T., 264
 Kitamura, A., 242
 Kitamura, N., 1838
 Kittanamongkolchai, W., 1309
 Kizilirmak, F., 834
 Klasco, R.S., 1691
 Kleinschmidt, K., 1320
 Kline, J.A., 1774
 Klingman, J.G., 665
 Klink, E., 331
 Kluger, N., 2055
 Knorr, M., 2088
 Ko, H.S., 1845
 Ko, K.S., 165
 Ko, S.-Y., 256, 388, 636, 1011
 Ko, W.-C., 562, 839, 1447
 Ko, Y.G., 362
 Kocabay, G., 255, 260, 262, 512
 Kochert, E., 2034
 Kodeck, T., 352
 Koh, Z.X., 1602
 Kohno, Y., 1219, 1756
 Koishi, K., 1219
- Kolattukudy, S.J., 174
 Komindr, A., 1737
 Kong, W.-M., 2090
 Kontos, M.C., 196
 Koracevic, G.P., 1004, 1007
 Korean Network for Study
 of Infectious Diseases
 (KONSID), 165
 Kornelius, E., 257
 Kotor, J.G., 2100
 Kounis, N.G., 255
 Kouraklis, G., 1389
 Kouskouni, E., 1389
 Koutsovasilis, A., 1935
 Kovelman, I., 514
 Kozer, E., 726
 Kramer, B.J., 1152
 Krauss, B., 2005
 Kriss, R., 1507
 Krizanac, D., 643
 Ku, B.S., 1134, 1950
 Kubera, K.M., 1662
 Kucur, M., 775
 Kudas, O., 1663
 Kue-A-Pai, P., 1309
 Kukar, A., 2091
 Kuklinski, J.M., 514
 Kulcheyki, L., 2064
 Kulstad, E.B., 881, 932
 Kung, H.-C., 1796
 Kuo, C.-D., 143
 Kuo, H.-Y., 732, 1461
 Kuo, I.-M., 919, 1597
 Kuo, S.-F., 2086
 Kurl, R., 265
 Kurniali, P.C., 265
 Kuroki, Y., 1326
 Kurowski, E.M., 1019
 Kurt, I.H., 265
 Kurth, M.J., 267
 Kuruihara, T., 263
 Kurz, M.C., 387, 491
 Kwak, Y.H., 1189, 1433
 Kwan, C.S., 514
 Kwon, O.Y., 362, 1068
 Kye, Y.C., 315
 Kyriacou, D.N., 1072
- Labastire, L., 170, 765
 Lacroix, C., 631
 Lacroix, G., 245, 936
 Laggner, A.N., 1324
 Lai, C.-L., 2078
 Lai, H.-C., 1656
 Lai, M.-S., 1796
 Lai, Y.-T., 1656
 Lakdawala, V., 833
 Lakshminarayan, K., 158, 1535
 Lam, C., 248, 1326
 Lamarche, J., 390
 Lamont, J.V., 267
 Landolfi, R., 504
 Landy, C., 626, 1006
 Langdorf, M.I., 1371
 Langley, D., 1329
 Lanoix, R., 266
 Lateef, T.M., 1507
- Latorre-Barcenilla, G., 1943
 Lauer, B., 580
 Law, A.D., 1659
 Law, H.-Z., 657
 Lawner, B.J., 966
 Lazzeri, C., 92
 Le Conte, P., 170, 184, 765
 Le Manach, Y., 1032
 Le Sache, F., 1872
 Le, J.A., 639
 Ledbetter, S., 1025
 Lee, C.-C., 562, 839, 852, 1447
 Lee, C.-H., 405, 852, 1447
 Lee, C.-P., 1656
 Lee, D.H., 837
 Lee, G., 1395
 Lee, H.-J., 1229
 Lee, J.B., 449
 Lee, J.H., 315, 749, 837, 1014, 1749
 Lee, J.S., 362
 Lee, J.-Y., 680
 Lee, M.H., 129
 Lee, M.J., 1395, 2097
 Lee, N.-Y., 562, 839
 Lee, S.-W., 1661, 1665
 Lee, S.Y., 680
 Lee, T.A., 1072
 Lee, W.-H., 1555
 Lee, W.-L., 1656
 Lee, Y.H., 749
 Lee, Y.J., 1189
 Lee, Y.-K., 1352
 Lefebvre, S., 1928
 Legeard, E., 170
 Lehnert, H., 250, 325
 Lehrfeld, D.P., 519
 Lei, L., 512
 Lelovas, P., 1389, 1935
 Lely, L., 1591
 Lema, P.C., 1569
 Leming, M.K., 247
 Lemkin, D.L., 606, 1296
 Lenehan, B., 1327
 Leroux, L., 266
 Leroy, C., 741
 Letterer, S., 250
 Leumani, F., 1378
 Levantakis, I.P., 1328
 Levine, D.A., 386
 Lévy, A., 2000
 Levy, P.D., 981
 Lewis, L.M., 1884
 Lewiss, R.E., 1662
 Li, B.-C., 1661
 Li, C., 1420
 Li, C.-J., 1555
 Li, C.S., 2039
 Li, J.-s., 1202
 Li, Q., 1530
 Li, S.F., 1655
 Li, T.-C., 1865
 Li, W.-C., 1555, 1782
 Li, W.-H., 1326
 Li, Y., 2075
 Li, Y.-p., 784
 Liang, P.-C., 1319
 Liao, C.-H., 919, 1597

- Liao, W.-C., 45
 Liao, W.-I., 2070
 Libório, A.B., 1921
 Licata, G., 2103
 Liebmman, O., 1328, 1654
 Liew, K.-P., 1661
 Lifshitz, A.E., 726
 Lim, C., 5
 Lim, C.-J., 2085
 Lim, J.S., 1068, 1229
 Lim, Y.S., 1395
 Lima, D.P.A., 1684
 Limkakeng, A.T., Jr., 214
 Limon, O., 821, 2081
 Lin, B.W., 1774
 Lin, C.-C., 1782
 Lin, C.H., 2079
 Lin, C.-H., 1663
 Lin, C.-Y., 404
 Lin, F.-C., 253
 Lin, H.-C., 252
 Lin, H.-Y., 1352
 Lin, J.-J., 1865
 Lin, J.-L., 1661
 Lin, K.-H., 1865
 Lin, S.H., 248
 Lin, S.-H., 2100
 Lin, T.-H., 1319
 Lin, W.-S., 2083
 Lin, Y.-J., 1322
 Lin, Y.-Y., 2070
 Lindahl, B., 1639
 Lindner, U., 250
 Lindsell, C.J., 181, 218
 Linger, M., 519
 Linzer, P., 961
 Liou, K.-C., 1322, 2086
 Lipp, D., 377
 Litt, H.I., 597, 2015
 Liu, C.C., 248
 Liu, D.-I., 1202
 Liu, G., 1774
 Liu, H., 1089
 Liu, H.-z., 1202
 Liu, T.-J., 1656
 Liu, W.-E., 1907
 Liu, Y.-H., 45
 Llompert-Pou, J.A., 244
 Lo, B.M., 886
 Lo, H.-C., 1016
 Lo, P.-H., 1865
 Loch, D., 1561
 Locklair, M.R., 1457
 Lortie, A., 456
 Losert, U.M., 643
 Lotfipour, S., 1371
 LoVecchio, F., 110, 1357
 Lu, C., 833
 Lu, C.W., 26
 Lu, C.-W., 207
 Lu, Y., 1313
 Lubrano, R., 371
 Lucas, N., 456
 Ludwigs, U., 320
 Lumlertgul, S., 1737
 Lung, V.-z., 1016
 Lupo, U., 2103
 Lush, S., 1371
 Lustiger, E., 519
 Lutwak, N., 254, 387, 1011
 Luu, B., 526
 Luzzi, M., 1698, 1719
 Lvovschi, V., 1877
 Lyon, M., 485, 1577
 Lyons, M.S., 218
 Ma, H.-P., 388
 Ma, L., 426
 Ma, M.H.-M., 1012
 Ma, Y., 1089
 MacDonald, K.S., 1196
 Macias, C.C., 426
 Maddry, J., 374
 Madsen, T., 472, 1402, 1613,
 1760, 1817, 1915
 Maeda, S., 342
 Magid, D.J., 304, 1105
 Mair, J., 1639
 Maitre, B., 1407
 Majo-Carbajo, Y., 1943
 Majumder, B., 1118
 Makris, D., 832
 Malagoni, A.M., 1306
 Mallat, J., 391
 Mallin, M., 472
 Manamani, J., 741
 Mandal, A.K., 1321
 Manfredini, R., 826, 1306
 Manfredini, F., 1306
 Mangar, D., 2093
 Mani, G., 214
 Manifold, C., 1095
 Manolis, A.J., 1328
 Mansouri, A., 2091
 Mantovani, F., 2082
 Mantuani, D., 1324, 2099
 Marchesini, G., 61
 Marco, C.A., 331
 Marescaux, J., 1017
 Margulescu, A.D., 1015
 Maria Abadal, J., 244
 Mariannini, Y., 1719, 1962
 Marik, P.E., 800
 Marill, K.A., 1895
 Martin, E.J., 1829
 Martinage, A., 170, 184
 Martindale, J.L., 636
 Marty, P., 259
 Maruyama, K., 242, 499
 Marx, J., 634
 Maselli, J., 942
 Massari, F., 517
 Mastropasqua, F., 517
 Matamala, A., 630
 Matano, H., 342
 Matsuda, S., 2083
 Mattu, A., 615, 1630
 Mauropoulos, D., 1328
 Mavroudis, C., 1118
 May, L., 302
 Mayeur, N., 259
 Mayr, F.B., 1324
 Mayr, H., 12
 Mazinanian, A., 2092
 Mc Kenna, P., 2084
 McAllister, R.K., 1012
 McCanny, P., 896
 McCans, K., 104
 McCarthy, D., 1016
 McConnell, E., 135
 McConnell, R.I., 267
 McCreery, C.J., 247
 McDonnell, W.M., 275
 McGahan, J.P., 574
 McGillicuddy, D.C., 188, 1574
 McGrane, O., 376, 706
 McGreevy, B., 2087
 McKinley, S., 1822
 McMahon, C.G., 267
 McMahon, G., 896
 McNaughton, C., 1474
 McNaughton, C.D., 1955
 Meaudre, E., 936
 Mechem, C.C., 1274
 Medarametla, V., 373
 Medina, G., 1320
 Meenakshisundaram, R., 515,
 820
 Mégarbane, B., 741
 Meharg, J.V., 265
 Mehrabi Bahar, M., 540
 Mehrotra, A.K., 255
 Mehta, C., 236
 Mehta, N.K., 2080
 Mei, X., 1420
 Meischke, H., 1822
 Meisner, M., 1915
 Mejjaddam, A.Y., 1429
 Méjean, S., 259
 Mekontso-Dessap, A., 1407
 Melandri, R., 826
 Menchine, M., 481
 Menchine, M.D., 754
 Mendez, D., 426
 Mendonca, D., 249
 Menegatti, A.M., 826, 1306
 Menezes, R.G., 1310, 2069
 Meng, X.-I., 1202
 Mennicke, M., 1025
 Mercier, G., 1928
 Merlin, M.A., 311, 519
 Mert, M., 512
 Mesa, D., 2078
 Messi, G., 371
 Messmer, A.S., 1662
 Messmer, C., 1336
 Meurer, D.P., 5
 Meyer, C., 1048
 Micaglio, E., 826
 Michel, D., 391
 Michele, B., 2103
 Michelet, P., 1015
 Michlik, G., 1743
 Mieda, T., 242
 Mihalik, J.P., 1163
 Milan, A., 712
 Milewski, A.M., 1561
 Miller, C.D., 597
 Miller, J.B., 778
 Milling, T.J., Jr., 861, 1061
 Millot, I., 626, 1006
 Mimos, O., 631
 Min Kim, Y., 464
 Minassian, A., 1196
 Miner, J.R., 18
 Miner, S.L., 18
 Ming-hsien, L., 259
 Minton, A., 1706
 Minville, V., 259
 Mirek, S., 1032
 Mistry, R.D., 104
 Mitarai, T., 1268
 Mittadodla, P.S., 251
 Mittal, M.K., 2079
 Mizumasa, T., 1326
 Moadel, A., 2067
 Moak, J.H., 218
 Mochizuki, H., 222
 Modi, M., 517
 Moffett, S.E., 942
 Mohamed, A., 37
 Mohanty, D., 832
 Moix, P.-A., 1658
 Mok, K.L., 1522
 Molino, P., 712, 2030
 Montassier, E., 170, 184
 Montcriol, A., 936
 Monte, A.A., 262
 Montori, V.M., 673
 Montout, V., 1872, 1877
 Moore, C.H., 2082
 Moore, R.K., 737
 Morel, N., 266
 Morelloni, S., 248
 Morgan, D.L., 374
 Morrow, S.E., 1457
 Moser, A., 1664
 Moser, D.K., 1822
 Mosimann, P.J., 1658
 Mossallam, U., 778
 Mottard, N., 258
 Mottley, L., 203, 2064
 Mou, S., 1013
 Moyer, M.L., 954
 Muck, P.M., 250
 Mueller, C., 440
 Muenst, S., 1662
 Müller, S., 580
 Mullins, M.E., 1212
 Mulrow, M., 110
 Mulvey, L., 1852
 Muñoz, A.E., 1017
 Muñoz-Mahamud, E., 630
 Murad, I., 1684
 Murphy, G., 387
 Musikavorn, K., 1737
 Mussa, A., 317
 Mutluoglu, M., 2066
 Mutter, D., 1017
 Mycyk, M.B., 514, 837
 Nable, J.V., 966
 Nadaud, J., 626, 1006
 Naderi, S., 347
 Nagara, T., 1326
 Nagdev, A., 1324, 1627, 2099
 Nagdev, A.D., 759, 1263
 Nagel, J., 331

- Nager, A.L., 115
 Nakagawa, H., 242
 Nakagawa, S., 638
 Nakamura, M., 1838
 Nakanishi, K., 1838
 Nam Park, K., 464
 Nandha, H., 1321
 Nanduri, S., 2025
 Napoli, A., 890
 Napoli, A.M., 261
 Narahara, S., 1125
 Narain, S., 629
 Narimatsu, E., 901
 Navab, B., 942
 Nazeri, N., 540
 Nelson, D.S., 275
 Nelson, K.B., 1507
 Nencioni, A., 203, 2064
 Neo, X., 1622
 Nestler, D.M., 673
 Newby, L.K., 214
 Nguyen, H.B., 1845
 Nguyen, L., 1662
 Nickel, C.H., 1662
 Nielson, A., 706
 Niiya, T., 901
 Nikniya, M., 1481
 Nikus, K., 256
 Nikus, K.C., 2092
 Nilles, E.J., 972
 Nishi, K., 254
 Nishikawa, T., 222
 Nishiyama, N., 638
 Nishiyama, T., 1219, 1756
 Nobay, F., 512
 Nomura, J.T., 819
 Nordenholz, K.E., 916
 Nowak, M.R., 954
 Nowak, R.M., 954
 Nuñez, E., 325
 Nusair, M.B., 633
 Nuzzolese, V., 517
 Nyström, H., 320

 O'Connor, R.E., 240
 Obafemi, A., 1320
 O'Beime, J., 2084
 Ocal, R., 358
 Ocheltree, A.R., 638
 Ocheltree, S.R., 638
 Ochs, K.L., 514
 O'Connor, R.E., e1, 1630
 Oda, S., 1838
 Ogilvie, M.P., 1429
 Ogura, A., 499
 Oh, S.H., 124, 690, 1248
 Ohara, K., 2083
 Ohlow, M.-A., 580
 Ohman-Strickland, P., 311, 519
 Oliva, I., 1025
 Olive-Abergel, P., 513
 Oliver, A.L., 505
 Oliver, B., 110
 Ölmez, A., 2085
 Oman, J.A., 1371
 Omar, B., 252
 Omar, H.R., 382, 501, 2081, 2093

 Ong, M.E.H., 1602
 Ooi, S.B.S., 1622
 Ooyang, C.-H., 919
 Orion, L., 377
 Ormato, J.P., 283
 Ortaköylü, A., 512
 Ortega-Deballon, P., 513
 Ospina, M., 412
 Ospina, S., 325
 Ostadal, P., 695
 Ottani, F., 61
 Ou, D., 421
 Ou, M.-C., 421
 Oyar, O., 2081
 Ozcan, S., 635
 Ozen, M., 84
 Ozkan, A.A., 637
 Ozkan, M., 262
 Ozkan, S., 431, 2095
 Ozkurt, B., 1760
 Ozturk, O., 1321

 Padeletti, L., 1698, 1962
 Pala, M., 826, 1306
 Paleiron, N., 1591
 Palivatkel-Naim, M., 79
 Palmer, A.F., 1336
 Palomba, K., 1561
 Panacek, E.A., 1667
 Panagos, P.D., 794, 2075
 Panduranga, P., 834, 1660
 Panebianco, N.L., 1134
 Pancero, F., 2030
 Panetta, V., 504
 Pang, C.-C., 421
 Panteghini, M., 1639
 Panteli, E.S., 476
 Papadimitriou, L., 1549
 Papalois, A., 1935
 Papamichail, C., 476
 Papanikolaou, J., 832
 Papapostolou, I., 476
 Parasramka, S., 1325
 Parikh, K.S., 255
 Park, B., 449
 Park, G.-N., 680
 Park, H.J., 1674
 Park, H.-M., 1749
 Park, H.-P., 1679
 Park, I., 226, 1229, 2098
 Park, J.H., 1189, 1248
 Park, K.N., 124, 690
 Park, M.-S., 1229
 Park, S.-H., 1679
 Park, W.B., 1395
 Parke, T.J., 264
 Parlak, I., 84
 Parrinello, G., 517, 2103
 Pasirstein, M.J., 1385
 Pasquini, A., 1014
 Patel, J., 2096
 Patel, R., 18
 Patterson, B.W., 1072
 Pattishall, A.E., 1588
 Patzak, A., 741
 Paule, P., 1591
 Pavlidis, A.N., 1328

 Pawl, R., 338
 Paydar, S., 1, 1146
 Peacock, W.F., IV, 981
 Peck, K.R., 165, 1169
 Peguero, A., 390
 Peled, S., 2005
 Pelter, M.M., 1822
 Penaloza, A., 1325
 Penicka, M., 695
 Pérez-Bárcena, J., 244
 Peris, A., 1014
 Permpalung, N., 1309
 Perrea, D., 1549
 Pes, P., 765
 Peters, A.L., 754
 Petipas, F., 631
 Peviriéri, F., 741
 Pfeffer, F., 12
 Phan, J.N., 32
 Phoon, C.K., 386
 Picariello, C., 92
 Pietrantoni, R., 2103
 Pill Choi, S., 464
 Pines, J.M., 1134, 1860
 Pini, R., 1665, 1698, 1719, 1962
 Pirotte, M.J., 1016
 Pirro, M.R., 504
 Pittman, R., 196
 Plancade, D., 626, 1006
 Platonova, E.A., 1441
 Platz, E., 1025
 Poddar, B., 389
 Poggioni, C., 1698, 1719, 1962
 Pollack, C.V., Jr, 1774, 2046
 Pollentine, A., 2103
 Pomilla, M., 2103
 Pomet, S., 1235
 Pons, M., 630
 Poon, A., 1706
 Poon, M., 1706
 Poplin, G.S., 505
 Potel, G., 170, 184
 Powell, E., 1860
 Powell, E.S., 432
 Prabhakar, N., 526
 Prabhakar, S., 517
 Pradhan, R., 1042
 Pranikoff, T.V., 1013
 Price, C., 1639
 Prieur, S., 377
 Prischl, F.C., 375
 Prunet, B., 245, 936
 Puig, L., 630
 Pujar, S.S., 2070

 Queiroz, R.E.B., 1921
 Querellou, E., 2080
 Quinlan, J.F., 416
 Qureshi, A.I., 158, 1535

 Radeos, M.S., 1667
 Ragsdale, L., 135
 Rahman, S.Y., 1588
 Rainer, T.H., 629
 Rajendran, B., 872
 Rakhit, R.D., 1118

 Rankin, S., 717
 Rao, M.P.R., 834, 1660
 Rao, R., 1845
 Ratanapo, S., 819
 Ratnam, L., 1660
 Ravn-Fischer, A., 1515
 Rawshani, A., 1788
 Ray, P., 440, 1378, 1872
 Rayo, L., 244
 Razazi, K., 1407
 Reddi, A.S., 260
 Reed, J.F., III, 819
 Reed, M.E., 1152
 Reichert, R., 925
 Reichlin, T., 440
 Reis, E., 263
 Rekkerth, D., 635
 Reparaz-González, J.C., 277
 Rhee, J.E., 315, 1749
 Rhoney, D.H., 981
 Rice, C.M., 2103
 Richter, C.J., 1884
 Richter, S., 580
 Riegel, B., 1822
 Riemüller, S., 516
 Riessen, R., 325
 Rim, K.P., 1749
 Rinke, M.L., 352
 Riocet, D., 170
 Riou, B., 440, 741, 1032, 1378, 1872, 1877
 Ro, Y.S., 1433, 1491
 Robbins, R., 1402
 Robles, L.A., 2089
 Rocchini, A., 1561
 Rodelo, J.R., 325
 Rodriguez, G.J., 158, 1535
 Roe, J.L., 1212
 Rogers, L., 1613
 Romero, J., 1928
 Roque, P., 110
 Roque, P.J., 1357, 1617
 Rosand, J., 545
 Rosenbaum, T., 831
 Rosenberg, H., 2084
 Rosenberg, L., 79
 Rosenberg, M., 1617
 Ross, G.A., 1013
 Rossler, D., 387
 Roth, D., 1729
 Rothman, R.E., 1466
 Rotte, M.J., 1950
 Rougier, M., 1319
 Rowe, B.H., 5, 412
 Rowlett, J., 2102
 Rudkin, S.E., 1371
 Ruger, J.P., 1884
 Ruparelia, N., 264
 Russ, S., 151, 1474
 Russo, C.J., 104
 Ryan, M.T., 833

 Sa Leitao, D., 249
 Sabucedo, A., 390
 Sacchetti, A., 1655
 Sachdev, S., 515
 Sadahiro, T., 1838

- Sadaka, F., 251
 Saeedi, M., 1100
 Saeui, C., 231
 Safari, S., 2092
 Sahoo, J.N., 389
 Saïdi, K., 1877
 Saigal, S., 389
 Saito, S., 1125
 Sakamoto, T., 250
 Salahi, R., 1146
 Salameh, S., 1055
 Saloun, P., 391
 Saliccioli, J.D., 587
 Salen, P.N., 251
 Salman, N., 1486
 Salmon, M., 1654
 Salt, O., 2095, 2099
 Salt, Ö., 430
 Salzman, M., 388
 Šamal, F., 961
 Samuel, N., 2005
 Sanaei-Zadeh, H., 384, 510, 627, 628, 1481, 1652, 2070
 Sanchez, L.D., 188, 1574
 Sande, M., 262
 Sanders, L.L., 135
 Sandhu, G., 1659
 Sani, G., 1014
 Santana, C.d.A., 1921
 Santin, A., 741
 Santos, M., 1515, 1788
 Sarangarm, D., 717
 Sarangarm, P., 717
 Sarikaya, S., 908
 Saritas, A., 1321, 1663, 2065
 Martin, M., el, 240
 Saskin, R., 1743
 SathyaPrabhu, K., 515
 Sato, T., 638
 Sato, Y., 263
 Satoh, T., 263
 Sattarian, M., 1860
 Saucedo, J., 1016
 Saul, T., 1662
 Saville, B.R., 1215
 Schaeffer, E., 1006
 Schecter, J., 633
 Schieber, J.D., 932
 Schimmenti, C., 435
 Schipper, E.M., 1607
 Schmader, K., 135
 Schmitz, G., 302
 Schneider, S., 635
 Schreiber, D.H., 1774
 Schreiber, W., 1729
 Schroeder, E., 472
 Schull, M., 412
 Schunk, J.E., 275
 Schwab, K., 545
 Schwartz, D., 1095
 Schwarz, E., 1320
 Sclarovsky, S., 256
 Scott, J., 2082
 Scott, R.C., 2073
 Sebbane, M., 1928
 Sebbanne, M., 1235
 Segard, J., 184
 Segura, J., 2078
 Self, W.H., 1474, 1955
 Sen, A., 778, 954
 Senecal, E., 636
 Sener, A., 2081
 Sensoy, B., 834
 Senthilkumaran, S., 515, 820, 1310, 2069
 Sévère, M., 2000
 Sezen, G., 1321
 Sezer, C., 263
 Shah, S., 1328, 1627, 1654
 Shahan, J.B., 1466
 Shahidian, D., 1
 Shahsavarinia, K., 1100
 Shang, J., 2025
 Shapiro, N., 2064
 Shapiro, N.I., 203, 1691
 Shaqiri, B., 1561
 Sharifian, M., 1
 Sharist, M., 726
 Sharma, A., 517
 Sharma, A.K., 1660
 Shavit, I., 2005
 Shay, D.K., 1955
 Sheather, D., 637
 Shen, L., 1622
 Shen, Y.-S., 143, 1461, 2085
 Sherman, S.C., 264
 Shetty, A.K., 1013
 Shi, Y.-k., 784
 Shih, C.-M., 45
 Shih, H.-C., 405
 Shin, S.D., 1433, 1491, 1810
 Shin, S.H., 1433
 Shin, W.J., 1756
 Shinohe, R., 2098
 Shinozaki, K., 1838
 Shiroshita-Takeshita, A., 263
 Shiu, M., 1118
 Shiver, S.A., 485, 1577
 Shofer, F.S., 639
 Shokoohi, H., 1658
 Showalter, B.K., 32
 Showalter, C.D., 1501
 Shu, Q., 2096
 Shumaker, J., 1095
 Shyang-rong, S., 259
 Shyu, H.-Y., 1016
 Sibley, T., 261
 Sidney, S., 665
 Siegel, B., 1655
 Sikka, R., 881
 Sikka, V., 283
 Silverman, R., 347
 Sim, S.-S., 1012
 Simanovsky, N., 1055
 Simitis, P., 1389
 Simoes, S., 260
 Simon, H.K., 1588
 Simon, M.A., 553
 Simpson, C., 1617
 Sinclair, J.R., 532
 Singer, A.J., 57, 79, 1491, 1706
 Singh, K., 68
 Singh, R., 97
 Singh, R.K., 389
 Singla, V., 517
 Sipos, W., 643
 Skali, H., 1025
 Školoudik, D., 961
 Slattery, D., 1774
 Slovis, C.M., 151
 Smelser, J., 1255
 Smith, C., 1118
 Smith, C.L., 181
 Smith, D.D., 1845
 Smith, E.E., 545
 Smith, G.A., 293
 Snashall, J., 2082
 Soder, S.A., 925
 Sodhi, R., 1321
 Sojod, G., 1017
 Soma, K., 222
 Somers, G., el, 240
 Song Youn, C., 464
 Song, J.-H., 165, 1169
 Song, K.J., 1491
 Song, L.M.W.K., 673
 Soong, T.R., 1466
 Soremekun, O.A., 532
 Sorokin, V., 1622
 SOS-KANTO study group, 770
 Soucy, Z., 1414
 Soyuncu, S., 1323
 Spellman-Kennebeck, S., 1501
 Spillane, L., 635
 Spindelboeck, W., 1664
 Spurney, S., 2080
 Srivali, N., 819, 1001
 Stahlman, B., 2034
 Stahlman, B.A., 1765
 Stalnikowicz, R., 1055
 Stapeczynski, S., 110, 1357
 Staunton, P., 896
 Steenblik, J., 1817
 Stefan, R.A., 1743
 Stefanadis, C., 1549
 Steger, F., 12
 Stein, J.C., 942
 Stellpflug, S.J., 950
 Stephen, R., 1817
 Stern, M., 1048
 Sterz, F., 643
 Stiell, I.G., 673
 Stienen, M.N., 831
 Stone, M., 1324, 1627
 Stone, M.B., 759, 1263
 Storrow, A.B., 151, 1581
 Strauss, R., 302
 Stringhi, E., 1013
 Strote, S.R., 778
 Stroupoulis, K., 1311, 1389
 Strugo, R., 726
 Studnek, J.R., 51
 Studnicki, J., 1441
 Su, C.-H., 421
 Su, G.-y., 1202
 Su, H.-K., 388
 Su, J., 1089
 Su, P.-H., 379
 Su, Y.-C., 1352
 Suarez, A., 1
 Subasi, M., 2104
 Suksaranjit, P., 383, 384, 819
 Sulaiman, K., 97
 Sullivan, A., IV, 717
 Sullivan, A.F., 304, 1105
 Sun, C.C.-F., 1661
 Sun, C.-K., 2090
 Sung, A.J., 749
 Sung, Y.-F., 2083
 Surana, A., 1414
 Suresh, P., 820
 Suri, M.F.K., 158, 1535
 Suto, T., 1125
 Suwaidi, J.A., 97
 Suzuki, M., 263
 Swamy, R.S., 255
 Swartz, E.E., 1163
 Syverud, S.A., 628
 Taggart, I., 1328
 Taheri, M.R., 1658
 Taira, B.R., 57
 Taira, T., 57
 Tajima, M., 2083
 Takahashi, K., 901
 Takasu, A., 250
 Takatsuki, S., 263
 Takazawa, T., 1125
 Takesue, T., 1326
 Takhar, S.S., 942
 Talbot, H.K., 1955
 Tamm, M., 1662
 Tan, B.K.K., 1602
 Tan, K.-H., 256, 388, 636, 1011
 Tandogan, I., 908
 Tang, S.-C., 516
 Tang, Z., 1420
 Tanizaki, S., 342
 Tanoue, S., 836
 Tansangngam, P., 1737
 Tao, R., 1313
 Tateishi, Y., 1838
 Tayal, A.H., 2025
 Taylor, D., 861
 Tayyebi Meibodi, N., 540
 Teismann, N., 1654
 Templier, F., 765
 Terazumi, K., 250, 254
 Tesaf, J., 961
 Tewelde, S.Z., 615
 Tez, M., 775, 1245
 Thacker, L.R., 196, 872
 Thakker, M., 264
 Thang, N.D., 1788
 Thangarajah, H., 515
 Thevenin, D., 391
 Thille, A.W., 1407
 Thirumalaikulundusubramanian, P., 403, 515, 820, 1310, 2069
 Thode, H.C., Jr., 57, 1706
 Thoma, M., 1325
 Thomas, R., 1347
 Thompson, D., 262
 Thys, F., 765, 1325
 Tian, Y., 1089
 Tibau, R., 630
 Tikkanen, H., 2000
 Timm, N., 1019, 1501

- Ting, C.-T., 1656
 Tobie, M., 1125
 Todman, R.W., 1134
 Toledano, F.J., 2078
 Tommaso, L.H., 881
 Tong, J., 1313
 Torres, D., 517, 2103
 Torres-Macho, J., 1935
 Torun, M.F., 1657
 Trapanese, C., 2103
 Traub, D.M., 251
 Trebouchet, E., 377
 Tronchon, L., 391
 Trotter, E.D., 456
 Troxell, R.M., 57
 Tsai, C.-L., 304, 1105
 Tsai, C.-Y., 1540
 Tsai, F.-C., 1661
 Tsai, I.-T., 2090
 Tsai, K.-C., 513, 1656, 2089
 Tsai, M.-S., 1540
 Tsai, S.-H., 1326, 1540, 1663, 2070
 Tsai, T.-J., 1654
 Tsao, Y.-T., 1661, 1665
 Tse, M.M., 629
 Tsoukas, A.S., 1328
 Tsuchimoto, A., 1326
 Tsung, J.W., 386
 Tu, C.-Y., 45
 Tura, P., 84
 Turc, J., 258
 Turkdogan, K.A., 908, 1804
 Türkmen, S., 1657
 Tutt, C.D., 1012
 Twerenbold, R., 440
 Tzeng, Y.-S., 592
 Unay, F.C., 2081
 Ungprasert, P., 1309
 Unluer, E.E., 821, 2081
 Unni, P., 1457
 Uz, Ö., 400
 Uzkeser, M., 2086, 2101
 Uzun, B., 821
 Uzun, E., 2097
 Uzun, G., 2066
 Uzuncan, F.B., 512
 Vahidnia, F., 1627
 Vaicys, V., 932
 Vailhen, D.R.-A., 1001
 Vainrib, A.F., 1706
 Valencia, M.L., 325
 Valente, S., 92
 Valsamakis, N., 1549
 Van Der Wilden, G.M., 1429
 van Essen, M., 1607
 Van Tricht, M., 170
 van Tulder, R., 1729
 Vandelli, A., 61
 Vandermeer, B., 412
 Vanni, S., 1962
 Varasteh, A.-R., 540
 Varon, J., 800, 981, 1210, 1567
 Varvarousi, G., 1549
 Vasei, M., 504
 Vasoo, S., 68
 Vazquez, G., 158
 Vazquez, J., 1210
 Velasco, O., 512
 Velibey, Y., 257
 Velmahos, G., 1429
 Venge, P., 1639
 Venkat, A., 2025
 Vergez-Larroquet, C., 1591
 Vicidomini, S., 1698
 Vilke, G.M., 1196
 Villa-Roel, C., 5, 412
 Vincentelli, G.M., 504
 Vinsonneau, U., 1591
 Vinton, D., 587
 Visintainer, C.M., 886
 Vitale, P.A., 104
 Viviani, G., 1698, 1719, 1962
 Vivien, B., 1032
 Vlachos, I., 1389
 Vogel, J., 511
 Vogiatzis, D., 2103
 Vohra, T., 2090
 Volpicelli, G., 317
 Volz, K.A., 188, 1574
 Voskoboynik, N., 1328
 Walch, R., 1561
 Wall, J., 1017
 Walsh, K.M., 639
 Walsh, R., 376
 Walton, P., 485, 1577
 Wampler, D., 1095
 Wang, A.-Y., 1319
 Wang, C.-T., 253
 Wang, H.-J., 1865
 Wang, K.-Y., 1656
 Wang, S.-Y., 919, 1597
 Wang, T.-D., 1540
 Wang, W., 1215
 Wang, W.-J., 1661, 1665
 Wang, X., 1089
 Wang, Y., 1089
 Wang, Y.C., 26
 Wang, Y.-C., 207, 570
 Wang, Z., 2075
 Ward, E., 68
 Ward, K.R., 196, 872
 Ward, M.J., 181
 Warren, O., 1224
 Watanabe, E., 1838
 Watase, T., 1329
 Wayangankar, S.A., 1322
 Wee, J.H., 690, 1248
 Weihs, W., 643
 Weinman, D., 1655
 Weisenthal, B., 597
 Weiser, C., 1729
 Weiss, S.J., 717
 Wells, G.A., 673
 Wen, J., 784
 Wen, S.-C., 833
 Wendell, L., 545
 Weng, T.-L., 1654
 Weng, Y.-M., 1782
 Wen-Je, K., 259
 Westcoat, K., 352
 White, B.A., 532
 White, J., 1613
 Whitney-Cashio, P., e1, 240
 Widimsky, P., 695
 Wiechmann, W., 754
 Wijdicks, E.F., 2079
 Wilcox, S.R., 1429
 Wiler, J.L., 1860
 Wilkie, H., 954
 Willard, R.N., 1017
 Williams, J.V., 1955
 Williams, K., 1224
 Williamson, K., e1, 240
 Willner, E.L., 115
 Wilson, M.P., 1196
 Wilson, S., 637
 Wing, A., 5
 Winkler, K., 2000
 Winters, M.E., 1268, 2011
 Wisner, D.H., 574, 1129
 Witsil, J.C., 837
 Wolfe, R.E., 1691
 Wolfson, T., 32
 Wolters, F.J., 2000
 Wong, L., 412
 Wong, R.C.K., 129
 Wong, Y.-C., 1597
 Wood, M.P., 251
 Woolley, W., 1048
 Worriow, C.C., 514
 Wright, S.W., 181
 Wright, W.F., 253
 Wu, C.-C., 833
 Wu, H.-P., 1080
 Wu, J.-M., 2089
 Wu, K.-H., 1080, 1555
 Wu, S.C., 26
 Wu, S.-C., 207, 570
 Wu, T.S., 1357, 1617
 Wu, W.-J., 1907
 Wu, Y.-H., 2089
 Wurzer, H., 516
 Wyler, B., 481
 Xanthos, T., 1311, 1389, 1549, 1935, 502
 Xiang, H., 293
 Xiang, Y., 293
 Xu, J., 1313
 Xu, S., 2075
 Yadav, K., 302
 Yalcin, F., 265
 Yalcin, O., 1336
 Yamada, M., 1125
 Yamada, R., 499
 Yamada, Y., 2098
 Yamakage, M., 901
 Yamamoto, L.G., 249
 Yamamoto, T., 342
 Yamanel, L., 1760
 Yamauchi, M., 901
 Yanagawa, Y., 250, 254, 634, 836, 2083
 Yang, C.-H.O., 1597
 Yang, C.-I., 784
 Yang, C.-W., 833
 Yang, H.J., 1395
 Yang, H.S., 1756
 Yang, J.J., 954
 Yang, S.-J., 1597
 Yang, W., 1822
 Yang, W.-C., 1080
 Yang, Y.-M., 680
 Yang, Y.-S., 257
 Yarbil, P., 2104
 Yavasi, O., 821
 Ybarra, M., 831
 Ye, J., 1313
 Yeguiayan, J.-M., 513, 1032
 Yeh, C.-C., 570
 Yeh, C.-N., 1597
 Yeh, F.-C., 2100
 Yen, D.H.-T., 379
 Yencilek, E., 390
 Yetkin, I., 1657
 Yetkin, M.F., 2099
 Yi, H.-Y., 680
 Yildiz, A., 637
 Yildiz, M., 262
 Yilmaz, F., 834
 Yilmaz, K., 2085
 Yilmaz, M.B., 908, 1804
 Yin, W.P., 2039
 Yip, F.Y., 657, 846
 Yokusoglu, M., 1915
 Yoldas, Ö., 1245
 Yoo, D., 1655
 Yoon, J., 449
 Yoshikawa, J., 342
 Yoshimura, K., 222
 Yotsueda, H., 1326
 You, J.S., 226, 1229, 2098
 You, Y., 2097
 Youn, C.S., 124, 690
 Young, A.C., 1320
 Youngquist, S.T., 1486
 Yu, C.-J., 513
 Yu, J.-H., 1782
 Yu, K., 1068
 Yu, X., 2075
 Yuan, A., 1319
 Yucel, H., 908
 Yuen, C.K., 1522
 Yun, S.Y., 837
 Yurdakul, E., 430
 Zacharatos, H., 158
 Zaharna, L., 2011
 Zakynthinos, E., 832
 Zaller, N., 1224
 Zamani, N., 1481
 Zanobetti, M., 1665, 1698, 1719
 Zardini, M., 2082
 Zarrabi, K., 826
 Zechner, P.M., 516
 Zell-Kanter, M., 514, 837
 Zeng, Q.-x., 1202
 Zengin, S., 2104
 Zervoudakis, G., 476
 Zhang, D., 2039
 Zhang, M., 1530
 Zhang, N.-J., 1907
 Zhang, Y., 1202
 Zhao, H., 1420

Zhao, W., 293
Zheng, W., 2094
Zhong, J.-q., 1202
Zhou, D., 2096

Zhou, R.-R., 1907
Zhu, J., 2094
Zhu, T., 2096
Zhu, Y., 1313, 1955

Ziacian, B., 1
Ziebell, C., 1061
Zink, B., 1224
Zorlu, A., 908, 1804

Zou, M.-X., 1907
Zouain, E., 1659
Zubaid, M., 97
Zwank, M.D., 372, 1114, 1650



INDEX TO VOLUME 30

Keywords

- Abdominal aortic aneurysm, in man who used to "climb the stairs," 1013.e5–1013.e7
- Abdominal compartment syndrome, fatal, psychiatric drug-induced, 513.e5–513.e7
- Abdominal injury
rate after normal abdominal computed tomographic scan in adults with blunt trauma, 574–579
- stab wound, comparison of conservative management and laparotomy in management of stable patients with, 1146–1151
- Abdominal pain
acute
contrast-enhanced ultrasound detects gallbladder perforation in patient with, 516.e5–516.e6
- secondary to angiotensin-converting enzyme inhibitor use, unnecessary surgery for, 1607–1612
- spontaneous rupture of ureter an unusual cause of, 390.e1–390.e2
- cauda equina syndrome presenting as, 1327.e5–1327.e6
- Abdominal palpation, with Ou MC manipulation, for women with acute abdomen, implications of, 421–425
- Abdominal radiography, with signs and symptoms of intussusception, diagnostic accuracy of, 426–431
- Abdominal trauma, blunt, peritoneal lavage in diagnosis of hollow organ perforation in, 570–573
- Abdominal wall nerve block, ultrasound-guided, in ED, 759–764
- Abscess
drainage, spontaneous cutaneous, in children, topical anesthetic cream is associated with, 104–109
- in ED patients with soft tissue infections, bedside ultrasound performed by novices for detection of, 1569–1573
- Acetabular fracture, hyperalgesic, treated by transversus abdominis plane block in ED (letter), 1006–1007
- Acetaminophen, overdose, accidental, dental pain as risk factor for (letter), 510–511
- Achilles tendon, rupture of, acute, diagnosis using point-of-care ultrasound in ED, 634.e3–634.e4
- Acinetobacter baumannii, clinical predictors of, bacteremia in patients admitted to ED, 1169–1175
- Acute abdomen
implications of abdominal palpation with Ou MC manipulation for women with, 421–425
- intra-abdominal focal fat infarction (IFFI) in a 75-year-old female presenting as, 2096.e7–2096.e9
- Acute coronary syndrome (ACS)
cardiac literature 2010, 615–625
- and concurrent pulmonary embolism, with dynamic electrocardiographic changes, 637.e1–637.e4
- in ED, heart-type fatty acid binding protein and diagnosis of, 1378–1384
- in ED patients with chest pain, physical fitness is not a predictor of, 57–60
- Killip classification in patients with, 97–103
- potential, stress testing in young low-risk patients with, 639–642
- recurrent vasodilator-refractory, as exclusive manifestation of Graves disease, 1656.e5–1656.e9
- suspected, evaluation of GRACE and TIMI score in patients with, 37–44
- symptom differences in patients with coronary artery disease presenting to ED ultimately diagnosed with or without, 1822–1828
- Acute myocardial infarction. *see* Myocardial infarction (MI), acute
- Acute Physiology and Chronic Health Evaluation (APACHE) III, evaluation of, in predicting prognosis of patients admitted to ED in need of ICU, 1141–1145
- Acute Physiology and Chronic Health Evaluation (APACHE) II scoring system, for predicting outcomes of intensive care unit trauma patients, 749–753
- Acute respiratory distress syndrome
extracorporeal membrane oxygenation for refractory, life-threatening, and herpes simplex virus 1-induced, 1014.e3–1014.e10
- three-view bedside ultrasound for the differentiation of, from cardiogenic pulmonary edema, 1324.e1–1324.e4
- Adenosine, -induced severe bronchospasm in patient without pulmonary disease induced by, 2082.e3–2082.e5
- Adrenal hemorrhage, acute, bedside ultrasound of, 2088.e3–2088.e4
- Adult
bacteremic, visiting the ED, impact of inappropriate empirical antibiotic therapy on outcome of, 1447–1456
- with blunt trauma, rate of intra-abdominal injury after normal abdominal computed tomographic scan in, 574–579
- ED patients, IV contrast vs oral in CT for the diagnosis of appendicitis in, 1765–1773
- febrile, in ED, pitfalls in using serum C-reactive protein to predict bacteremia in, 562–569
- hematogenous septic arthritis of the hip in (letter), 630–631
- older
in ED, cost-effectiveness of influenza vaccination of, 1072–1079
- health care utilization before and after an outpatient ED visit in, 135–142
- orthopedic literature 2010, 606–614
- presenting to urban ED, need for dental care among, 18–25
- presenting with wide QRS tachycardia, Ebstein anomaly in, 834.e1–834.e4
- using EZ-IO in ED, observational, prospective study comparing flow rates with proximal and distal tibia intraosseous access in, 1602–1606
- visiting in ED, risk factors and outcome of *Pseudomonas aeruginosa* bacteremia among, 852–860
- Aeromonas schubertii*, necrotizing fasciitis, fatal case after penetrating injury, 258.e3–258.e5
- Aerosol, β -adrenergic, lactic acidosis as complication of, 1319.e5–1319.e6
- Age
analysis of appropriate weight and, of pediatric patient sedation for MRI, 1189–1195
- variability in pediatric injuries from falls, 1457–1460
- Air drill, high speed, cervico - facial emphysema and pneumomediastinum after endodontic treatment procedure using, 2095.e5–2095.e8
- Airway management, the emergency medical services literature in review 2010, 966–971
- Akathisia
metoclopramide-induced, effects of midazolam vs. diphenhydramine in prophylaxis of, 84–91
- prochlorperazine in children with migraine and its effectiveness and rate of, 456–463
- Albumin, small-volume resuscitation from hemorrhagic shock with polymerized human serum, 1336–1346
- Alcoholic ketoacidosis, coincide with acute Marchiafava-Bignami disease, 2087.e7–2087.e8

- Alcohol intoxication, differential effects of olanzapine in oxygenation of patients with, 1196–1201
- Allergic reaction
and color-coding triage in Italian ED (letter), 826–829
superior vena cava syndrome masquerading as an, 2100.e5–2100.e7
- Alpine accidents, and performance assessed using video game machine on older trekkers, 1125–1128
- Aluminium, induced ventricular tachycardia, 262.e1–262.e2
- Aluminium phosphide, toxicity (letter), 1306
- Aluminum phosphide poisoning
unresponsive ventricular tachycardia associated with, 633.e3–633.e5
unresponsive ventricular tachycardia associated with (letter), 384–385
- Alvarado score, low, prospective study of computed tomography in patients with suspected acute appendicitis and, 1597–1601
- Amiodarone
in cardiac arrest resuscitation, 811–818
induced thyrotoxicosis, therapy-resistant ventricular tachycardia due to, 2092.e9–2092.e11
induced T-U fusion, 2081.e1–2081.e2
intravenous, anaphylactic shock due to, 265.e1–265.e2
- Ammonia, blood level, a predictive biomarker of neurologic outcome in cardiac arrest patients treated with therapeutic hypothermia, 1395–1401
- Analgesia
in emergency care settings, ultrasound-guided superficial cervical plexus block for, 1263–1267
prehospital, the emergency medical services literature in review 2010, 966–971
- Anaphylactic shock
due to intravenous amiodarone, 265.e1–265.e2
due to kiwi fruit, 2096.e5–2096.e6
life-threatening, caused by recombinant tissue plasminogen activator, 253.e1–253.e2
- Anaphylaxis
to black widow spider antivenom, 836.e1–836.e2
factors associated with shock in, 1674–1678
- Anesthesia
in emergency care settings, ultrasound-guided superficial cervical plexus block for, 1263–1267
topical cream, is associated with spontaneous cutaneous abscess drainage in children, 104–109
- Aneurysm
atrial, left, huge, the fifth chamber of heart, 1327.e1–1327.e3
left atrial, role of multidetector-row CT in diagnosis of (letter), 819
- Angioedema
inhalant abuse of computer cleaner manifested as, 265.e3–265.e5
related to the use of angiotensin-converting enzyme inhibitors, icatibant for treatment of, 1664.e1–1664.e2
- Angioembolization
provides benefits in patients with concomitant unstable pelvic fracture and unstable hemodynamics, 207–213
in stable pelvic fracture, higher glucose on admission is associated with need for, 26–31
- Angiography
coronary, CT, in ED patients, implications of 25% to 50% coronary stenosis with, 597–605
CT, in patients with suspected pulmonary embolism, 325–330
- Angiotensin-converting enzyme inhibitor
icatibant for treatment of angioedema related to the use of, 1664.e1–1664.e2
use of, unnecessary surgery for acute abdomen secondary to, 1607–1612
- Ankle, fractures of, in children, ED point-of-care ultrasound in diagnosis of, 1328.e1–1328.e3
- Antibiotics
common, underdosing of, for obese patients in ED, 1212–1214
impact of inappropriate empirical therapy on outcome of bacteremic adults visiting the ED, 1447–1456
- Anticholinergic delirium, in geriatric, 514.e1–514.e3
- Anticoagulants, oral, in ED setting, 2046–2054
- Anticoagulation, parenteral, in pulmonary thromboembolism, time to individualize duration of (letter), 1004–1006
- Antidepressant, tricyclic, incidence like complications after cyclobenzaprine overdose (letter), 374–375
- Antimicrobial resistance, in uncomplicated urinary tract infections in 3 California EDs, 942–949
- Antithrombin, and gabexate mesilate, effects of, on disseminated intravascular coagulation, 1219–1223
- Antivenom therapy, black widow spider, anaphylaxis to, 836.e1–836.e2
- Aortic aneurysm, arch, recurrent choking as a presenting feature of, 636.e3–636.e4
- Aortic dissection
acute, complicated by acute ischemic stroke (letter), 2070–2073
acute, in ED, risk factors and predictors for missed diagnosis of, 1622–1626
ischemic stroke with left hemiparesis or shock should be evaluated by CT scan for, 836.e3–836.e4
rapid revascularization reverses cerebral and myocardial ischemia arising from, 516.e1–516.e3
traumatic, late, 1328.e5–1328.e8
type B, ED ultrasound diagnosis using suprasternal view of, 2084.e1–2084.e5
using open-chest massage, successful treatment of cardiac tamponade due to, 634.e1–634.e2
- Aortic flush, small volume, during cardiac arrest in pigs, rapid induction of hypothermia with, 643–650
- Aortic intramural hematoma, with rupture and concomitant acute myocardial infarction, 1660.e5–1660.e8
- Apoptosis, involvement in the mechanism of postresuscitation myocardial dysfunction in a porcine model of cardiac arrest, 2039–2045
- Appendicitis
acute
artificial neural networks in diagnosis of, 1245–1247
and low Alvarado score, prospective study of computed tomography in patients with suspected, 1597–1601
serum chitotriosidase activity in, 775–777
urinary 5-hydroxyindoleacetic acid helpful for early diagnosis of, 540–544
in adult ED patients, IV contrast vs oral in CT for the diagnosis of, 1765–1773
5-hydroxyindoleacetic acid in (letter), 504
- Arrhythmia
maternal, cardiogenic shock, extracorporeal membrane oxygenation in, 1012.e3–1012.e5
ventricular
malignant, early, in patients with acute myocardial infarction, additional predictive value of serum potassium to TIMI risk score for, 1089–1094
after ST-segment elevation myocardial infarction, incidence and predictors of, 580–586
- Arterial blood gas
less painful sampling using jet injection of 2% lidocaine, 1100–1104
vs. venous
in assessment of patients presenting with an exacerbation of COPD, 896–900
measurements in trauma patients, prospective correlation of, 1371–1377
- Arthritis
septic, hematogenous, of the hip, in adult patients (letter), 630–631
septic, of unusual cause of neck pain, 2094.e5–2094.e8
- Artificial neural networks, in diagnosis of acute appendicitis, 1245–1247
- Asphyxia
cardiac arrest, epinephrine, vasopressin, and nitroglycerin improve neurologic outcome in porcine, 1549–1554
and ventricular fibrillation cardiac arrests, difference in myocardial injuries and mitochondrial damages between, 1540–1548
- Aspirin, withdrawal of, simultaneous left anterior descending and right coronary stent thrombosis after, 2093.e9–2093.e12
- Asystole, after first dose of ceftriaxone, 1321.e3–1321.e4
- Athletes, competitive, circadian variation in sudden death of (letter), 1306–1309
- Atrial fibrillation
clinical management of, 1962–1969
newly diagnosed, assessment of Framingham risk factors among ED patients with, 151–157
paroxysmal, in patient with severe carbon monoxide poisoning (letter), 2066–2067
and postprandial syncope, case of female patient presenting to ED with, 248.e5–248.e8
prevalence of validated risk factors for developing, can we identify high-risk ED patients, 1581–1587
rapid, on the presence of obstructive coronary artery disease, predictive accuracy of ST depression during, 1042–1047
related to hyperbaric oxygen therapy (letter), 2065–2066
spontaneous splenic hemorrhage after initiation of dabigatran (Pradaxa) for, 2082.e1–2082.e2
successful electrical cardioversion in massive concentric hypertrophic cardiomyopathy with, 635.e5–635.e8
- Atrioventricular block, complete, due to overdose of pregabalin, 2101.e5–2101.e8
- Atropine
adjunctive, clinical effects during ketamine sedation in pediatric emergency patients, 1981–1985

- in cardiac arrest resuscitation, 811–818
dosage in patients with severe organophosphate pesticide poisoning (letter), 628
Audible feedback, precise minute ventilation delivery using bag-valve mask and, 1068–1071
- Back pain, low, acute non-traumatic, predicting 7-day and 3-month functional outcomes after ED visit for, 1852–1859
- Baclofen, overdose, treated by hemodialysis, 1654.e5–1654.e7
- Bacteremia
in adults visiting the ED, impact of inappropriate empirical antibiotic therapy on outcome of, 1447–1456
Enterobacter, among patients admitted to ED, clinical predictors of, 165–169
in febrile adults in ED, pitfalls in using serum C-reactive protein to predict, 562–569
predictors of, in ED patients with suspected infection, 1691–1697
of *Pseudomonas aeruginosa*, among adults visiting in ED, risk factors and outcome of, 852–860
pseudomonas aeruginosa or *acinetobacter baumannii*, clinical predictors of, in patients admitted to ED, 1169–1175
- Bacterial blood cultures, contamination of, in ED, impact of overcrowding on, 839–845
- Bacterial contamination, of blood cultures in ED, impact of overcrowding on, 839–845
- Bag-valve mask, and audible feedback, precise minute ventilation delivery using, 1068–1071
- Bandemia, as a predictor of inpatient mortality in septic patients in ED, degree of, 181–183
- Base excess, is an accurate predictor of elevated lactate in ED septic patients, 184–187
- Bee sting
subarachnoid hemorrhage an unusual presentation of (letter), 510
and subarachnoid hemorrhage (letter), 1310–1311
subarachnoid hemorrhage an unusual presentation of, 1663.e5–1663.e6
- Beta-adrenergic (β -adrenergic), aerosols, lactic acidosis as complication of, 1319.e5–1319.e6
- BinaxNow influenza a&b, rapid antigen test, diagnostic performance in ED patients, 1955–1961
- Bivalirudin, prehospital treatment of patients with acute myocardial infarction with, 12–17
- Bladder rupture, intraperitoneal, after blunt trauma, pseudorenal failure due to, 1326.e1–1326.e3
- Bleeding, ulcer, refractory, of uremic patient, recombinant factor VIIa use in, 1319.e1–1319.e4
- Blood cultures, drawn in urban ED, inpatient utilization of, 110–114
- Blood gas analysis, venous-arterial P_{CO_2} and pH differences, increased by hyperventilation and finger exercise (erratum), 246
- Blood loss, comparison of ultrasonographic methods as marker of (letter), 821–826
- Blunt diaphragmatic rupture, a rare but challenging entity in thoracoabdominal trauma, 919–924
- Bodybuilder, professional, hypokalemic paralysis in a, 1324.e5–1324.e8
- Body mass index (BMI), greater than 40 kg/m² of morbidly obese patients receive delayed ED care, 737–740
- Bowing fracture, of forearm, in ED under propofol sedation, reduction of, 249.e1–249.e4
- Brachial plexus nerve block, interscalene, sonographic evaluation of paralyzed hemidiaphragm from ultrasound-guided, 2099.e7–2099.e9
- Bradycardia, herbal syncope provoked, 386.e5–386.e7
- Brain death, think twice before labeling a patient, 1321.e1–1321.e2
- Brain injury, traumatic, severe, postintubation hemodynamic effects of intravenous lidocaine in, 1782–1787
- Bronchoscopy, treatment for ST-elevation myocardial infarction after, 1660.e1–1660.e4
- Bronchospasm, severe, in patient without pulmonary disease, adenosine induced, 2082.e3–2082.e5
- Brugada syndrome, fever-induced ST-segment elevation in syncopal patient with, 263.e1–263.e5
- Bruns-Cushing nystagmus, due to hypertensive unilateral paramedian pontine base infarction, 1326.e5–1326.e7
- Buprenorphine, inhibition of remifentanyl procedural sedation, 1655.e3–1655.e4
- Burn, partial thickness, comparison of purified olive oil and silver sulfadiazine in treatment of, 79–83
- Calcific retropharyngeal tendonitis, atraumatic neck pain and rigidity in case of, 636.e1–636.e2
- Cancer, advanced, who present to ED, application of SOFA score in patients with, 362–366
- Cannabinoid, K9, synthetic, with laboratory confirmation, cardiotoxicity associated with, 1320.e5–1320.e7
- Capitellum fracture, detecting fat pads may have a significant impact on outcome in, 264.e1–264.e2
- Capnography, to verify correct endotracheal tube positioning in prehospital, lung ultrasound associated to, 2080.e5–2080.e6
- Carbamate
intoxication, hyperacute rejection from a donor died from (letter), 1008–1010
intoxication, hyperacute rejection from a donor who died of, 1661.e1–1661.e4
- Carbon dioxide, transcutaneous, arterial, concordance between, measurements in ED, 1872–1876
- Carbon dioxide narcosis, and spontaneous tension pneumothorax, in a near fatal episode of COPD exacerbation, 1664.e3–1664.e4
- Carbon monoxide poisoning
compartment syndrome on patient's forearm related to, 2104.e5–2104.e8
elevated S100B level in CSF could predict poor outcome of, 222–225
and exposure circumstances, recipients of hyperbaric oxygen treatment for, 846–851
induced compartment syndrome (letter), 2070
noninvasive pulse co-oximetry expedites evaluation and management of patients with, 2021–2024
pulse carbon monoxide oximetry vs. laboratory carbon monoxide oximetry with regard to time to diagnosis and treatment of (letter), 1652–1653
severe, paroxysmal atrial fibrillation in patient with (letter), 2066–2067
unintentional, in United States 2007, hospital burden of, 657–664
- Cardiac activity, fetal, prospective outcomes of pregnant in ED with documented ultrasound, 472–475
- Cardiac arrest
asphyxia, epinephrine, vasopressin, and nitroglycerin improve neurologic outcome in porcine, 1549–1554
cardiac literature 2010, 615–625
cardiocerebral resuscitation vs CPR for, 784–793
cardiopulmonary resuscitation for, 1630–1638
case with ST elevation induced by contrast medium, 2083.e3–2083.e4
and CPR after ischemic stroke (letter), 1311–1312
critical care literature 2010, 1268–1273
difference in myocardial injuries and mitochondrial damages between asphyxial and ventricular fibrillation, 1540–1548
due to hanging injury, outcome analysis of, 690–694
due to long QT syndrome, therapeutic hypothermia after, 638.e5–638.e8
electrocardiographic presentations and management considerations based on electrocardiogram in PEA in, 236–239
emergency cricothyrotomy for trismus caused by instantaneous rigor in patients with, 1014.e1–1014.e2
the emergency medical services literature in review 2010, 966–971
in-hospital, characteristics and outcome after defibrillator implementation and education, 1712–1718
neurologic outcome, post, and hospital arrival, relationship between hemoglobin level at, 770–774
out-of-hospital
implication of cardiac marker elevation in patients who resuscitated from, 464–471
paramedics successfully perform EZ-IO humeral intraosseous access in adult patients with, 1095–1099
sex disparity in resuscitation efforts and outcomes in, 1810–1816
patients, usefulness of MMP9 admission as predictor of early mortality after CPR in, 1804–1809
in patients treated with therapeutic hypothermia, blood ammonia a predictive biomarker of neurologic outcome in, 1395–1401
in pigs, rapid induction of hypothermia with small volume aortic flush during, 643–650
porcine model, apoptosis involvement in the mechanism of postresuscitation myocardial dysfunction in, 2039–2045
in a porcine model, cerebrospinal fluid biochemistry reflects effects of therapeutic hypothermia after, 1420–1428
and profound accidental hypothermia, therapeutic hypothermia after, 387.e5–387.e7
resembles that of severe sepsis, postresuscitation autonomic nervous modulation after, 143–150
resuscitation, code drugs in, 811–818
survivors, intra-abdominal hypertension a potent silent killer of (letter), 502–504
therapeutic hypothermia for comatose survivor of, 251.e1–251.e2
- Cardiac arrest syndrome, post, duration of well-controlled core temperature correlates with neurological outcome in patients with, 1838–1844
- Cardiac imaging, quick-look, diagnostic performance of pocket-sized ultrasound for, 32–36

- Cardiac index, measurement with focused ultrasound examination in ED, 1845-1851
- Cardiac markers, elevation in patients who resuscitated from out-of-hospital cardiac arrest, implication of, 464-471
- Cardiac output monitor, noninvasive Doppler ultrasound, for differential diagnosis of shock (letter), 629-630
- Cardiac sarcoma, primary, presenting with superior vena cava obstruction, 264.e3-264.e5
- Cardiac tamponade
impending, caused by salt supplement in hyponatremic patient with chronic kidney disease, 1656.e1-1656.e3
successful treatment of, due to an aortic dissection using open-chest massage, 634.e1-634.e2
- Cardiac troponin. *see* Troponin, cardiac
- Cardiac troponin I. *see* Troponin I, cardiac
- Cardiogenic pulmonary edema, acute, cardiac literature 2010, 615-625
- Cardiogenic shock, maternal arrhythmic, extracorporeal membrane oxygenation in maternal arrhythmic, 1012.e3-1012.e5
- Cardiology, molecular, to emergency medical practice, role of inflammatory markers from (editorial), 1210-1211
- Cardiomyopathy
hypertrophic, massive concentric, with atrial fibrillation, successful electrical cardioversion in, 635.e5-635.e8
valvular, acute peritonitis as the first presentation of, 247.e5-247.e6
- Cardiopulmonary resuscitation (CPR). *see also* Resuscitation
bystander, induced splenic laceration with hepatosplenic hematoma, 388.e1-388.e2 for cardiac arrest, 1630-1638
in cardiac arrest patients, usefulness of MMP9 admission as predictor of early mortality after, 1804-1809
gastric perforation following, 2091.e3-2091.e4
imbalance between TIMP-1 and MMP9 after, 1202-1209
after ischemic stroke, cardiac arrest and (letter), 1311-1312
light-emitting diode illuminant and plastic single-use blade for intubation during (letter), 499-501
metronome-guided, higher chest compression rate may be necessary for, 226-230
passive leg raising during, results in improved neurological outcome in swine model of prolonged ventricular fibrillation, 1935-1942
pediatric, newly introduced compression, airway, and breathing sequence affects the training in (letter), 371-372
vs cardiocerebral for cardiac arrest, 784-793
- Cardiotoxicity, associated with synthetic cannabinoid, K9, with laboratory confirmation, 1320.e5-1320.e7
- Cardiovascular collapse, effect of intravenous fat emulsion therapy on glyphosate-surfactant-induced, 2097.e5-2097.e6
- Cardiovascular emergency
the emergency medical services literature in review 2010, 966-971
related to Xynthia storm (letter), 377-379
- Cardioversion, successful electrical, in massive concentric hypertrophic cardiomyopathy with atrial fibrillation, 635.e5-635.e8
- Care plan program, reduces the number of visits for challenging psychiatric patients in the ED, 1061-1067
- Carotid artery dissection, presenting with isolated headache and Horner syndrome after minor head injury, 2103.e7-2103.e9
- Catheterization
Foley, after acute urinary retention, rectus sheath hematoma due to, 837.e3-837.e4
internal jugular vein, ultrasound guided (letter), 372-373
standard-length vs. long catheters, in ultrasound-guided peripheral vein cannulation, 712-716
- Catheter laboratory, access vs ED-activated primary PCI, superior outcome with direct, 1118-1124
- Cauda equina syndrome, presenting as abdominal pain, 1327.e5-1327.e6
- Cavitary lung lesions, heart blockage in patient with, 1663.e1-1663.e3
- Ceftriaxone
asystole after first dose of, 1321.e3-1321.e4
use of, ST elevation in inferior derivation, coronary ectasia, and slow coronary flow following, 1657.e5-1657.e7
- Central venous catheterization
placement of, decrease due to utilization of ultrasound guidance for peripheral intravenous catheters, 1950-1954
placement of, intracardiac air embolism after, 1659.e1-1659.e3
- Cerebellar tonsils, neurogenic stunned myocardium as a manifestation of encephalitis involving, 2083.e1-2083.e2
- Cerebral embolism, fat, after severe road traffic accident, 831.e1-831.e2
- Cerebral ischemia, and myocardial, arising from aortic dissection, rapid revascularization reverses on, 516.e1-516.e3
- Cerebral venous thrombosis
deep, cord sign facilitates the early diagnosis of, 252.e1-252.e3
HIV infection presenting as, 517.e1-517.e3
- Cerebrospinal fluid
biochemistry reflects effects of therapeutic hypothermia after cardiac arrest in a porcine model, 1420-1428
could predict poor outcome of carbon monoxide poisoning, elevated S100B level in, 222-225
- Cerebrovascular disease, discrepancy between point-of-care and central laboratory international normalized ratio testing in ED patients with, 2025-2029
- Cervical spine, epidural hematoma of, mimics acute ischemic stroke, 1322.e1-1322.e3
- Cervical spine clearance
orthopedic literature 2011, 1296-1305
- Cervicitis, and pelvic inflammatory disease, laboratory-confirmed chlamydia and/or gonorrhea rates in clinically diagnosed, 1114-1117
- Charles Bonnet syndrome, occipital lobe epilepsy presenting as, 2102.e9-2102.e10
- Chest compressions
continuous, improve survival and neurologic outcome in a swine model of prolonged ventricular fibrillation, 1389-1394
higher, may be necessary for metronome-guided CPR, 226-230
mechanical, associated with prehospital thrombolysis, 1015.e1-1015.e2
performed by emergency department staff, 1928-1934
- Chest pain
acute, inequalities in early treatment of women and men with, 1515-1521
anterior, and unilateral facial flushing, an old lady with, 248.e1-248.e4
characteristics and outcome for patients with, in relation to transport by emergency medical service in a 20-year perspective, 1788-1795
creatinase kinase-MB does not add additional benefit to negative troponin in the evaluation of, 188-190
in ED, cost-effectiveness of routine coagulation testing for evaluation of, 2034-2038
and history of coronary artery disease, combined copeptin and troponin to rule out myocardial infarction in patients with, 440-448
and nondiagnostic ECG, risk scores prognostic implementation in patients with, 1719-1728
with or without known existing coronary disease presenting normal ECG, short and long term cardiac events in patients with, 1698-1705
patients, improving risk stratification in, 1829-1837
physical fitness is not a predictor of ACS in ED patients with, 57-60
recurrent, chest radiography in large hiatal hernia in woman with, 2103.e3-2103.e5
of undifferentiated origin, predicting unfavorable outcome in subjects with diagnosis of, 61-67
utilization of CTA for exclusion of CAD in ED patients with low- to intermediate risk, 1706-1711
- Chest pain unit, gender and stress test use in ED, 890-895
- Chest radiography
in large hiatal hernia in woman with cardiorespiratory symptoms, 2103.e3-2103.e5
routine, role in initial evaluation of stable blunt trauma patients, 1-4
- Chest tube
drainage, versus small-bore catheter, for pneumothorax, 1407-1413
drainage of, intercostal, severe dengue with massive pleural effusion require the, 389.e1-389.e2
- Chest X-ray, abnormal, and cough, 61-year-old man with, 387.e1-387.e3
- Children. *see* Pediatrics; Pediatrics
- Chitotriosidase, serum activity in acute appendicitis, 775-777
- Chlamydia, and/or gonorrhea rates in clinically diagnosed pelvic inflammatory disease and cervicitis, laboratory-confirmed, 1114-1117
- Chocolate, supraventricular tachycardia induced by, 1325.e5-1325.e7
- Choking, recurrent, as a presenting feature of aortic arch aneurysm, 636.e3-636.e4
- Chronic kidney disease, impending cardiac tamponade caused by salt supplement in hyponatremic patient with, 1656.e1-1656.e3
- Chronic obstructive pulmonary disease (COPD)
spontaneous tension pneumothorax and CO2 narcosis in a near fatal episode exacerbation of, 1664.e3-1664.e4
usefulness of chest ultrasonography in detecting pulmonary embolism in patient with chronic renal failure and, 1665.e1-1665.e3
venous vs. arterial blood gases in assessment of patients presenting with an exacerbation of, 896-900
- Ciprofloxacin, induced torsade de pointes, 252.e5-252.e9
- Circadian rhythms, variation, in sudden death of competitive athletes (letter), 1306-1309
- Circadian variation, of acute myocardial infarction in young people, 1461-1465
- Clinical practice guidelines, electronic, role in managing febrile neutropenia in ED, 5-11, 5.e1-5.e5

- Clinical triage decision, vs. risk scores, in predicting the need for endotherapy in upper gastrointestinal bleeding, 129–134
- Clostridium septicum*, myonecrosis presenting as an acute painful foot, 253.e3–253.e5
- Coagulation, testing, routine, for evaluation of chest pain in ED, cost-effectiveness of, 2034–2038
- Coagulopathy, effects of therapeutic hypothermia on (letter), 1001
- Colon degloving injury, a case of, 250.e5–250.e6
- Colonoscopy
 routine, tension pneumoperitoneum during, 261.e1–261.e2
 uncomplicated, splenic rupture after, 515.e1–515.e2
- Coma, metabolic versus structural in ED, 1986–1990
- Comatose, survivors, of cardiac arrest, therapeutic hypothermia for, 251.e1–251.e2
- Community hospital, ED identification of patients with severe sepsis/septic shock decreases mortality in, 1561–1566
- Community population, prospective study of elder self-neglect and ED use in, 553–561
- Compartment syndrome
 carbon monoxide poisoning–induced (letter), 2070
 on patient's forearm related to carbon monoxide poisoning, 2104.e5–2104.e8
 upper hand on, 2084.e7–2084.e10
- Computed tomography (CT)
 abdominal
 normal, in adults with blunt trauma, rate of intra-abdominal injury after, 574–579
 wound irrigation before, 835.e1–835.e4
 angiography in patients with suspected pulmonary embolism, 325–330
 chest
 implications for ultrasound screening in ED, anatomical distribution of traumatic pneumothoraces on, 1025–1031
 or ultrasonography, for subcutaneous emphysema (letter), 501–502
 coronary angiography
 coronary artery disease progression in patients without significant stenosis on, 2015–2020
 in ED patients, implications of 25% to 50% coronary stenosis with, 597–605
 utilization for exclusion of CAD in ED patients with low- to intermediate risk chest pain, 1706–1711
 cranial, for neurologic complaints in young children in ED, 1507–1514
 head, warfarin associated intraparenchymal hemorrhage presenting with blood-fluid level on, 2079.e1–2079.e2
 IV contrast vs oral in, for the diagnosis of appendicitis in adult ED patients, 1765–1773
 multidetector, emergency physicians overestimate the pretest probability and legal risk of significant findings of, 367–370
 multidetector-row, role in diagnosis of left atrial aneurysm (letter), 819
 prospective study in patients with suspected acute appendicitis and low Alvarado score, 1597–1601
 scan, for aortic dissection, ischemic stroke with left hemiparesis or shock should be evaluated by, 836.e3–836.e4
- Confusion, acute, in HaNDL syndrome, 2078.e7–2078.e8
- Congestive heart failure, new technique for evaluating jugular venous distension using ultrasound in (letter), 1650–1652
- Conservative management, and laparotomy, comparison of, in management of stable patients with abdominal stab wound, 1146–1151
- Contrast media
 case of cardiac arrest with ST elevation induced by, 2083.e3–2083.e4
 extravasation of, managed with recombinant human hyaluronidase, 2102.e5–2102.e7
 oral vs IV, in CT for the diagnosis of appendicitis in adult ED patients, 1765–1773
- Copeptin, combined with troponin, to rule out myocardial infarction in patients with chest pain and history of coronary artery disease, 440–448
- Cornea, foreign body, removal using a bent needle tip, 489–490
- Coronary angiography
 CT
 coronary artery disease progression in patients without significant stenosis on, 2015–2020
 utilization for exclusion of CAD in ED patients with low- to intermediate risk chest pain, 1706–1711
- Coronary artery, normal, STEMI in a 37-year-old male with, 2091.e5–2091.e7
- Coronary artery disease
 combined copeptin and troponin to rule out myocardial infarction in patients with chest pain and history of, 440–448
 in ED patients with low- to intermediate risk chest pain, utilization of CTA for exclusion of, 1706–1711
 obstructive, predictive accuracy of ST depression during rapid atrial fibrillation on the presence of, 1042–1047
- presenting normal ECG, short and long term cardiac events in patients with chest pain with or without known existing, 1698–1705
- progression in patients without significant stenosis on coronary CT angiography, 2015–2020
- symptom differences in patients with, presenting to ED ultimately diagnosed with or without acute coronary syndrome, 1822–1828
- Coronary ectasia, following ceftriaxone use, 1657.e5–1657.e7
- Coronary flow, slow, following ceftriaxone use, 1657.e5–1657.e7
- Coronary stenosis, 25% to 50%, with cardiac computed tomographic angiography in ED patients, 597–605
- Coronary stent thrombosis, simultaneous left anterior descending and right, after aspirin withdrawal, 2093.e9–2093.e12
- Cost-benefit analysis
 of influenza vaccination of older adults in ED setting, 1072–1079
 of routine coagulation testing for evaluation of chest pain in ED, 2034–2038
- Cough, and abnormal chest X-ray, 61-year-old man with, 387.e1–387.e3
- C-reactive protein
 in diagnosis of parapneumonic pleural effusions, 1907–1914
 serum, to predict bacteremia in febrile adults in ED, pitfalls in using, 562–569
 serum highly selective, is associated with volume of ischemic tissue in acute ischemic stroke, 124–128
- Creatine kinase-MB
 does not add additional benefit to negative troponin in the evaluation of chest pain, 188–190
 index be eliminated in patients with indeterminate troponins in ED, 1574–1576
- Creatinine, normal level of, and postpolio syndrome, renal failure in patient with, 247.e1–247.e3
- Cricothyroidotomy
 emergency, for trismus caused by instantaneous rigor in cardiac arrest patients, 1014.e1–1014.e2
 emergent, for trauma, 1429–1432
 needle, in pigs, influence of hemorrhagic shock on ventilation through, 1684–1690
- Cunningham method, of dislocated shoulder reduction (letter), 376–377
- Cyclobenzaprine, overdose, incidence of tricyclic antidepressant-like complications after (letter), 374–375
- Dabigatran (Pradaxa), for atrial fibrillation, spontaneous splenic hemorrhage after initiation of, 2082.e1–2082.e2
- D-dimer
 concentration of, nine modalities to report (letter), 1007–1008
 is a significant prognostic factor in patients with suspected infection and sepsis in Colombian population, 1991–1999
- Death, sudden, of competitive athletes, circadian variation in (letter), 1306–1309
- Decision making, for ED patients, influence of physician seniority on disparities of admit/discharge, 1555–1560
- Decompression illness, posterior vitreal detachment in, 637.e5–637.e6
- Deep venous thrombosis, *Vibrio vulnificus* sepsis misdiagnosed as simple, 2098.e9–2098.e10
- Defibrillator, implementation and education, in-hospital cardiac arrest characteristics and outcome after, 1712–1718
- Delayed diagnosis of injury (DDI), in pediatric trauma, role of radiology in, 115–123
- Dengue, severe, with massive pleural effusion require the intercostal chest tube drainage, 389.e1–389.e2
- Dental care, among adults presenting to urban ED, need for, 18–25
- Dental pain, as risk factor for accidental acetaminophen overdose (letter), 510–511
- Depression, pralidoxime inhibits paraoxon-induced, of rocuronium-neuromuscular block in time-dependent fashion, 901–907
- Dexketoprofen trometamol, vs. tenoxicam, vs. lornoxicam, for treatment of renal colic, efficacy of intravenous, 1486–1490
- Diabetes, related visits to US EDs from 1997 to 2007, 754–758
- Diabetic ketoacidosis
 in ED, prevalence of hypokalemia in unselected patients with (letter), 1311
 with hypothermic cardiocirculatory instability, venoarterial extracorporeal membrane oxygenation resuscitation in, 259.e5–259.e7
 prevalence of hypokalemia in ED patients with, 481–484
- Diagnosis
 accuracy, of abdominal radiograph with signs and symptoms of intussusception, 426–431
 of acute Achilles tendon rupture using point-of-care ultrasound in ED, 634.e3–634.e4
 of acute appendicitis, artificial neural networks in, 1245–1247
 of acute coronary syndrome in ED, heart-type fatty acid binding protein and, 1378–1384
 of ankle fractures in children, ED point-of-care ultrasound in, 1328.e1–1328.e3

- aortic intramural hematoma with rupture and concomitant acute myocardial infarction, 1660.e5–1660.e8
- of appendicitis in adult ED patients, IV contrast vs oral in CT for the, 1765–1773
- bedside, of acute heart failure, IVC assessment in, 778–783
- cancer, and outcomes in Michigan ED vs. other settings, 283–292
- of chest pain of undifferentiated origin, predicting unfavorable outcome in subjects with, 61–67
- differential, noninvasive Doppler ultrasound cardiac output monitor, of shock (letter), 629–630
- early
- of acute appendicitis, urinary 5-hydroxyindoleacetic acid helpful for, 540–544
 - of acute myocardial infarction, diagnostic accuracy of heart-type fatty acid-binding protein for, 267–274
 - of deep cerebral vein thrombosis, cord sign facilitates the, 252.e1–252.e3
- emergency physicians, of pediatric infective endocarditis by point-of-care echocardiography, 386.e1–386.e3
- of esophageal rupture, with bedside ultrasound, 2093.e5–2093.e7
- of Kounis syndrome, using MRI, and ST elevation correlates with troponin levels, 2086.e5–2086.e7
- of left atrial aneurysm, role of multidetector-row CT in (letter), 819
- life-saving, of Wellens syndrome, 255.e3–255.e5
- of liver trauma, with contrast-enhanced ultrasound, interobserver variability between radiologist and emergency physician in, 1229–1234
- and management of imported malaria, 972–980
- and management of soft tissue infections in pediatric ED, effect of bedside ultrasound on, 1347–1351
- missed, of acute aortic dissection in ED, risk factors and predictors for, 1622–1626
- of parapneumonic pleural effusions, use of pleural fluid procalcitonin and CRP in, 1907–1914
- performance of BinaxNow influenza a&b rapid antigen test in ED patients, 1955–1961
- performance of pocket-sized ultrasound for quick-look cardiac imaging, 32–36
- of pneumonia in ED has poor accuracy despite diagnostic uncertainty, 881–885
- of posterior urethral valves in ED, by bedside ultrasound in, 633.e1–633.e2
- and risk stratification of ED patients with dyspnea, evaluation of MR-proANP, PCT and MR-proADM for the, 1915–1920
- of spontaneous urinary bladder rupture in ED (letter), 379–382
- summertime differential, of elevated cardiac troponin (letter), 375–376
- testing and average absolute likelihood ratio in wide QRS complex tachycardia and other ED disease, 1895–1906
- and treatment of carbon monoxide-poisoned patients, pulse carbon monoxide oximetry vs. laboratory carbon monoxide oximetry with regard to time to (letter), 1652–1653
- of type B aortic dissection using suprasternal view in ED ultrasound, 2084.e1–2084.e5
- use of 4-step algorithm in ECG, of ST-segment elevation myocardial infarction by novice interpreters, 1282–1295
- utilization, and disposition of patients with acute stroke, impact of PSC certification in ED, 1152–1162
- Diaphragmatic rupture**
- blunt right-sided, delayed herniation of intra-abdominal contents following, 2089.e5–2089.e7
 - traumatic, delayed enterothorax and hepatothorax due to, 263.e7–263.e10
- Dignitary protection medicine, adapting prehospital, preventive, tactical and travel to new populations in, 1274–1281**
- Diphenhydramine, vs. midazolam, effects in prophylaxis of metoclopramide-induced akathisia, 84–91**
- Dislocation**
- of knee, low-velocity, in morbidly obese, 2090.e9–2090.e10
 - of shoulder, primary anterior, in ED patients, validity of 9 physical tests for full-thickness rotator cuff tears after, 1522–1529
- Disseminated intravascular coagulation, effects of antithrombin and gabexate mesilate on, 1219–1223**
- Disulfiram-ethanol reactions, severe, fomepizole for, 262.e3–262.e5**
- Dizziness, in ED, practice variation in neuroimaging in evaluation of, 665–672**
- DN4 score, morphine consumption is not modified in patients with severe pain classified as neuropathic by, 1877–1883**
- Dosing, and titration of intravenous opioid analgesics administered to ED patients in acute severe pain, 1241–1244**
- Dropidol, role of, in treating primary headaches in ED, 1255–1262**
- Drugs, psychiatric, induced fatal abdominal compartment syndrome, 513.e5–513.e7**
- Dyspepsia, pain, randomized controlled trial of adding intravenous of pantoprazole to conventional treatment for immediate relief of, 1737–1742**
- Dyspnea**
- acute, in ED, end-tidal carbon dioxide measurement can accurately predict the partial arterial carbon dioxide level of patients with, 358–361
 - evaluation of MR-proANP, PCT and MR-proADM for the diagnosis and risk stratification of ED patients with, 1915–1920
- Dysrhythmia, cardiac literature 2010, 615–625**
- Ebstein anomaly, in adult presenting with wide QRS tachycardia, 834.e1–834.e4**
- Echocardiography, point-of-care, emergency physicians diagnosis of pediatric infective endocarditis by, 386.e1–386.e3**
- Editorials, 916–918, 1210–1211, 1567–1568**
- Education, in-hospital cardiac arrest characteristics and outcome after defibrillator implementation and, 1712–1718**
- Eject helmet removal system, and manual football helmet removal, head kinematics between, 1163–1168**
- Elderly, see Geriatric patients**
- Electrocardiogram**
- in PEA in cardiac arrest, electrocardiographic presentations and management considerations based on, 236–239
 - and proBNP, left ventricular dysfunction screening in hypertensive patients with, 214–217
- Electrocardiogram technician, improves in-hospital first contact-to-ECG times, 1729–1736**
- Electrocardiography (ECG)**
- changes predict myocardial injury in patients with intracerebral hemorrhage, ischemic-appearing in, 545–552
 - concurrent pulmonary embolism and acute coronary syndrome with dynamic changes of, 637.e1–637.e4
 - electrocardiogram technician improves in-hospital first contact-to, 1729–1736
 - for emergent reperfusion therapy, 994–1000
 - 12-lead, in patients with subarachnoid hemorrhage, 732–736
 - manifestations of tramadol toxicity with special reference for prediction of seizures, 1481–1485
 - nondiagnostic, risk scores prognostic implementation in patients with chest pain and, 1719–1728
 - normal, short and long term cardiac events in patients with chest pain, with or without known existing coronary disease presenting, 1698–1705
 - presentations and management considerations based on electrocardiogram in PEA in cardiac arrest, 236–239
 - sign of tumor invasion of myocardium, 2078.e1–2078.e5
 - 4-step algorithm, use of, in diagnosis of ST-segment elevation myocardial infarction by novice interpreters, 1282–1295
 - unusual manifestation of Takotsubo cardiomyopathy, 1323.e1–1323.e4
- Electronic record system, first medical contact and physicians' opinion after the implementation of, 1235–1240**
- Embolism, early, after intravenous recombinant tissue plasminogen activator for acute ischemic stroke, 2079.e3–2079.e5**
- Embolization, early, without external fixation in pelvic trauma, 342–346**
- Emergency care**
- racial/ethnic differences in, for joint dislocation in 53 US ED, 1970–1980
 - settings, ultrasound-guided superficial cervical plexus block for anesthesia and analgesia in, 1263–1267
- Emergency department (ED)**
- activated primary PCI, superior outcome with direct catheter laboratory access vs, 1118–1124
 - acute complications of tattooing presenting in, 2055–2063
 - acute kidney injury risk in patients with ST-segment elevation myocardial infarction at presentation to, 1921–1927
 - adult patients, IV contrast vs oral in CT for the diagnosis of appendicitis in, 1765–1773
 - anatomical distribution of traumatic pneumothoraces on chest computed tomography, implications for ultrasound screening in, 1025–1031
 - application of SOFA score in patients with advanced cancer who present to, 362–366
 - assessing prognosis of sepsis in (editorial), 1567–1568
 - based smoking cessation trial, predictors of in-person follow-up among subjects in (letter), 2067–2069
 - base excess is an accurate predictor of elevated lactate in septic patients in, 184–187
 - before- and after-intervention trial for reducing unexpected events during intrahospital transport of patients in, 1433–1440
 - California, antimicrobial resistance in uncomplicated urinary tract infections in, 942–949
 - cardiac troponin for point-of-care testing in, 1639–1649

- care, pilot study of emergency medical technicians' field assessment of intoxicated patients' need for, 1224-1228
- care plan program reduces the number of visits for challenging psychiatric patients in, 1061-1067
- clinical assessment of children with first-attack seizures admitted to, 1080-1088
- clinical predictors of *Enterobacter* bacteremia among patients admitted to, 165-169
- clinical predictors of *Pseudomonas aeruginosa* or *Acinetobacter baumannii* bacteremia in patients admitted to, 1169-1175
- comparison of different diagnostic tests in bedside evaluation of pleuritic pain in, 317-324
- concordance between transcutaneous and arterial measurements of carbon dioxide in, 1872-1876
- cost-effectiveness of influenza vaccination of older adults in, 1072-1079
- cost-effectiveness of routine coagulation testing for evaluation of chest pain in, 2034-2038
- creatine kinase-MB index be eliminated in patients with indeterminate troponins in, 1574-1576
- crowding and use of nontraditional beds, 1474-1480
- crowding decrease the number of procedures a physician-in-training performs, 1743-1748
- degree of bacteremia as a predictor of inpatient mortality in septic patients in, 181-183
- diabetes-related visits to US from 1997 to 2007 in, 754-758
- diagnosis, utilization, and disposition of patients with acute stroke, impact of PSC certification in, 1152-1162
- diagnosis of spontaneous urinary bladder rupture in (letter), 379-382
- discrepancy between point-of-care and central laboratory international normalized ratio testing of patients with cerebrovascular disease in, 2025-2029
- disease, diagnostic testing and average absolute likelihood ratio in wide QRS complex tachycardia and other, 1895-1906
- with documented fetal cardiac activity on ultrasound, prospective outcomes of pregnant in, 472-475
- echo of reverse Tako-tsubo cardiomyopathy, 2088.e5-2088.e7
- electrocardiographic criteria for reperfusion therapy in, 994-1000
- end-tidal carbon dioxide measurement can accurately predict the partial arterial carbon dioxide level of patients with acute dyspnea in, 358-361
- evaluation of APACHE III in predicting prognosis of patients admitted to, in need of ICU, 1141-1145
- factors associated with failure to follow-up at medical clinic after visit in, 347-351
- factors associated with self-reported pain scores among patients in, 331-337
- gender and stress test use in chest pain unit in, 890-895
- γ -glutamyl transferase and advances in risk stratification for pulmonary embolism in (editorial), 916-918
- has poor accuracy despite diagnostic uncertainty, diagnosis of pneumonia in, 881-885
- health care utilization before and after an outpatient visit among older people in, 135-142
- heart-type fatty acid binding protein and diagnosis of acute coronary syndrome in, 1378-1384
- high rates of quinolone resistance among urinary tract infections in, 68-74
- high-volume university hospital, acute heart failure registry from, 695-705
- hospital-level variation in percentage of admissions originating in, 1441-1446
- and hospital utilization, inadequate human immunodeficiency virus care associated with increased, 1466-1473
- hyperalgic acetabular fracture treated by transversus abdominis plane block in (letter), 1006-1007
- identification of organ donor of advanced age in, 170-173
- identification of patients with severe sepsis/septic shock decreases mortality in community hospital, 1561-1566
- impact of inappropriate empirical antibiotic therapy on outcome of bacteremic adults visiting in, 1447-1456
- impact of overcrowding on bacterial contamination of blood cultures in, 839-845
- impact of trauma activation on length of stay of nontraumatic patients in, 311-316
- impact on only full-capacity protocol, 1329-1335
- implications of 25% to 50% coronary stenosis with cardiac computed tomographic angiography in patients in, 597-605
- influence of physician seniority on disparities of admit/discharge decision making for patients in, 1555-1560
- is associated with poor outcome in patients with ischemic stroke, initial hyperlactatemia in, 449-455
- Italian, color-coding triage and allergic reactions in (letter), 826-829
- Lemierre's syndrome and rapidly deteriorating respiratory failure in, 1658.e5-1658.e7
- measuring cardiac Index with focused ultrasound examination in, 1845-1851
- mechanical ventilation use in, 1183-1188
- metabolic versus structural coma in, 1986-1990
- Michigan, vs. other settings, cancer diagnosis and outcomes in, 283-292
- Mondor disease a case report in, 1325.e1-1325.e3
- morbidly obese patients with BMI greater than 40 kg/m² receive delayed care in, 737-740
- neurologic complaints in young children in, 1507-1514
- with newly diagnosed atrial fibrillation, assessment of Framingham risk factors among patients in, 151-157
- nine, predictors of patient length of stay in, 1860-1864
- novel approach to confirming nasogastric tube placement in, 1662.e5-1662.e7
- novel approach to confirming nasogastric tube placement in (letter), 631-632
- observational, prospective study comparing flow rates with proximal and distal tibia intraosseous access in adults using EZ-IO in, 1602-1606
- observation unit protocol for trauma activation patients, prospective evaluation of, 1402-1406
- on-site pharmacists improve medical errors in, 717-725
- operational and financial impact of physician screening in, 532-539
- oral anticoagulants, 2046-2054
- patients, diagnostic performance of BinaxNow influenza A&B rapid antigen test, 1955-1961
- patients in acute severe pain, dosing and titration of intravenous opioid analgesics administered to, 1241-1244
- patients with chest pain, physical fitness is not a predictor of ACS in, 57-60
- patients with diabetic ketoacidosis, prevalence of hypokalemia in, 481-484
- patients with dyspnea, evaluation of MR-proANP, PCT and MR-proADM for diagnosis and risk stratification of, 1915-1920
- patients with low- to intermediate risk chest pain, utilization of CTA for exclusion of CAD in, 1706-1711
- patients with vertigo associated with acute stroke, 587-591
- pediatric
- clinical effects of adjunctive atropine during ketamine sedation in, 1981-1985
- comprehensive pain management protocol reduces children's memory of pain at discharge from, 861-871
- effect of bedside ultrasound on diagnosis and management of soft tissue infections in, 1347-1351
- empiric treatment of sexually transmitted infections in, 1588-1590
- gastrostomy tube replacement in, 1501-1506
- return visit characteristics among patients who leave without being seen from, 1019-1024
- pitfalls in using serum C-reactive protein to predict bacteremia in febrile adults in, 562-569
- point-of-care ultrasound diagnosis of acute Achilles tendon rupture in, 634.e3-634.e4
- point-of-care ultrasound in diagnosis of ankle fractures in children, 1328.e1-1328.e3
- posterior reversible encephalopathy syndrome a rare entity in, 2099.e3-2099.e5
- posterior urethral valves diagnosed by bedside ultrasound in, 633.e1-633.e2
- with postprandial syncope and atrial fibrillation, case of female patient presenting to, 248.e5-248.e8
- practice variation in neuroimaging to evaluate dizziness, 665-672
- predictors of bacteremia in, patients with suspected infection, 1691-1697
- and prehospital setting medication prescribing errors, 726-731
- prevalence of hypokalemia in unselected patients with diabetic ketoacidosis in (letter), 1311
- prevalence of validated risk factors for developing atrial fibrillation—can we identify high-risk patients in, 1581-1587
- propofol for sedation can shorten the duration of stay in joint reductions in, 1352-1356
- under propofol sedation, reduction of bowing forearm fracture in, 249.e1-249.e4
- prospective evaluation of treatment of pain in, using computerized physician order entry, 1613-1616
- pulmonary cavitation in patient presenting with nonspecific complaints in, 1662.e1-1662.e3
- quality of care for joint dislocation in 47 US, 1105-1113
- renal infarction in, 1055-1060
- risk factors and outcome of *Pseudomonas aeruginosa* bacteremia among adults visiting in, 852-860
- risk factors and predictors for missed diagnosis of acute aortic dissection in, 1622-1626
- role of droperidol in treating primary headaches in, 1255-1262
- role of electronic clinical practice guidelines in managing febrile neutropenia in, 5-11, 5.e1-5.e5
- role of full capacity protocols on mitigating overcrowding in, 412-420

- services, patterns and factors associated with intensive use of, 1884–1894
- of severe sepsis, impact of emergency medical services on after care in, 51–56
- staff, chest compressions performed by, 1928–1934
- symptom differences in patients with coronary artery disease presenting to, ultimately diagnosed with or without acute coronary syndrome, 1822–1828
- to-go meds for decreasing visit in, 2011–2014
- treatment of acute decompensated heart failure, sublingual tissue perfusion improves during, 872–880
- treatment of acute heart failure, peripheral tissue oxygenation during, 196–202
- ultrasound diagnosis of type B aortic dissection using suprasternal view, 2084.e1–2084.e5
- ultrasound-guided abdominal wall nerve block in, 759–764
- ultrasound to reduce cognitive errors in, 2030–2033
- underdosing of common antibiotics for obese patients in ED, 1212–1214
- urban, inpatient utilization of blood cultures drawn in, 110–114
- urban, need for dental care among adults presenting to, 18–25
- urban academic, practice patterns and management strategies for purulent skin and soft tissue infection in, 302–310
- US, racial/ethnic differences in emergency care for joint dislocation in 53, 1970–1980
- use, effects of H1N1 influenza fear on, 275–282
- use in community population, prospective study of elder self-neglect and, 553–561
- use of ultrasound-guided transversus abdominis plane block in (letter), 626–627
- validity of 9 physical tests for full-thickness rotator cuff tears after primary anterior shoulder dislocation in, 1522–1529
- value of procalcitonin level in community-acquired pneumonia in, 1248–1254
- visit for acute non-traumatic low back pain, predicting 7-day and 3-month functional outcomes after, 1852–1859
- visits for drug-related poisoning in United States, 2007, 293–301
- visits in, 1364–1370
- vs. direct admission, lower mortality in sepsis patients admitted in, 432–439
- Emergency medical services**
- impact on ED care of severe sepsis, 51–56
- and 9-1-1 pandemic influenza preparedness (letter), 505–509
- providers, isolated trapezius subluxation with novel reduction technique in, 1320.e1–1320.e3
- use on Friday the 13th, 886–889
- users, case management for, 352–357
- in a 20-year perspective, characteristics and outcome for chest pain patients in relation to transport by, 1788–1795
- Emergency medical technician, pilot study of, field assessment of intoxicated patients' need for ED care, 1224–1228**
- Emergency medicine (EM)**
- biochemical issues in, 231–235
- in China (letter), 2075–2077
- conferences, twitter use during (letter), 819–820
- a mission statement for (letter), 628
- national representation in, 1530–1534
- practice, role of inflammatory markers from molecular cardiology to (editorial), 1210–1211
- therapeutic hypothermia in, 800–810
- Emergency medicine pulmonary embolism in the real world registry (EMPEROR), therapy and outcomes in massive pulmonary embolism from the, 1774–1781**
- Emergency physicians**
- diagnosis of pediatric infective endocarditis by point-of-care echocardiography, 386.e1–386.e3
- inability to adequately clinically estimate the underlying hemodynamic profiles of acutely ill patients, 954–960
- initial accuracy of bedside ultrasound performed by, for multiple indications after short training period, 1943–1949
- overestimate the pretest probability and legal risk of significant findings of multidetector CT, 367–370
- for point-of-care ultrasound during the last 20 years, analysis of lawsuits filed against, 338–341
- and radiologist, interobserver variability between, in liver trauma diagnosis with contrast-enhanced ultrasound, 1229–1234
- using ultrasound measurement of crown-rump length to estimate gestational age in pregnant females, accuracy of, 1627–1629
- Emergency Severity Index, development and validation of excess mortality ratio-based, 1491–1500**
- Emphysema**
- cervico-facial, and pneumomediastinum, after high speed air drill endodontic treatment procedure, 2095.e5–2095.e8
- subcutaneous, chest computed tomographic scan or ultrasonography for (letter), 501–502
- Emphysema masked subdural, secondary to frontal sinusitis, 1657.e1–1657.e4**
- Encephalitis, involving cerebellar tonsils, neurogenic stunned myocardium as a manifestation of, 2083.e1–2083.e2**
- Encephalopathy syndrome, posterior reversible, a rare entity in ED, 2099.e3–2099.e5**
- Endocarditis, infective, by point-of-care echocardiography, emergency physicians diagnosis of pediatric with, 386.e1–386.e3**
- Endodontic treatment, using high speed air drill, cervico-facial emphysema and pneumomediastinum after, 2095.e5–2095.e8**
- Endoscopic therapy, in upper gastrointestinal bleeding, clinical triage decision vs. risk scores in predicting the need for, 129–134**
- Endotoxin, response and clinical outcome after trauma, relation of signal PBMCs with, 405–411**
- Endotracheal tube, positioning of, in prehospital, lung ultrasound associated to capnography to verify correct, 2080.e5–2080.e6**
- End-tidal carbon dioxide, measurement can accurately predict the partial arterial carbon dioxide level of patients with acute dyspnea in ED, 358–361**
- Enoxaparin, for prevention of thromboembolic events from high-risk surgery, delayed subdural hematoma after receiving, 1017.e5–1017.e8**
- Enterothorax, delayed, and hepatothorax, due to traumatic diaphragmatic rupture, 263.e7–263.e10**
- Epidural hematoma, cervical, spinal, mimics acute ischemic stroke, 1322.e1–1322.e3**
- Epinephrine**
- in cardiac arrest resuscitation, 811–818
- improve neurologic outcome in porcine asphyxial cardiac arrest, 1549–1554
- Esophageal route, therapeutic hypothermia induction via an, 932–935
- Esophageal rupture, diagnosed with bedside ultrasound, 2093.e5–2093.e7
- Exercise, finger, and hyperventilation, venous-arterial Pco₂ and pH differences increased by (erratum), 246
- External laryngeal manipulation, on intubation success rate by novice intubators in a manikin study, 2005–2010**
- Extracorporeal membrane oxygenation (ECMO)**
- in maternal arrhythmic cardiogenic shock, 1012.e3–1012.e5
- for refractory, life-threatening, and herpes simplex virus 1–induced acute respiratory distress syndrome, 1014.e3–1014.e10
- successful treatment for pheochromocytoma-induced acute cardiac failure, 1017.e1–1017.e3
- venoarterial, resuscitation in diabetic ketoacidosis with hypothermic cardiocirculatory instability, 259.e5–259.e7
- Extraglottic airway, i-gel, use in trauma patient (letter), 829–830**
- Extremity, lower, myalgias in man who used to "climb the stairs," 1013.e5–1013.e7**
- EZ-IO-powered drill device**
- in adult out-of-hospital cardiac arrest patients, paramedics successfully perform humeral intraosseous access using, 1095–1099
- in ED, observational, prospective study comparing flow rates with proximal and distal tibia intraosseous access in adults using, 1602–1606
- Facial flushing, unilateral, and anterior chest pain, an old lady with, 248.e1–248.e4**
- Falls, age variability in pediatric injuries from, 1457–1460**
- Fat emulsion, intravenous, effect of therapy on glyphosate-surfactant-induced cardiovascular collapse, 2097.e5–2097.e6**
- Fatigue, chest radiography in large hiatal hernia in woman with, 2103.e3–2103.e5**
- Febrile neutropenia, in ED, role of electronic clinical practice guidelines in managing of, 5–11, 5.e1–5.e5**
- Fibrillation, public access, introduction to a university community, e1–e8**
- Fetal loss, in symptomatic first-trimester pregnancy with documented yolk sac intrauterine, 399–404**
- Fever, induced ST-segment elevation in syncope patient with Brugada syndrome, 263.e1–263.e5**
- Fire extinguisher, an imminent threat or danger, 515.e3–515.e5**
- Flecainide, toxicity, in pediatric, from a double dose, 2095.e3–2095.e4**
- Floating clavicle, traumatic, 2097.e7–2097.e9**
- 5-Fluorouracil, acute toxic myopericarditis occur after initial dose of, 257.e1–257.e3**
- Fomepizole, for severe disulfiram-ethanol reactions, 262.e3–262.e5**
- Foot, acute pain of, Clostridium septicum myonecrosis presenting as, 253.e3–253.e5**
- Football helmet removal, manual, and eject helmet removal system, head kinematics between, 1163–1168**
- Foot ulcer, and severe metabolic alkalosis, patient with, 260.e5–260.e8**
- Force injury, factors associated with law enforcement-related use-of, 526–531**
- Forearm**
- bowing fracture of, in ED under propofol sedation, reduction of, 249.e1–249.e4
- compartment syndrome on patient's, related to carbon monoxide poisoning, 2104.e5–2104.e8

- Foreign body, corneal, removal using a bent needle tip, 489–490
- Formula, overdependence, caution while treating hyponatremia, 1659.e5–1659.e6
- Fracture
- of acetabular, hyperalgic, treated by transversus abdominis plane block in ED (letter), 1006–1007
 - of ankle, in children, ED point-of-care ultrasound in diagnosis of, 1328.e1–1328.e3
 - bowing, of forearm, in ED under propofol sedation, reduction of, 249.e1–249.e4
 - pelvic, stable, higher glucose on admission is associated with need for angioembolization in, 26–31
 - pelvic, unstable, and unstable hemodynamics, angioembolization provides benefits in patients with, 207–213
 - of simple pubic ramus, delayed presentation of hypovolemic shock after, 2090.e5–2090.e8
- Full-thickness rotator cuff tear (FTRCT), primary anterior shoulder dislocation in ED patients, validity of 9 physical tests for, 1522–1529
- Gabexate mesilate, and antithrombin, effects of, on disseminated intravascular coagulation, 1219–1223
- Gallbladder perforation, in patient with acute abdominal pain, contrast-enhanced ultrasound detects the, 516.e5–516.e6
- Gamma glutamyl transferase (GGT)
- and advances in risk stratification for pulmonary embolism in ED (editorial), 916–918
 - increased levels of, predict early mortality in patients with acute pulmonary embolism, 908–915
- Gastric artery rupture, short, spontaneous, following vomiting, 513.e1–513.e3
- Gastric perforation, following cardio pulmonary resuscitation, 2091.e3–2091.e4
- Gastrointestinal bleeding, upper, clinical triage decision vs. risk scores in predicting the need for endotherapy in, 129–134
- Gastrostomy tube replacement, in pediatric ED, 1501–1506
- Gender test, use in ED chest pain unit, 890–895
- Geriatric patients
- anticholinergic delirium in, 514.e1–514.e3
 - with ischemic stroke, comparison of acute nonthrombolytic and thrombolytic therapy in, 158–164
 - self-neglect and ED use in community population, prospective study of, 553–561
- Gestational age, in pregnant females, accuracy of emergency physicians using ultrasound measurement of crown-rump length to estimate, 1627–1629
- Glasgow-Blatchford Bleeding Score, external validation in US setting, 673–679
- Glasgow Coma Scale, motor component on mortality prediction capacity in trauma patients, 1032–1041
- Global Registry of Acute Cardiac Events (GRACE), and TIMI score, evaluation in patients with suspected ACS, 37–44
- Glossopharyngeal neuralgia, syncopal storm caused by, 2101.e9–2101.e11
- Glucocorticoid, in acute decompensated heart failure, 517.e5–517.e10
- Glucose
- cardioprotective effect on acute propafenone toxicity in rat, 680–689
 - higher, on admission is associated with need for angioembolization in stable pelvic fracture, 26–31
- Glyphosate-surfactant, -induced cardiovascular collapse, effect of intravenous fat emulsion therapy on, 2097.e5–2097.e6
- Gonorrhea, and/or chlamydia rates in clinically diagnosed pelvic inflammatory disease and cervicitis, laboratory-confirmed, 1114–1117
- Graves disease, recurrent vasodilator-refractory acute coronary syndrome as exclusive manifestation of, 1656.e5–1656.e9
- Guillain-Barré syndrome, and acute urinary retention, association between (letter), 373–374
- Gunshot, high-velocity, to the head presenting as initial minor head injury, 2089.e9–2089.e11
- Hand, upper, on compartment syndrome, 2084.e7–2084.e10
- Hanging injury, outcome analysis of cardiac arrest due to, 690–694
- Headache
- efficacy of high-flow oxygen therapy in all types of, 1760–1764
 - isolated, and Horner syndrome, after minor head injury, carotid artery dissection presenting with, 2103.e7–2103.e9
 - primary, in ED, role of droperidol in treating, 1255–1262
 - ultrasound assessment of optic disc edema in patients with, 1654.e1–1654.e4
- Headache with neurologic deficits and cerebrospinal fluid lymphocytosis syndrome (HaNDL), acute confusion in, 2078.e7–2078.e8
- Head injury
- minor, carotid artery dissection presenting with isolated headache and Horner syndrome after, 2103.e7–2103.e9
 - minor, high-velocity gunshot to the head presenting as initial, 2089.e9–2089.e11
- Headrest height, optimal, for best laryngoscopic view, 1679–1683
- Health care
- priorities are unclear (letter), 1001–1003
 - utilization before and after an outpatient ED visit in older adult, 135–142
- Health care reform, Chinese, analysis of current situation by studying emergency overcrowding in a typical Shanghai hospital (letter), 1313–1318
- Heart, huge left atrial aneurysm the fifth chamber of, 1327.e1–1327.e3
- Heart blockage, in patient with cavitory lung lesions, 1663.e1–1663.e3
- Heart failure
- acute
 - decompensated, glucocorticoid in, 517.e5–517.e10
 - decompensated, sublingual tissue perfusion improves during emergency treatment of, 872–880
 - hemodynamic changes as diagnostic tool in, 174–180
 - IVC assessment in bedside diagnosis of, 778–783
 - peripheral tissue oxygenation during ED treatment of, 196–202
 - registry from high-volume university hospital ED, 695–705
 - right and left, caused by an intrathoracic stomach, 1658.e1–1658.e3
 - successful extracorporeal membrane oxygenation treatment for pheochromocytoma-induced, 1017.e1–1017.e3 - decompensated, trepopnea may explain right-sided pleural effusion in patients with, 925–931.e2
- Heart-type fatty acid binding protein (H-FABP)
- and diagnosis of acute coronary syndrome in ED, 1378–1384
 - for early diagnosis of acute myocardial infarction, diagnostic accuracy of, 267–274
 - as prognostic factor in patients with severe sepsis and septic shock, 1749–1755
- Heatstroke, nonexertional, serum sodium abnormalities during, 741–748
- Helicopter transport
- chest pain on high seas and, 1591–1596
 - m-mode ultrasound for detection of pneumothorax during, 1577–1580
- Hemidiaphragm paralysis, from ultrasound-guided interscalene brachial plexus nerve block, sonographic evaluation of, 2099.e7–2099.e9
- Hemiparesis, left, or shock should be evaluated by CT for aortic dissection, ischemic stroke with, 836.e3–836.e4
- Hemodialysis, treating baclofen overdose by, 1654.e5–1654.e7
- Hemodynamics
- changes as diagnostic tool in acute heart failure, 174–180
 - postintubation, effects of intravenous lidocaine in severe traumatic brain injury, 1782–1787
 - profiles of acutely ill patients, inability of emergency physicians to adequately clinically estimate the underlying, 954–960
 - unstable, and unstable pelvic fracture, angioembolization provides benefits in patients with, 207–213
- Hemoglobin, level, at hospital arrival and post-cardiac arrest neurologic outcome, relationship between, 770–774
- Hemorrhage
- intraparenchymal, warfarin associated, presenting with blood-fluid level on CT head, 2079.e1–2079.e2
 - subarachnoid
 - an unusual presentation of bee sting, 1663.e5–1663.e6
 - an unusual presentation of bee sting (letter), 510
 - depressed sympathovagal balance predicts mortality in patients with, 651–656
 - extrapyramidal symptom masquerading as, 388.e3–388.e4
 - 12-lead electrocardiogram in patients with, 732–736
 - uncontrolled, severe, via liver injury, effects of terlipressin in rat model of, 1176–1182
- Hemorrhagic shock
- influence of, on ventilation through needle cricothyroidotomy in pigs, 1684–1690
 - with polymerized human serum albumin, small-volume resuscitation from, 1336–1346
 - quantification of superoxide radical production in 4 vital organs of rats subjected to, 476–480
- Henoch-Schönlein purpura, in teenager, jejuno-jejunum intussusception as single initial manifestation of, 2085.e1–2085.e3
- Heparin, resolution of left ventricular thrombus with lepirudin after failed treatment with, 1015.e3–1015.e5
- Hepatosplenic hematoma, bystander CPR induced splenic laceration with, 388.e1–388.e2
- Hepatothorax, and delayed enterothorax, due to traumatic diaphragmatic rupture, 263.e7–263.e10
- Herniation, delayed, of intra-abdominal contents following blunt right-sided diaphragm rupture, 2089.e5–2089.e7
- Herpes simplex virus 1, -induced acute respiratory distress syndrome, extracorporeal membrane oxygenation for refractory, life-threatening and, 1014.e3–1014.e10

- Herpes zoster, a manifestation of immune reconstitution inflammatory syndrome, HIV-positive patient with, 254.e3–254.e5
- Hiatal hernia, large, at chest radiography in a woman with cardiorespiratory symptoms, 2103.e3–2103.e5
- Hiccups
a hitch in (letter), 820–821
as the only symptom of non-STEMI, 266.e1–266.e2
- Hip, hematogenous septic arthritis in adult patients (letter), 630–631
- Hollow organ perforation, in blunt abdominal trauma, peritoneal lavage in diagnosis of, 570–573
- Horner syndrome, after minor head injury, carotid artery dissection presenting with isolated headache and, 2103.e7–2103.e9
- Hospital
burden of unintentional carbon monoxide poisoning in United States 2007, 657–664
high-volume university ED, acute heart failure registry from, 695–705
Shanghai, analysis of current situation of Chinese health care reform by studying emergency overcrowding in a typical (letter), 1313–1318
- Hospital admission
decision making for ED patients, influence of physician seniority on disparities of, 1555–1560
direct, vs. ED, lower mortality in sepsis patients admitted in, 432–439
in ED, level variation in percentage of, 1441–1446
- Hospital beds, ED crowding and use of nontraditional, 1474–1480
- Hospital discharge, decision making for ED patients, influence of physician seniority on disparities of, 1555–1560
- Hospital utilization, inadequate human immunodeficiency virus care associated with increased ED and, 1466–1473
- Human immunodeficiency virus (HIV)
associated immune reconstitution syndrome, surviving a crisis of, 1661.e5–1661.e7
inadequate care associated with increased ED and hospital utilization, 1466–1473
infected patient, refractory hypoxia in, 1322.e5–1322.e6
infection presenting as cerebral venous sinus thrombosis, 517.e1–517.e3
positive patient with herpes zoster a manifestation of immune reconstitution inflammatory syndrome, 254.e3–254.e5
5-hydroxyindoleacetic acid
in appendicitis (letter), 504
urinary, helpful for early diagnosis of acute appendicitis, 540–544
- Hyperacute rejection
from a donor died from carbamate intoxication (letter), 1008–1010
from a donor who died of carbamate intoxication, 1661.e1–1661.e4
- Hyperaldosteronism, primary, torsade de pointes a rare presentation of, 257.e5–257.e7
- Hyperalgesia, acetabular fracture treated by transversus abdominis plane block in ED (letter), 1006–1007
- Hyperbaric oxygen therapy
atrial fibrillation related to (letter), 2065–2066
for carbon monoxide poisoning and exposure circumstances, 846–851
- Hypercalcemia, severe, in nonobstructive pyelonephritis with acute renal failure, 1665.e5–1665.e7
- Hyperglycemia
hyperosmolar, coexistence of neuroleptic malignant syndrome and, 833.e1–833.e2
of 2700 mg/dL, case of successful treatment of patient with, 254.e1–254.e2
- Hyperkalemia, extreme, Beating the odds surviving in, 250.e1–250.e4
- Hyperlactatemia, initial, in ED is associated with poor outcome in patients with ischemic stroke, 449–455
- Hyperosmolar hyperglycemic state, coexistence of neuroleptic malignant syndrome and, 833.e1–833.e2
- Hyperparathyroidism
case with pulmonary edema, 512.e1–512.e3
primary, acute kidney injury from bilateral ureteral calcium stones in the setting of (letter), 383–384
- Hypertension
intra-abdominal, a potent silent killer of cardiac arrest survivors (letter), 502–504
optic nerve ultrasound for detection of elevated intracranial pressure in patient with, 1357–1363
portal, vascular access after failure of peripheral venipuncture in patients with, 258.e1–258.e2
with proBNP and electrocardiogram, left ventricular dysfunction screening in patients with, 214–217
unilateral, paramedian pontine base infarction, Bruns-Cushing nystagmus due to, 1326.e5–1326.e7
- Hypertensive crises, systematic review of nicardipine vs. labetalol for management of, 981–993
- Hypertrophic cardiomyopathy, massive concentric, with atrial fibrillation, successful electrical cardioversion in, 635.e5–635.e8
- Hyperventilation, and finger exercise, venous-arterial Pco₂ and pH differences increased by (erratum), 246
- Hypocalcemia, severe, simulating STEMI, 256.e3–256.e6
- Hypoglycemia
successful treatment of thyroid crisis accompanied by, 2094.e9–2094.e10
Takotsubo cardiomyopathy associated with, 2098.e5–2098.e7
- Hypokalemia
in ED patients with diabetic ketoacidosis, prevalence of, 481–484
paralysis in a professional bodybuilder, 1324.e5–1324.e8
prevalence of, in unselected patients with diabetic ketoacidosis in ED (letter), 1311
profound, unilateral paralysis associated with, 2100.e9–2100.e11
vomiting induced, pathophysiology and diagnostic approach of (letter), 384
- Hyponatremia
caution of overdependence on formulas while treating, 1659.e5–1659.e6
with chronic kidney disease, impending cardiac tamponade caused by salt supplement in, 1656.e1–1656.e3
- Hypothermia
cardiocirculatory instability, venoarterial extracorporeal membrane oxygenation resuscitation in diabetic ketoacidosis with, 259.e5–259.e7
with small volume aortic flush during cardiac arrest in pigs, rapid induction of, 643–650
therapeutic
blood ammonia a predictive biomarker of neurologic outcome in cardiac arrest patients treated with, 1395–1401
after cardiac arrest due to long QT syndrome, 638.e5–638.e8
after cardiac arrest in a porcine model, cerebrospinal fluid biochemistry reflects effects of, 1420–1428
for comatose survivor of cardiac arrest, 251.e1–251.e2
and effects on coagulopathy (letter), 1001
in EM, 800–810
induction via an esophageal route, 932–935
after profound accidental hypothermia and cardiac arrest, 387.e5–387.e7
- Hypovolemic shock, after simple pubic ramus fracture, delayed presentation of, 2090.e5–2090.e8
- Hypoxia, refractory, in an hiv-infected patient, 1322.e5–1322.e6
- Icatibant, for treatment of angioedema related to the use of angiotensin-converting enzyme inhibitors, 1664.e1–1664.e2
- I-gel, on fitting to laryngeal structure, effects of prewarming the, 1756–1759
- Immune reconstitution inflammatory syndrome, HIV-positive patient with herpes zoster a manifestation of, 254.e3–254.e5
- Immune reconstitution syndrome, surviving a crisis of HIV-associated, 1661.e5–1661.e7
- Infection
skin and soft tissue, purulent, in urban academic ED, practice patterns and management strategies for, 302–310
of soft tissue
bedside ultrasound performed by novices for detection of abscess in ED patients with, 1569–1573
in pediatric ED, effect of bedside ultrasound on diagnosis and management of, 1347–1351
suspected, and sepsis in Colombian population, D-dimer is a significant prognostic factor in patients with, 1991–1999
suspected, predictors of bacteremia in ED patients with, 1691–1697
- Infective endocarditis, by point-of-care echocardiography, emergency physicians diagnosis of pediatrics with, 386.e1–386.e3
- Inferior vena cava (IVC)
assessment in bedside diagnosis of acute heart failure, 778–783
diameter, role in assessment of volume status, 1414–1419, 1414.e1
- Inflammatory markers, role of, from molecular cardiology to emergency medical practice (editorial), 1210–1211
- Influenza
H1N1, fear on ED use, effects of, 275–282
pandemic, emergency medical services and 9-1-1 preparedness on (letter), 505–509
screening during pandemic 2009, field performance of clinical case definitions for, 1796–1803
- Influenza vaccination, cost-effectiveness of older adults in ED setting, 1072–1079
- Ingestion, of kava, rhabdomyolysis associated with, 635.e1–635.e3
- Inhalant abuse, of computer cleaner manifested as angioedema, 265.e3–265.e5
- Injury
fatal case of necrotizing *Aeromonas schubertii* fasciitis after, 258.e3–258.e5
force, factors associated with law enforcement-related use-of, 526–531
liver, effects of terlipressin in rat model of severe uncontrolled hemorrhage via, 1176–1182

- of nail bed, detected by ultrasonography, 1323.e5–1323.e6
- pediatric, from falls, age variability in, 1457–1460
- tendon, bedside ultrasound evaluation of, 1617–1621
- Instantaneous rigor, in cardiac arrest patients, emergency cricothyrotomy for trismus caused by, 1014.e1–1014.e2
- Insulin, cardioprotective effect on acute propafenone toxicity in rat, 680–689
- Intensive care unit (ICU)
- comparison of SOFA, APACHE II scoring system, and TRISS for predicting outcomes of trauma patients in, 749–753
 - evaluation of APACHE III in predicting prognosis of patients admitted to ED in need of, 1141–1145
- International normalized ratio, central laboratory, and point-of-care, discrepancy between, in ED patients with cerebrovascular disease, 2025–2029
- Intoxication
- alcohol, differential effects of olanzapine in oxygenation of patients with, 1196–1201
 - with aluminium phosphide (letter), 1306
 - carbamate
 - hyperacute rejection from a donor died from (letter), 1008–1010
 - hyperacute rejection from a donor who died of, 1661.e1–1661.e4
 - with flecainide, in pediatric, from a double dose, 2095.e3–2095.e4
 - nitrous oxide, myelopathy and polyneuropathy caused by, 1016.e3–1016.e6
 - patients' need for ED care, pilot study of emergency medical technicians' field assessment of, 1224–1228
 - with propafenone, acute, in rat, cardioprotective effect of glucose-insulin on, 680–689
 - with tramadol, with special reference for prediction of seizures, electrocardiographic manifestations of, 1481–1485
- Intra-abdominal focal fat infarction (IFFI), in a 75-year-old female presenting as acute abdomen, 2096.e7–2096.e9
- Intracardiac air embolism, after placement of central venous catheter, 1659.e1–1659.e3
- Intracerebral hemorrhage, ischemic-appearing electrocardiographic changes predict myocardial injury in patients with, 545–552
- Intracranial pressure
- elevated, in hypertensive patient, optic nerve ultrasound for detection of, 1357–1363
 - elevated, noninvasive detection using portable ultrasound system, 936–941
- Intrahospital transport, of emergency patients, before- and after-intervention trial for reducing unexpected events during, 1433–1440
- Intramyocardial dissection, subacute anterior wall myocardial infarction complicated by, 834.e5–834.e6
- Intranasal administration, of sufentanil for the treatment of acute pain in a winter resort clinic, 1817–1821
- Intraocular pressure, elevation, ketamine sedation is not associated with clinically meaningful, 1215–1218
- Intraosseous access, humeral, paramedics successfully perform EZ-IO, in adult out-of-hospital cardiac arrest patients, 1095–1099
- Intraosseous infusion, in adults using EZ-IO in ED, observational, prospective study comparing flow rates with proximal and distal tibia, 1602–1606
- Intraparenchymal hemorrhage, warfarin associated, presenting with blood-fluid level on CT head, 2079.e1–2079.e2
- Intrathoracic stomach, acute right and left heart failure caused by, 1658.e1–1658.e3
- Intravenous administration
- of amiodarone, anaphylactic shock due to, 265.e1–265.e2
 - of contrast, vs oral in CT for the diagnosis of appendicitis in adult ED patients, 1765–1773
 - of fat emulsion, effect of therapy on glyphosate-surfactant-induced cardiovascular collapse, 2097.e5–2097.e6
 - of lidocaine, in severe traumatic brain injury, post intubation hemodynamic effects of, 1782–1787
 - of opioid analgesics administered to ED patients in acute severe pain, dosing and titration, 1241–1244
 - of pantoprazole, to conventional treatment for immediate relief of dyspeptic pain, randomized controlled trial of adding, 1737–1742
 - of recombinant tissue plasminogen activator, for acute ischemic stroke, early embolic events after, 2079.e3–2079.e5
 - of tenoxicam, vs. lornoxicam, vs. dexketoprofen trometamol for treatment of renal colic, efficacy of, 1486–1490
- Intravenous catheter
- longevity, effect of vessel depth, diameter, and location on ultrasonography-guided peripheral, 1134–1140
 - ultrasound-guided peripheral, decrease in central venous catheter placement due to utilization of, 1950–1954
- Intubation
- during CPR, light-emitting diode illuminant and plastic single-use blade for (letter), 499–501
 - success rate by novice intubators in a manikin study, external laryngeal manipulation on, 2005–2010
 - with Vital View plastic laryngoscope blade during simulated resuscitation, effect of light-emitting diodes on (letter), 242–244
- Intussusception
- diagnostic accuracy of abdominal radiograph with signs and symptoms of, 426–431
 - jejuno-jejunal, as single initial manifestation of Henoch-Schönlein purpura in teenager, 2085.e1–2085.e3
- Iodine, radioactive, complicated causing sialadenitis, 512.e5–512.e6
- Ischemic stroke
- acute
 - acute aortic dissection complicated by (letter), 2070–2073
 - cervical spinal epidural hematoma mimics, 1322.e1–1322.e3
 - early embolic events after intravenous recombinant tissue plasminogen activator for, 2079.e3–2079.e5
 - serum highly selective C-reactive protein is associated with volume of ischemic tissue in, 124–128
 - appearing electrocardiographic changes predict myocardial injury in patients with intracerebral hemorrhage, 545–552
 - cardiac arrest and CPR after (letter), 1311–1312
 - initial hyperlactatemia in ED is associated with poor outcome in patients with, 449–455
 - with left hemiparesis or shock should be evaluated by CT for aortic dissection, 836.e3–836.e4
 - patients 80 years or older, comparison of acute nonthrombolytic and thrombolytic therapy in, 158–164
- Ischemic tissue, in acute ischemic stroke, serum highly selective C-reactive protein is associated with volume of, 124–128
- Isoproterenol, for treatment of idiopathic ventricular fibrillation in pregnant woman, 251.e3–251.e5
- Jejuno-jejunal intussusception, as single initial manifestation of Henoch-Schönlein purpura in teenager, 2085.e1–2085.e3
- Joint dislocation
- racial/ethnic differences in emergency care for, in 53 US ED, 1970–1980
 - in 47 US EDs, quality of care for, 1105–1113
- Joint reductions, propofol for sedation can shorten the duration of ED stay in, 1352–1356
- Jugular vein, internal, catheterization of, ultrasound guided (letter), 372–373
- Jugular venous distension, in congestive heart failure using ultrasound, new technique for evaluating (letter), 1650–1652
- Kava, ingestion of, rhabdomyolysis associated with, 635.e1–635.e3
- Ketamine
- in pediatric emergency patients, clinical effects of adjunctive atropine during sedation with, 1981–1985
 - sedation, is not associated with clinically meaningful elevation of intraocular pressure, 1215–1218
- Ketoacidosis
- diabetic
 - with hypothermic cardiocirculatory instability, venoarterial extracorporeal membrane oxygenation resuscitation in, 259.e5–259.e7
 - prevalence of hypokalemia in ED patients with, 481–484
- Kidney disease, chronic, impending cardiac tamponade caused by salt supplement in hyponatremic patient with, 1656.e1–1656.e3
- Kidney injury
- acute
 - associated with tumor lysis syndrome, 390.e3–390.e6
 - from bilateral ureteral calcium stones in the setting of primary hyperparathyroidism (letter), 383–384
 - risk in ST-segment elevation myocardial infarction patients at presentation to ED, 1921–1927
 - Kidney stones, bilateral, in the setting of primary hyperparathyroidism, acute kidney injury from (letter), 383–384
- Killip classification, in patients with ACS, 97–103
- Kiwi fruit, anaphylactic shock due to, 2096.e5–2096.e6
- Knee dislocation, low-velocity, in morbidly obese, 2090.e9–2090.e10
- Kounis syndrome
- type II, myocardial infarction secondary to, 255.e1–255.e2
 - use of MRI in diagnosis and ST elevation correlates with troponin levels, 2086.e5–2086.e7
- Labetalol, vs. nicardipine, for management of hypertensive crises, systematic review of, 981–993

- Laboratory carbon monoxide oximetry, vs. pulse carbon monoxide oximetry, with regard to time to diagnosis and treatment of carbon monoxide-poisoned patients (letter), 1652-1653
- Laceration, splenic, with hepatosplenic hematoma, bystander CPR induced, 388.e1-388.e2
- Lactate
in acute phase of STEMI treated with mechanical revascularization, 92-96
elevated, in ED septic patients, base excess is an accurate predictor of, 184-187
in sepsis, impact of metformin use on prognostic value of, 1667-1673
- Lactic acidosis
as complication of β -adrenergic aerosols, 1319.e5-1319.e6
successful treatment of thyroid crisis accompanied by, 2094.e9-2094.e10
- Laparotomy, and conservative management, comparison of, in management of stable patients with abdominal stab wound, 1146-1151
- Laryngopyocoele, an unusual cause of sore throat, 1655.e1-1655.e2
- Laryngoscopy
blade, light-emitting diode illuminant and plastic single-use, for intubation during CPR (letter), 499-501
optimal headrest height for best view of, 1679-1683
Vital View plastic blade, during simulated resuscitation, effect of light-emitting diodes on intubation with (letter), 242-244
- Larynx, effects of prewarming the I-gel on fitting to, 1756-1759
- Law enforcement, -related use-of-force injury, factors associated with, 526-531
- Left ventricular thrombus, with lepirudin after failed treatment with heparin, resolution of, 1015.e3-1015.e5
- Leg, passive raising of, during CPR results in improved neurological outcome in swine model of prolonged ventricular fibrillation, 1935-1942
- Lemierre's syndrome, and rapidly deteriorating respiratory failure in ED, 1658.e5-1658.e7
- Length of stay
of nontraumatic patients in ED, impact of trauma activation on, 311-316
of patient in nine ED, predictors of, 1860-1864
- Lepirudin, resolution of left ventricular thrombus with, after failed treatment with heparin, 1015.e3-1015.e5
- Levosimendan, sepsis-associated takotsubo cardiomyopathy reversed with, 832.e5-832.e7
- Lidocaine
2%, less painful arterial blood gas sampling using jet injection of, 1100-1104
in cardiac arrest resuscitation, 811-818
intravenous, in severe traumatic brain injury, post-intubation hemodynamic effects of, 1782-1787
- Light-emitting diode
effect on intubation with Vital View plastic laryngoscope blade during simulated resuscitation (letter), 242-244
illuminant and plastic single-use blade for intubation during CPR (letter), 499-501
- Lipid emulsion
20%, ameliorates symptoms of olanzapine toxicity in a 4-year-old, 1012.e1-1012.e2
20%, ameliorates symptoms of olanzapine toxicity in a 4-year-old (letter), 1003-1104
- Liver injury, effects of terlipressin in rat model of severe uncontrolled hemorrhage via, 1176-1182
- Liver trauma, diagnosis, with contrast-enhanced ultrasound, interobserver variability between radiologist and emergency physician in, 1229-1234
- Lohexol (Omnipaque), status epilepticus after myelography with, 2092.e5-2092.e7
- Long QT syndrome, therapeutic hypothermia after cardiac arrest due to, 638.e5-638.e8
- Lomoxicam, vs. dextketoprofen trometamol, vs. tenoxicam, for treatment of renal colic, efficacy of intravenous, 1486-1490
- Lower limb, see Extremity, lower
- Lung, sliding sign, by prehospital critical care providers, ultrasound detection of, 485-488
- Magnetic resonance imaging (MRI)
analysis of appropriate age and weight of pediatric patient sedation for, 1189-1195
atypical, Wernicke's encephalopathy with, 2086.e1-2086.e3
diagnosis of Kounis syndrome using, and ST elevation correlates with troponin levels, 2086.e5-2086.e7
- Malaria, imported, diagnosis and management of, 972-980
- Marchiafava-Bignami disease, acute, alcoholic ketoacidosis coincide with, 2087.e7-2087.e8
- Maternal, arrhythmic cardiogenic shock, extracorporeal membrane oxygenation in, 1012.e3-1012.e5
- Matrix Metalloproteinase-9 (MMP9)
as predictor of early mortality after CPR in cardiac arrest patients, usefulness of admission, 1804-1809
and TIMP-1, imbalance between, after CPR, 1202-1209
- Mechanical ventilation, see Ventilation, mechanical
- Medical consultation, and sharing of medical images involving spinal injury over mobile phone networks, 961-965
- Medical error, in ED, on-site pharmacists improve, 717-725
- Medical images, involving spinal injury over mobile phone networks, medical consultations and sharing of, 961-965
- Medication errors, prescribing, in prehospital setting and ED, 726-731
- Medication reconciliation forms, patient-completed, compared with pharmacy list, reliability of, 1048-1054
- Memory, of children's pain, at discharge from pediatric ED, comprehensive pain management protocol reduces, 861-871
- Mental status, altered, with physostigmine, reversal of quetiapine-induced, 950-953
- Metabolic acidosis, in patients with septic shock using Stewart approach, 391-398
- Metabolic alkalosis, severe, and foot ulcer, patient with, 260.e5-260.e8
- Metacarpal-phalangeal joint, volar subluxation of, 1016.e1-1016.e2
- Metformin, use on prognostic value of lactate in sepsis, impact of, 1667-1673
- Methicillin-resistant *Staphylococcus aureus* (MRSA), purpura fulminans caused by community-associated, 1013.e1-1013.e4
- Metoclopramide, akathisia induced by, effects of midazolam vs. diphenhydramine in prophylaxis of, 84-91
- Metronome, guided CPR, higher chest compression rate may be necessary for, 226-230
- Midazolam, vs. diphenhydramine, effects in prophylaxis of metoclopramide-induced akathisia, 84-91
- Migraine, typical, or ophthalmologic emergency, 831.e3-831.e5
- Mitochondrial damage, and myocardial injuries, difference between asphyxial and ventricular fibrillation cardiac arrests, 1540-1548
- Mobile phone networks, medical consultations and sharing of medical images involving spinal injury over, 961-965
- Molar pregnancy, significance of previous, 1011.e1-1011.e3
- Mondor disease, a case report in ED, 1325.e1-1325.e3
- Morphine
alter the opioid requirements and side effects in trauma patients, effect of ultra-low doses of oral naltrexone on, 75-78
consumption is not modified in patients with severe pain classified by DN4 score as neuropathic, 1877-1883
- Mortality
in community hospital, ED identification of patients with severe sepsis/septic shock decreases, 1561-1566
of drivers in severe motor vehicle crashes, influence of obesity on, 191-195
early, after CPR in cardiac arrest patients, usefulness of MMP9 admission as predictor of, 1804-1809
excess ratio-based Emergency Severity Index, development and validation of, 1491-1500
inpatient, in septic patients in ED, degree of bandemia as a predictor of, 181-183
lower, in sepsis patients admitted in ED vs. direct admission, 432-439
in patients with acute pulmonary embolism, increased γ -glutamyl transferase levels predict early, 908-915
in patients with subarachnoid hemorrhage, depressed sympathovagal balance predicts, 651-656
prediction capacity of Glasgow Coma Scale in trauma patients, 1032-1041
- Motor vehicle accidents
severe
cerebral fat embolism after, 831.e1-831.e2
influence of obesity on mortality of drivers in, 191-195
- Multiple organ failure, successful treatment of thyroid crisis accompanied by, 2094.e9-2094.e10
- Myalgia, of lower limb, in man who used to "climb the stairs," 1013.e5-1013.e7
- Myelography, with lohexol (Omnipaque), status epilepticus after, 2092.e5-2092.e7
- Myelopathy, and polyneuropathy, caused by nitrous oxide toxicity, 1016.e3-1016.e6
- Myocardial dysfunction, in a porcine model of cardiac arrest, apoptosis involvement in the mechanism of postresuscitation, 2039-2045
- Myocardial infarction (MI)
acute
additional predictive value of serum potassium to TIMI risk score for early malignant ventricular arrhythmias in patients with, 1089-1094
aortic intramural hematoma with rupture and concomitant acute, 1660.e5-1660.e8
with bivalirudin, prehospital treatment of patients with, 12-17
circadian variation in young people, 1461-1465
diagnostic accuracy of heart-type fatty acid-binding protein for early diagnosis of, 267-274
and multiple traumas, 266.e3-266.e5
in a 56-year-old female patient treated with sulfasalazine, 638.e1-638.e3

- inferior, acute, with nephrotic syndrome, 260.e1–260.e3
 in patients with chest pain and history of coronary artery disease, combined copeptin and troponin to rule out of, 440–448
 secondary to type II Kounis syndrome, 255.e1–255.e2
- ST-segment elevation
 acute, prognostic significance of reciprocal ST-segment depression in patients with, undergoing immediate invasive intervention, 1865–1871
 incidence and predictors of ventricular arrhythmias after, 580–586
 treatment after bronchoscopy, 1660.e1–1660.e4
 use of 4-step algorithm in ECG diagnosis of, by novice interpreters, 1282–1295
 subacute, anterior wall, complicated by intramyocardial dissection, 834.e5–834.e6
- Myocardial injury
 and mitochondrial damages, difference between asphyxial and ventricular fibrillation cardiac arrests, 1540–1548
 in patients with intracerebral hemorrhage, ischemic-appearing electrocardiographic changes predict, 545–552
- Myocardial ischemia, and cerebral, arising from aortic dissection, rapid revascularization reverses on, 516.e1–516.e3
- Myocardium, electrocardiographic sign of tumor invasion of, 2078.e1–2078.e5
- Myonecrosis, *Clostridium septicum*, presenting as an acute painful foot, 253.e3–253.e5
- Myopericarditis, toxic, acute, occur after initial dose of 5-fluorouracil, 257.e1–257.e3
- Nail bed injury, detected by ultrasonography, 1323.e5–1323.e6
- Naloxone, inhibition of remifentanyl procedural sedation, 1655.e3–1655.e4
- Naltrexone, oral, on morphine alter the opioid requirements and side effects in trauma patients, effect of ultra-low doses of, 75–78
- Nasogastric tube
 placement in ED
 novel approach to confirming, 1662.e5–1662.e7
 novel approach to confirming (letter), 631–632
- Near syncope parallel syncope, outcomes of (letter), 2064–2065
- Neck
 pain of, atraumatic, and rigidity, in case of calcific retropharyngeal tendonitis, 636.e1–636.e2
 pain of, septic arthritis of unusual cause of, 2094.e5–2094.e8
- Neck mass, use of bedside ultrasonography in evaluation of, 389.e3–389.e4
- Necrotizing fasciitis, *Aeromonas schubertii*, fatal case after penetrating injury, 258.e3–258.e5
- Nephrotic syndrome, acute inferior myocardial infarction with, 260.e1–260.e3
- Neurobrucellosis, rare case developing unilateral oculomotor nerve paralysis, 2085.e5–2085.e7
- Neurogenic stunned myocardium, as a manifestation of encephalitis involving cerebellar tonsils, 2083.e1–2083.e2
- Neuroimaging, to evaluate dizziness in ED, practice variation in, 665–672
- Neuroleptic malignant syndrome, coexistence of, and hyperosmolar hyperglycemic state, 833.e1–833.e2
- Neurologic complications, after a roller coaster ride, 249.e5–249.e7
- Neurologic disease, in young children in ED, 1507–1514
- Neuromuscular block, in time-dependent fashion, pralidoxime inhibits paraoxon-induced depression of rocuronium, 901–907
- Neuropathic pain, morphine consumption is not modified in patients with severe pain classified by DN4 score as, 1877–1883
- Nicardipine, vs. labetalol, for management of hypertensive crises, systematic review of, 981–993
- Nitroglycerin, improve neurologic outcome in porcine asphyxial cardiac arrest, 1549–1554
- Nitrous oxide, toxicity, myelopathy and polyneuropathy caused by, 1016.e3–1016.e6
- Obesity
 influence on mortality of drivers in severe motor vehicle crashes, 191–195
 morbid, patients receive delayed ED care with BMI greater than 40 kg/m², 737–740
 morbidly, low-velocity knee dislocation in, 2090.e9–2090.e10
 patients in ED, underdosing of common antibiotics for, 1212–1214
- Occipital lobe epilepsy, presenting as Charles Bonnet syndrome, 2102.e9–2102.e10
- Oculomotor nerve paralysis, unilateral, rare neurobrucellosis case developing, 2085.e5–2085.e7
- Olanzapine
 differential effects of, in oxygenation of patients with alcohol intoxication, 1196–1201
 toxicity
 in a 4-year-old, lipid 20% emulsion ameliorates symptoms of, 1012.e1–1012.e2
 in a 4-year-old, lipid 20% emulsion ameliorates symptoms of (letter), 1003–1104
- Olive oil, purified, and silver sulfadiazine, in treatment of partial thickness burns, comparison of, 79–83
- Open-chest massage, successful treatment of cardiac tamponade due to an aortic dissection using, 634.e1–634.e2
- Ophthalmology, emergency, typical migraine or, 831.e3–831.e5
- Opioid
 analgesics, intravenous, administered to ED patients in acute severe pain, dosing and titration of, 1241–1244
 requirements and side effects in trauma patients, effect of ultra-low doses of oral naltrexone on morphine alter the, 75–78
- Optic disc edema, in patients with headache, ultrasound assessment of, 1654.e1–1654.e4
- Optic nerve, ultrasound for detection of elevated intracranial pressure in hypertensive patient, 1357–1363
- Oral administration, of contrast, vs IV in CT for the diagnosis of appendicitis in adult ED patients, 1765–1773
- Organ donor, of advanced age in ED, identification of, 170–173
- Organophosphate pesticide poisoning, severe, atropine dosage in patients with (letter), 628
- Outcomes
 adverse, or critical interventions, associated with near syncope, incidence of, 203–206
 of bacteremic adults visiting the ED, impact of inappropriate empirical antibiotic therapy on, 1447–1456
 and cancer diagnosis in Michigan ED vs. other settings, 283–292
 in capiteum fracture, detecting fat pads may have a significant impact on, 264.e1–264.e2
 of carbon monoxide poisoning, elevated S100B level in CSF could predict the, 222–225
 of cardiac arrest due to hanging injury, 690–694
 characteristics and, for chest pain patients in relation to transport by emergency medical service in a 20-year perspective, 1788–1795
 after defibrillator implementation and education, in-hospital cardiac arrest characteristics and, 1712–1718
 functional, after ED visit for acute non-traumatic low back pain, predicting 7-day and 3-month, 1852–1859
 of intensive care unit trauma patients, comparison of SOFA, APACHE II scoring system, and TRISS method for predicting the, 749–753
 of near syncope parallel syncope (letter), 2064–2065
- neurologic
 in cardiac arrest patients treated with therapeutic hypothermia, blood ammonia a predictive biomarker of, 1395–1401
 duration of well-controlled core temperature correlates with, in patients with post-cardiac arrest syndrome, 1838–1844
 improved, in swine model of prolonged ventricular fibrillation, passive leg raising during CPR results in, 1935–1942
 in post-cardiac arrest, and hospital arrival, relationship between hemoglobin level at, 770–774
 in a swine model of prolonged ventricular fibrillation, continuous chest compressions improve survival and, 1389–1394
 in out-of-hospital cardiac arrest, sex disparity in resuscitation efforts and, 1810–1816
 in porcine asphyxial cardiac arrest, epinephrine, vasopressin, and nitroglycerin improve neurologic, 1549–1554
 predicting unfavorable, in subjects with diagnosis of chest pain of undifferentiated origin, 61–67
 of *Pseudomonas aeruginosa* bacteremia among adults visiting in ED, 852–860
 and therapy, in massive pulmonary embolism from the emergency medicine pulmonary embolism in real world registry, 1774–1781
- Out-of-hospital
 cardiac arrest
 implication of cardiac marker elevation in patients who resuscitated from, 464–471
 paramedics successfully perform EZ-IO humeral intraosseous access in adult patients with, 1095–1099
 sex disparity in resuscitation efforts and outcomes in, 1810–1816
 French, noninvasive ventilation use in, 765–769
- Overdose
 of acetaminophen, accidental, dental pain as risk factor for (letter), 510–511
 of baclofen, treated by hemodialysis, 1654.e5–1654.e7
 of cyclobenzaprine, incidence of tricyclic antidepressant-like complications after (letter), 374–375
 of pregabalin, complete atrioventricular block due to, 2101.e5–2101.e8
- Oxygenation, of patients with alcohol intoxication, differential effects of olanzapine in, 1196–1201

Oxygen therapy, high-flow, efficacy in all types of headache, 1760–1764

Pain

- acute, in a winter resort clinic, intranasal sufentanil for the treatment of, 1817–1821
- of children's memory, at discharge from pediatric ED, comprehensive pain management protocol reduces, 861–871
- dyspeptic, randomized controlled trial of adding Intravenous of pantoprazole to conventional treatment for immediate relief of, 1737–1742
- in ED using computerized physician order entry, prospective evaluation of treatment of, 1613–1616
- of neck
- atraumatic, and rigidity, in case of calcific retropharyngeal tendonitis, 636.e1–636.e2
- septic arthritis of unusual cause of, 2094.e5–2094.e8
- of pelvic, seminal vesicle cysts causing, 2087.e1–2087.e6
- severe, classified by DN4 score as neuropathic, morphine consumption is not modified in patients with, 1877–1883
- severe acute, dosing and titration of intravenous opioid analgesics administered to ED patients in, 1241–1244

Pain management

- comprehensive protocol reduces children's memory of pain at discharge from pediatric ED, 861–871
- orthopedic literature 2010, 606–614
- orthopedic literature 2011, 1296–1305

Pandemic

- 2009, field performance of clinical case definitions for influenza screening during, 1796–1803

- influenza, emergency medical services and 9-1-1 preparedness on (letter), 505–509
- Pantoprazole, intravenous, randomized controlled trial of adding, to conventional treatment for immediate relief of dyspeptic pain, 1737–1742

Papilledema, PRES presenting as, 835.e5–835.e7

Paralysis

- hypokalemic, in a professional bodybuilder, 1324.e5–1324.e8
- unilateral, associated with profound hypokalemia, 2100.e9–2100.e11

Paramedian pontine base infarction, unilateral, hypertensive, Bruns-Cushing nystagmus due to, 1326.e5–1326.e7

Paramedics, successfully perform EZ-IO humeral intraosseous access in adult out-of-hospital cardiac arrest patients, 1095–1099

Paraoson, -induced depression of rocuronium-neuromuscular block in time-dependent fashion, pralidoxime inhibits, 901–907

Paroxysmal atrial fibrillation, in patient with severe carbon monoxide poisoning (letter), 2066–2067

Patellar tendon rupture, bilateral, without predisposing systemic disease or steroid use, 261.e3–261.e5

Patent foramen ovale, with association of left ventricular assist device and mechanical ventilation, 259.e1–259.e3

Patient transport, by the emergency medical services in a 20-year perspective, characteristics of and outcome for patients with chest pain in relation to, 1788–1795

PBMCs, Peripheral blood mononuclear cells

Pco₂, and pH venous-arterial differences, increased by hyperventilation and finger exercise (erratum), 246

Pediatrics

CPR, newly introduced compression, airway, and breathing sequence affects the training in (letter), 371–372

in ED

- comprehensive pain management protocol reduces children's memory of pain at discharge from, 861–871
- effect of bedside ultrasound on diagnosis and management of soft tissue infections in, 1347–1351
- empiric treatment of sexually transmitted infections in, 1588–1590
- gastrostomy tube replacement in, 1501–1506
- neurologic complaints in, 1507–1514
- return visit characteristics among patients who leave without being seen from, 1019–1024
- ED point-of-care ultrasound in diagnosis of ankle fractures in, 1328.e1–1328.e3
- emergency patients, clinical effects of adjunctive atropine during ketamine sedation in, 1981–1985
- with first-attack seizures admitted to ED, clinical assessment of, 1080–1088
- flecainide toxicity from a double dose, 2095.e3–2095.e4
- with infective endocarditis by point-of-care echocardiography, emergency physicians diagnosis of, 386.e1–386.e3
- injuries from falls, age variability in, 1457–1460
- lack of efficacy of phenytoin in, presenting with febrile status epilepticus, 2000–2004

with migraine, prochlorperazine and its effectiveness and rate of akathisia in, 456–463

orthopedic literature 2010, 606–614

presenting with febrile status epilepticus, lack of efficacy of phenytoin in (letter), 2073–2074

sedation for MRI, analysis of appropriate age and weight for, 1189–1195

topical anesthetic cream is associated with spontaneous cutaneous abscess drainage in, 104–109

trauma, role of radiology in delayed diagnosis of injuries in, 115–123

Pelvic, pain of, seminal vesicle cysts causing, 2087.e1–2087.e6

Pelvic fracture

stable, higher glucose on admission is associated with need for angioembolization in, 26–31

unstable, and unstable hemodynamics, angioembolization provides benefits in patients with, 207–213

Pelvic inflammatory disease, and cervicitis, laboratory-confirmed chlamydia and/or gonorrhea rates in clinically diagnosed, 1114–1117

Pelvis radiography, indications and performance in patients with blunt trauma, 1129–1133

Percutaneous coronary intervention (PCI)

hospital-based strategies contributing to, time reduction in patient with ST-segment elevation myocardial infarction, 491–498

superior outcome with direct catheter laboratory access vs ED-activated, 1118–1124

Perforation, of hollow organ, in blunt abdominal trauma, peritoneal lavage in diagnosis of, 570–573

Pericarditis

cardiac literature 2010, 615–625

and takotsubo cardiomyopathy, association of (letter), 382–383

Peripheral blood mononuclear cells (PBMCs), with endotoxin response and clinical outcome after trauma, relation of signal in, 405–411

Peripheral tissue oxygenation, during ED treatment of acute heart failure, 196–202

Peripheral vein, cannulation, long catheters vs standard-length in ultrasound-guided, 712–716

Peritoneal lavage, in diagnosis of hollow organ perforation in blunt abdominal trauma, 570–573

Peritonitis, acute, as the first presentation of valvular cardiomyopathy, 247.e5–247.e6

pH, and Pco₂ venous-arterial differences, increased by hyperventilation and finger exercise (erratum), 246

Pharmacist, on-site, improve medical errors in ED, 717–725

Pharmacy, list, reliability of patient-completed medication reconciliation forms compared with, 1048–1054

Phenytoin

lack of efficacy in children presenting with febrile status epilepticus, 2000–2004

lack of efficacy in children presenting with febrile status epilepticus (letter), 2073–2074

Pheochromocytoma, -induced acute cardiac failure, successful extracorporeal membrane oxygenation treatment for, 1017.e1–1017.e3

Physical fitness, is not a predictor of ACS in ED patients with chest pain, 57–60

Physicians

computerized order entry, prospective evaluation of treatment of pain in ED using, 1613–1616

in-training, ED crowding decrease the number of procedures performed by, 1743–1748

opinion, after the implementation of electronic record system, first medical contact and, 1235–1240

screening in ED, operational and financial impact of, 532–539

seniority, influence on disparities of admit/discharge decision making for ED patients, 1555–1560

Physostigmine, reversal of quetiapine-induced altered mental status with, 950–953

Pigtail catheter, in treatment of secondary spontaneous pneumothorax, 45–50

Pleural effusion

massive, require the intercostal chest tube drainage, severe dengue with, 389.e1–389.e2

parapneumonic, use of pleural fluid procalcitonin and CRP in diagnosis of, 1907–1914

right-sided, in patients with decompensated heart failure, trepopnea may explain, 925–931.e2

Pleural fluid, procalcitonin in diagnosis of parapneumonic pleural effusions, 1907–1914

Pleuritic pain, in ED, comparison of different diagnostic tests in bedside evaluation of, 317–324

Pneumomediastinum, and cervico - facial emphysema, after high speed air drill endodontic treatment procedure, 2095.e5–2095.e8

Pneumonia

- community-acquired, in ED, value of procalcitonin level in, 1248–1254
- diagnosis in ED has poor accuracy despite diagnostic uncertainty, 881–885
- Pneumoperitoneum, tension, during routine colonoscopy, 261.e1–261.e2

Pneumothorax

- during helicopter transport, m-mode ultrasound for detection of, 1577–1580
- small-bore catheter versus chest tube drainage for, 1407–1413
- spontaneous, secondary, pigtail catheter in treatment of, 45–50
- spontaneous tension, and CO₂ narcosis, in a near fatal episode of COPD exacerbation, 1664.e3–1664.e4
- traumatic
 - anatomical distribution on chest computed tomography, implications for ultrasound screening in ED, 1025–1031
 - large, spontaneous resolution of, 833.e3–833.e5

Point-of-care

- and central laboratory international normalized ratio testing, discrepancy between, in ED patients with cerebrovascular disease, 2025–2029
- echocardiography, emergency physicians diagnosis of pediatric infective endocarditis by, 386.e1–386.e3
- testing in ED, cardiac troponin for, 1639–1649
- ultrasound diagnosis of acute Achilles tendon rupture in ED, 634.e3–634.e4

Poisoning

- with aluminum phosphide
 - unresponsive ventricular tachycardia associated with, 633.e3–633.e5
 - unresponsive ventricular tachycardia associated with (letter), 384–385
- with carbon monoxide
 - compartment syndrome on patient's forearm related to, 2104.e5–2104.e8
 - elevated S100B level in CSF could predict poor outcome of, 222–225
 - and exposure circumstances, recipients of hyperbaric oxygen treatment for, 846–851
 - induced compartment syndrome (letter), 2070
 - noninvasive pulse co-oximetry expedites evaluation and management of patients with, 2021–2024
 - pulse carbon monoxide oximetry vs. laboratory carbon monoxide oximetry with regard to time to diagnosis and treatment of (letter), 1652–1653
 - severe, paroxysmal atrial fibrillation in patient with (letter), 2066–2067
 - unintentional, in United States 2007, hospital burden of, 657–664
 - drug-related, in United States, 2007, ED visits for, 293–301
 - with organophosphate pesticide, severe, atropine dosage in patients with (letter), 628
- Polynuropathy, and myelopathy, caused by nitrous oxide toxicity, 1016.e3–1016.e6
- Popliteal artery, bilateral, dissection of, 256.e1–256.e2
- Posterior reversible encephalopathy syndrome (PRES), presenting as papilledema, 835.e5–835.e7
- Posterolateral corner injuries of the knee
 - orthopedic literature 2011, 1296–1305
- Postintubation, hemodynamic effects of intravenous lidocaine in severe traumatic brain injury, 1782–1787
- Postpolio syndrome, and normal creatinine level, renal failure in patient with, 247.e1–247.e3
- Postresuscitation, myocardial dysfunction in a porcine model of cardiac arrest, Apoptosis involvement in the mechanism of, 2039–2045
- Postresuscitation autonomic nervous modulation, after cardiac arrest resembles that of severe sepsis, 143–150
- Potassium, serum, additional predictive value to TIMI risk score for early malignant ventricular arrhythmias in patients with acute myocardial infarction, 1089–1094
- Pralidoxime, inhibits paraoxon-induced depression of rocuronium-neuromuscular block in time-dependent fashion, 901–907
- Pregabalin, overdose, complete atrioventricular block due to, 2101.e5–2101.e8
- Pregnancy
 - in ED patients with documented fetal cardiac activity on ultrasound, prospective outcomes of, 472–475
 - intrauterine, documented yolk sac, fetal loss in symptomatic first-trimester pregnancy with, 399–404
 - isoproterenol for treatment of idiopathic ventricular fibrillation in, 251.e3–251.e5
 - molar, significance of previous, 1011.e1–1011.e3
- Pregnancy trimester, first, symptomatic, with documented yolk sac intrauterine pregnancy, fetal loss in, 399–404
- Prehospital analgesia, the emergency medical services literature in review 2010, 966–971
- Prehospital care
 - thrombolysis, association of mechanical chest compression and, 1015.e1–1015.e2
 - ultrasound detection of sliding lung sign by, 485–488

Prehospital setting

- and in ED, medication prescribing errors in, 726–731
- lung ultrasound associated to capnography to verify correct endotracheal tube positioning in, 2080.e5–2080.e6
- simple method of maintaining chilled saline in, 1385–1388
- vs. standard usage, use of limited lights and siren protocol in, 519–525
- Prehospital treatment, of patients with acute myocardial infarction with bivalirudin, 12–17
- Prescription, medication errors in prehospital setting and ED, 726–731
- Prewarming, effects of, the I-gel on fitting to laryngeal structure, 1756–1759
- Primary stroke center (PSC)
 - certification, impact in ED diagnosis, utilization, and disposition of patients with acute stroke, 1152–1162
 - and level I or II trauma centers in United States, potential synergy between advanced, 1535–1539
- Pro-adrenomedullin, mid-regional, evaluation of, for the diagnosis and risk stratification of ED patients with dyspnea, 1915–1920
- Pro-atrial natriuretic peptide, mid-regional, evaluation of, for the diagnosis and risk stratification of ED patients with dyspnea, 1915–1920
- Pro-B-type natriuretic peptide (proBNP), and electrocardiogram, left ventricular dysfunction screening in hypertensive patients with, 214–217
- Procalcitonin
 - evaluation of, for the diagnosis and risk stratification of ED patients with dyspnea, 1915–1920
 - level, value in community-acquired pneumonia in ED, 1248–1254
 - pleural fluid use in diagnosis of parapneumonic pleural effusions, 1907–1914
- Prochlorperazine
 - in children with migraine, its effectiveness and rate of akathisia, 456–463
 - in children with migraine and its effectiveness and rate of akathisia, 456–463
- Propafenone, toxicity, acute, in rat, cardioprotective effect of glucose-insulin on, 680–689
- Prophylaxis, of metoclopramide-induced akathisia, effects of midazolam vs. diphenhydramine in, 84–91
- Propofol
 - procedural sedation with, 706–711
 - sedation, reduction of bowing forearm fracture in ED under, 249.e1–249.e4
 - for sedation can shorten the duration of ED stay in joint reductions, 1352–1356
- Protocol
 - full capacity, role on mitigating overcrowding in ED, 412–420
 - limited lights and siren, use in prehospital setting vs. standard usage, 519–525
- Pseudoaortic dissection, 1011.e5–1011.e6
- Pseudomonas aeruginosa*
 - bacteremia among adults visiting in ED, risk factors and outcome of, 852–860
 - clinical predictors of, bacteremia in patients admitted to the ED, 1169–1175
- Pseudorenal failure, due to intraperitoneal bladder rupture after blunt trauma, 1326.e1–1326.e3
- Psychiatric patients, in ED, care plan program reduces the number of visits for challenging, 1061–1067
- Pubic ramus fracture, simple, delayed presentation of hypovolemic shock after, 2090.e5–2090.e8
- Public access defibrillation, introduction to university community (letter), 240–242
- Pulmonary disease, adenosine induced severe bronchospasm in patient without, 2082.e3–2082.e5
- Pulmonary edema
 - acute cardiogenic, cardiac literature 2010, 615–625
 - cardiogenic, three-view bedside ultrasound for the differentiation of acute respiratory distress syndrome from, 1324.e1–1324.e4
 - hyperparathyroid case with, 512.e1–512.e3
 - transient unilateral, and need for early radiographs, 2080.e1–2080.e3
- Pulmonary embolism
 - acute, increased γ -glutamyl transferase levels predict early mortality in patients with, 908–915
 - concurrent, and acute coronary syndrome with dynamic electrocardiographic changes, 637.e1–637.e4
 - in ED, γ -glutamyl transferase and advances in risk stratification for (editorial), 916–918
 - massive, best time for surgical intervention in patients with (letter), 826
 - massive, from the emergency medicine pulmonary embolism in real world registry, therapy and outcomes in, 1774–1781
 - in patient presenting with nonspecific complaints in ED, 1662.e1–1662.e3
 - in patient with COPD and chronic renal failure, usefulness of chest ultrasonography in detecting, 1665.e1–1665.e3
 - suspected, CT angiography in patients with, 325–330

- Pulmonary thromboembolism, time to individualize duration of parenteral anticoagulation in (letter), 1004–1006
- Pulse carbon monoxide oximetry, vs. laboratory carbon monoxide oximetry, with regard to time to diagnosis and treatment of carbon monoxide-poisoned patients (letter), 1652–1653
- Pulse co-oximetry, noninvasive, expedites evaluation and management of patients with carbon monoxide poisoning, 2021–2024
- Pulseless electrical activity (PEA), in cardiac arrest, electrocardiographic presentations and management considerations based on electrocardiogram in, 236–239
- Purpura fulminans, caused by community-associated methicillin-resistant *Staphylococcus aureus*, 1013.e1–1013.e4
- Pyelonephritis, nonobstructive, with acute renal failure, severe hypercalcemia in, 1665.e5–1665.e7
- QT interval prolongation
single-dose ziprasidone associated with, 837.e1–837.e2
single-dose ziprasidone associated with (letter), 627
- Quality of care, for joint dislocation in 47 US EDs, 1105–1113
- Quetiapine, -induced altered mental status with physostigmine, reversal of, 950–953
- Quinolone, resistance, among urinary tract infections in ED, high rates of, 68–74
- Racial/ethnic differences, in emergency care for joint dislocation in 53 US ED, 1970–1980
- Radiography
abdominal, with signs and symptoms of intussusception, diagnostic accuracy of, 426–431
early, transient unilateral pulmonary edema and need for, 2080.e1–2080.e3
pelvis, indications and performance in patients with blunt trauma, 1129–1133
- Radiologist, and emergency physician, interobserver variability between, in liver trauma diagnosis with contrast-enhanced ultrasound, 1229–1234
- Radiology
orthopedic literature 2011, 1296–1305
role in delayed diagnosis of injuries in pediatric trauma, 115–123
- Rapid antigen test, BinaxNow influenza a&b, diagnostic performance in ED patients, 1955–1961
- Recombinant factor VIIa, use in refractory ulcer bleeding of uremic patient, 1319.e1–1319.e4
- Recombinant human hyaluronidase, extravasation of contrast media managed with, 2102.e5–2102.e7
- Recombinant tissue plasminogen activator
intravenous, for acute ischemic stroke, early embolic events after, 2079.e3–2079.e5
life-threatening anaphylactoid shock caused by, 253.e1–253.e2
- Rectus sheath hematoma
clinical examination of (letter), 2069–2070
due to Foley catheterization after acute urinary retention, 837.e3–837.e4
- Reduction techniques, orthopedic literature 2011, 1296–1305
- Remifentanyl, for procedural sedation, buprenorphine/naloxone inhibition of, 1655.e3–1655.e4
- Renal colic, efficacy of intravenous tenoxicam, vs. lornoxicam, vs. dexketoprofen trometamol for treatment of, 1486–1490
- Renal failure
acute, severe hypercalcemia in nonobstructive pyelonephritis with, 1665.e5–1665.e7
chronic, usefulness of chest ultrasonography in detecting pulmonary embolism in patient with COPD and, 1665.e1–1665.e3
in patient with postpolio syndrome and normal creatinine level, 247.e1–247.e3
- Renal infarction, in ED, 1055–1060
- Renal tubular acidosis, toluene-induced (letter), 1309
- Reperfusion therapy, emergent, electrocardiographic criteria for, 994–1000
- Respiratory failure, rapidly deteriorating, in ED, Lemièrre's syndrome and, 1658.e5–1658.e7
- Resuscitation
cardiocerebral, vs. CPR for cardiac arrest, 784–793
code drugs in cardiac arrest, 811–818
efforts and outcomes in out-of-hospital cardiac arrest, gender disparity in, 1810–1816
the emergency medical services literature in review 2010, 966–971
from out-of-hospital cardiac arrest, implication of cardiac marker elevation in patients, 464–471
simulated, effect of light-emitting diodes on intubation with Vital View plastic laryngoscope blade during (letter), 242–244
small-volume, from hemorrhagic shock with polymerized human serum albumin, 1336–1346
venoarterial extracorporeal membrane oxygenation in diabetic ketoacidosis with hypothermic cardiocirculatory instability, 259.e5–259.e7
- Revascularization
mechanical, lactate in acute phase of STEMI treated with, 92–96
rapid, reverses cerebral and myocardial ischemia arising from aortic dissection, 516.e1–516.e3
- Rhabdomyolysis, associated with kava ingestion, 635.e1–635.e3
- Right bundle block, chest radiography in large hiatal hernia in woman with, 2103.e3–2103.e5
- Risk factors
for accidental acetaminophen overdose, dental pain as (letter), 510–511
associated with failure to follow-up at medical clinic after visit in ED, 347–351
associated with self-reported pain scores among patients in ED, 331–337
Framingham, among ED patients with newly diagnosed atrial fibrillation, assessment of, 151–157
and predictors for missed diagnosis of acute aortic dissection in ED, 1622–1626
prevalence for developing atrial fibrillation—can we identify high-risk ED patients, 1581–1587
of *Pseudomonas aeruginosa* bacteremia among adults visiting in ED, 852–860
- Risk scores
prognostic implementation in patients with chest pain and nondiagnostic electrocardiograms, 1719–1728
vs. clinical triage decision, in predicting the need for endotherapy in upper gastrointestinal bleeding, 129–134
- Risk stratification
of ED patients with dyspnea, evaluation of MR-proANP, PCT and MR-proADM for diagnosis and, 1915–1920
improving, in chest pain patients, 1829–1837
for pulmonary embolism in ED, γ -glutamyl transferase and advances in (editorial), 916–918
- Road traffic accident. *see* Motor vehicle accidents
- Rockall Score (RS), external validation in US setting, 673–679
- Rocuronium, -neuromuscular block in time-dependent fashion, pralidoxime inhibits paraoxon-induced depression of, 901–907
- Rupture
Achilles tendon, acute, diagnosis using point-of-care ultrasound in ED, 634.e3–634.e4
bilateral patellar tendon, without predisposing systemic disease or steroid use, 261.e3–261.e5
of bladder, intraperitoneal, after blunt trauma, pseudorenal failure due to, 1326.e1–1326.e3
splenic, after uncomplicated colonoscopy, 515.e1–515.e2
spontaneous, of short gastric artery following vomiting, 513.e1–513.e3
ureter, spontaneous, an unusual cause of acute abdominal pain, 390.e1–390.e2
urinary bladder, spontaneous, diverse presentation of, 832.e1–832.e3
urinary bladder, spontaneous, in ED, diagnosis of (letter), 379–382
- Saline, chilled, in prehospital setting, simple method of maintaining, 1385–1388
- Salt, supplement, in hyponatremic patient with chronic kidney disease, impending cardiac tamponade caused by, 1656.e1–1656.e3
- S100B protein, elevated level in CSF could predict poor outcome of carbon monoxide poisoning, 222–225
- Sedation
with ketamine, in pediatric emergency patients, clinical effects of adjunctive atropine during, 1981–1985
with ketamine, is not associated with clinically meaningful elevation of intraocular pressure, 1215–1218
of pediatric patient for MRI, analysis of appropriate age and weight for, 1189–1195
procedural, buprenorphine/naloxone inhibition of remifentanyl, 1655.e3–1655.e4
procedural, with propofol, 706–711
of propofol, can shorten the duration of ED stay in joint reductions, 1352–1356
- Seizure
electrocardiographic manifestations of tramadol toxicity with special reference for prediction of, 1481–1485
first-attack, clinical assessment of children admitted to ED with, 1080–1088
- Seminal vesicle cysts, causing pelvic pain, 2087.e1–2087.e6
- Sepsis
admitted in ED vs. direct admission, lower mortality in patients with, 432–439
associated takotsubo cardiomyopathy reversed with levosimendan, 832.e5–832.e7
in Colombian population, D-dimer is a significant prognostic factor in patients with suspected infection and, 1991–1999
critical care literature 2010, 1268–1273
in ED, assessing prognosis of (editorial), 1567–1568
impact of metformin use on prognostic value of lactate in, 1667–1673

severe

decreases mortality in community hospital, ED identification of patients with, 1561–1566

H-FABP as prognostic factor in patients with septic shock and, 1749–1755
 impact of emergency medical services on ED care of, 51–56
 postresuscitation autonomic nervous modulation after cardiac arrest resembles that of, 143–150

Vibrio vulnificus, misdiagnosed as simple deep vein thrombosis, 2098.e9–2098.e10

Septic arthritis

hematogenous, of the hip, in adult patients (letter), 630–631
 orthopedic literature 2011, 1296–1305
 of unusual cause of neck pain, 2094.e5–2094.e8

Septic shock

decreases mortality in community hospital, ED identification of patients with, 1561–1566

H-FABP as prognostic factor in patients with severe sepsis and, 1749–1755
 using Stewart approach, in metabolic acidosis, 391–398

Sequential Organ Failure Assessment (SOFA)

for predicting outcomes of intensive care unit trauma patients, 749–753
 score, in patients with advanced cancer who present to ED, application of, 362–366

Sex differences, inequalities in early treatment of acute chest pain, 1515–1521

Sex disparity, in resuscitation efforts and outcomes in out-of-hospital cardiac arrest, 1810–1816

Sexually transmitted infections, empiric treatment in pediatric ED with, 1588–1590

Shed pain, on high seas and helicopter medical evacuations, 1591–1596

Shock

anaphylactic, due to kiwi fruit, 2096.e5–2096.e6

factors associated with, in anaphylaxis, 1674–1678

hemorrhagic

influence of, on ventilation through needle cricothyroidotomy in pigs, 1684–1690
 with polymerized human serum albumin, small-volume resuscitation from, 1336–1346

quantification of superoxide radical production in 4 vital organs of rats subjected to, 476–480

noninvasive Doppler ultrasound cardiac output monitor for differential diagnosis of (letter), 629–630

or left hemiparesis, should be evaluated by CT for aortic dissection, ischemic stroke with, 836.e3–836.e4

Shoulder dislocation, primary anterior, in ED patients, validity of 9 physical tests for full-thickness rotator cuff tears after, 1522–1529

Shoulder reduction, dislocated, Cunningham method of (letter), 376–377

Sialadenitis, complicated radioactive iodine causing, 512.e5–512.e6

Silver sulfadiazine, and purified olive oil, in treatment of partial thickness burns, comparison of, 79–83

Single-injection digital block, subcutaneous, using tumescent technique, 592–596

Singultus, suboccipital release to control, 514.e5–514.e7

Sinusitis, frontal, masked subdural empyema secondary to, 1657.e1–1657.e4

Small-bore catheter, versus chest tube drainage, for pneumothorax, 1407–1413

Smoking cessation trial, predictors of in-person follow-up among subjects in ED-based (letter), 2067–2069

Sodium, serum abnormalities during nonexertional heatstroke, 741–748

Soft tissue infection

bedside ultrasound performed by novices for detection of abscess in ED patients with, 1569–1573

in pediatric ED, effect of bedside ultrasound on diagnosis and management of, 1347–1351

Sonography, evaluation of paralyzed hemidiaphragm from ultrasound-guided inter scalene brachial plexus nerve block, 2099.e7–2099.e9

Sore throat, laryngopyocoele an unusual cause of, 1655.e1–1655.e2

Spinal injury, over mobile phone networks, medical consultations and sharing of medical images involving, 961–965

Splenic hemorrhage, spontaneous, after initiation of dabigatran (Pradaxa) for atrial fibrillation, 2082.e1–2082.e2

Splenic laceration, with hepatosplenic hematoma, bystander CPR induced, 388.e1–388.e2

Splenic rupture, after uncomplicated colonoscopy, 515.e1–515.e2

Staphylococcus aureus, methicillin-resistant, purpura fulminans caused by community-associated, 1013.e1–1013.e4

Status epilepticus

febrile

lack of efficacy of phenytoin in children presenting with, 2000–2004
 lack of efficacy of phenytoin in children presenting with (letter), 2073–2074
 after myelography with lohexol (Omnipaque), 2092.e5–2092.e7

ST depression, predictive accuracy of, during rapid atrial fibrillation on the presence of obstructive coronary artery disease, 1042–1047

Stenosis, coronary artery disease progression in patients without significant, on coronary CT angiography, 2015–2020

Steroids, use of, or predisposing systemic disease, bilateral patellar tendon ruptures without, 261.e3–261.e5

Stewart approach, metabolic acidosis in septic shock using, 391–398

Stomach, intrathoracic, acute right and left heart failure caused by, 1658.e1–1658.e3

Stress test

use in ED chest pain unit, 890–895

in young low-risk patients with potential acute coronary syndromes, 639–642

Stroke

acute

ED patients with vertigo associated with, 587–591

impact of PSC certification in ED diagnosis, utilization, and disposition of patients with, 1152–1162

ST-segment depression, reciprocal, prognostic significance in patients with acute STEMI undergoing immediate invasive intervention, 1865–1871

ST-segment elevation

correlates with troponin levels, Kounis syndrome use MRI in diagnosis and, 2086.e5–2086.e7

induced by contrast medium, case of cardiac arrest with, 2083.e3–2083.e4

in inferior derivation, following ceftriaxone use, 1657.e5–1657.e7

in syncope patient with Brugada syndrome, fever induced, 263.e1–263.e5

ST-segment elevation myocardial infarction (STEMI)

acute, prognostic significance of reciprocal ST-segment depression in patients with, undergoing immediate invasive intervention, 1865–1871

hiccups as the only symptom of, 266.e1–266.e2

hospital-based strategies contributing to percutaneous coronary intervention time reduction in patient with, 491–498

incidence and predictors of ventricular arrhythmias after, 580–586

at presentation to ED, acute kidney injury risk in patients with, 1921–1927

severe hypocalcemia simulating, 256.e3–256.e6

treated with mechanical revascularization, lactate in acute phase of, 92–96

treatment after bronchoscopy, 1660.e1–1660.e4

use of 4-step algorithm in ECG diagnosis of, by novice interpreters, 1282–1295
 in a 37-year-old male with normal coronaries, 2091.e5–2091.e7

Subarachnoid hemorrhage

an unusual presentation of bee sting, 1663.e5–1663.e6

an unusual presentation of bee sting (letter), 510

and bee sting (letter), 1310–1311

depressed sympathovagal balance predicts mortality in patients with, 651–656
 extrapyramidal symptom masquerading as, 388.e3–388.e4

12-lead electrocardiogram in patients with, 732–736

Subdural empyema, masked, secondary to frontal sinusitis, 1657.e1–1657.e4

Subdural hematoma, delayed, after receiving enoxaparin for prevention of thromboembolic events from high-risk surgery, 1017.e5–1017.e8

Sublingual administration, of tissue perfusion improves during emergency treatment of acute decompensated heart failure, 872–880

Suboccipital release, to control singultus, 514.e5–514.e7

Sufentanil, intranasal, for the treatment of acute pain in a winter resort clinic, 1817–1821

Sulfasalazine, acute myocardial infarction in a 56-year-old female patient treated with, 638.e1–638.e3

Superficial cervical plexus block, ultrasound-guided, for anesthesia and analgesia in emergency care settings, 1263–1267

Superior vena cava obstruction, primary cardiac sarcoma presenting with, 264.e3–264.e5

Superior vena cava syndrome, masquerading as an allergic reaction, 2100.e5–2100.e7

Superoxide radical, production quantification of 4 vital organs of rats subjected to hemorrhagic shock, 476–480

Supraventricular tachycardia, induced by chocolate, 1325.e5–1325.e7

Sympathovagal balance, depressed, predicts mortality in patients with subarachnoid hemorrhage, 651–656

Syncope storm, caused by glossopharyngeal neuralgia, 2101.e9–2101.e11

Syncope

cardiac literature 2010, 615–625

herbal, provoked bradycardia, 386.e5–386.e7

near, incidence of critical interventions or adverse outcome associated with, 203–206

near parallel, outcomes of (letter), 2064–2065

postprandial, and atrial fibrillation, case of female patient presenting to ED with, 248.e5–248.e8

- Systemic disease, predisposing, or steroid use, bilateral patellar tendon ruptures without, 261.e3–261.e5
- Tachycardia**
ventricular
therapy-resistant, due to amiodarone-induced thyrotoxicosis, 2092.e9–2092.e11
unresponsive, associated with aluminum phosphide poisoning, 633.e3–633.e5
unresponsive, associated with aluminum phosphide poisoning (letter), 384–385
wide QRS, Ebstein anomaly in adult presenting with, 834.e1–834.e4
wide QRS complex, diagnostic testing and average absolute likelihood ratio in other ED disease and, 1895–1906
- Takotsubo cardiomyopathy**
associated with hypoglycemia, 2098.e5–2098.e7
and pericarditis, association of (letter), 382–383
reverse, ED echo of, 2088.e5–2088.e7
sepsis-associated, reversed with levosimendan, 832.e5–832.e7
unusual electrocardiographic manifestation of, 1323.e1–1323.e4
- Tattoo, acute complications of, presenting in ED, 2055–2063**
- Temperature, core, well-controlled, correlates with neurological outcome in patients with post-cardiac arrest syndrome, duration of, 1838–1844**
- Tendon injury, bedside ultrasound evaluation of, 1617–1621**
- Tenoxicam, vs. lornoxicam, vs. dexketoprofen trometamol, for treatment of renal colic, efficacy of intravenous, 1486–1490**
- Terlipressin, effects of, in rat model of severe uncontrolled hemorrhage via liver injury, 1176–1182**
- Thoracoabdominal trauma, blunt diaphragmatic rupture a rare but challenging entity in, 919–924**
- Thrombolysis, associated with mechanical chest compression and prehospital, 1015.e1–1015.e2**
- Thrombolysis in Myocardial Infarction (TIMI) risk score**
for early malignant ventricular arrhythmias in patients with acute myocardial infarction, additional predictive value of serum potassium to, 1089–1094
and GRACE, evaluation in patients with suspected ACS, 37–44
- Thrombolytic therapy, and acute nonthrombotic, in ischemic stroke patients 80 years or older, comparison of, 158–164**
- Thrombosis**
cerebral venous, HIV infection presenting as, 517.e1–517.e3
coronary stent, simultaneous left anterior descending and right, after aspirin withdrawal, 2093.e9–2093.e12
deep venous, *Vibrio vulnificus* sepsis misdiagnosed as simple, 2098.e9–2098.e10
left ventricle, with lepirudin after failed treatment with heparin, resolution of, 1015.e3–1015.e5
- Thyroid crisis, accompanied by hypoglycemia, lactic acidosis and multiple organ failure, successful treatment of, 2094.e9–2094.e10**
- Thyrotoxicosis, therapy-resistant ventricular tachycardia due to amiodarone-induced, 2092.e9–2092.e11**
- Tibia, proximal and distal, intraosseous access in adults using EZ-IO in ED, observational, prospective study comparing flow rates with, 1602–1606**
- Tissue inhibitor of metalloproteinase 1 (TIMP-1), and MMP9, imbalance between, after CPR, 1202–1209**
- Tissue perfusion, sublingual, improves during emergency treatment of acute decompensated heart failure, 872–880**
- Titration, and dosing, of intravenous opioid analgesics administered to ED patients in acute severe pain, 1241–1244**
- Toluene, -induced renal tubular acidosis (letter), 1309**
- Torsade de pointes**
ciprofloxacin-induced, 252.e5–252.e9
a rare presentation of primary hyperaldosteronism, 257.e5–257.e7
- Tramadol, toxicity, with special reference for prediction of seizures, electrocardiographic manifestations of, 1481–1485**
- Transient ischemic attack**
implications of early and accurate imaging for suspected (letter), 2074–2075
initial diagnostic and therapeutic dilemma, 794–799
- Transversus abdominis plane block**
hyperalgesic acetabular fracture treated in ED (letter), 1006–1007
ultrasound-guided, use in ED (letter), 626–627
- Trapezium subluxation, isolated, in EMS provider with novel reduction technique, 1320.e1–1320.e3**
- Trauma**
activation, on ED length of stay for nontraumatic patients, impact of, 311–316
blunt
abdominal, peritoneal lavage in diagnosis of hollow organ perforation in, 570–573
indications and performance of pelvis radiography in patients with, 1129–1133
pseudorenal failure due to intraperitoneal bladder rupture after, 1326.e1–1326.e3
rate of intra-abdominal injury after normal abdominal computed tomographic scan in adults with, 574–579
stable, role of routine chest radiography in initial evaluation of, 1–4
critical care literature 2010, 1268–1273
emergent cricothyroidotomies for, 1429–1432
floating clavicle, 2097.e7–2097.e9
liver, diagnosis, with contrast-enhanced ultrasound, interobserver variability between radiologist and emergency physician in, 1229–1234
multiple, and acute myocardial infarction, 266.e3–266.e5
patient, i-gel extraglottic airway use in (letter), 829–830
patients, effect of ultra-low doses of oral naltrexone on morphine alter the opioid requirements and side effects in, 75–78
patients, the motor component of Glasgow Coma Scale on mortality prediction capacity in, 1032–1041
patients in ICU, comparison of SOFA, APACHE II scoring system, and TRISS for predicting outcomes of, 749–753
in pediatric, role of radiology in delayed diagnosis of injuries in, 115–123
pelvic, early embolization without external fixation in, 342–346
prospective correlation of arterial vs. venous blood gas measurements in patients with, 1371–1377
prospective evaluation of an ED observation unit protocol for patients with, 1402–1406
relation of signal in mononuclear cell with endotoxin response and clinical outcome after, 405–411
thoracoabdominal, blunt diaphragmatic rupture a rare but challenging entity in, 919–924
Trauma and Injury Severity Score (TRISS), for predicting outcomes of intensive care unit trauma patients, 749–753
Trauma center, level I or II, in United States, potential synergy between advanced primary stroke centers and, 1535–1539
Treatment failure, with heparin, resolution of left ventricular thrombus with lepirudin after, 1015.e3–1015.e5
Trekks, older, alpine accidents and performance assessed using video game machine on, 1125–1128
Treponea, may explain right-sided pleural effusion in patients with decompensated heart failure, 925–931.e2
Triage, color-coding, and allergic reactions in Italian ED (letter), 826–829
Trismus, caused by instantaneous rigor in cardiac arrest patients, emergency cricothyrotomy for, 1014.e1–1014.e2
- Troponin**
cardiac, for point-of-care testing in ED, 1639–1649
combined with copeptin, to rule out myocardial infarction in patients with chest pain and history of coronary artery disease, 440–448
indeterminate, in ED, creatine kinase-MB index be eliminated in patients with, 1574–1576
levels of, Kounis syndrome use MRI in diagnosis and ST elevation correlates with, 2086.e5–2086.e7
negative, in the evaluation of chest pain, creatine kinase-MB does not add additional benefit to, 188–190
Troponin I, cardiac, elevated levels of, summertime differential diagnosis of (letter), 375–376
T-U fusion, amiodarone-induced, 2081.e1–2081.e2
Tumescent technique, subcutaneous single-injection digital block using, 592–596
Tumor invasion, of myocardium, electrocardiographic sign of, 2078.e1–2078.e5
Tumor lysis syndrome, acute kidney injury associated with, 390.e3–390.e6
Twitter, use during EM conferences (letter), 819–820
- Ulcer bleeding, refractory, of uremic patient, recombinant factor VIIa use in, 1319.e1–1319.e4**
- Ultrasonography**
assessment of optic disc edema in patients with headache, 1654.e1–1654.e4
bedside
of acute adrenal hemorrhage, 2088.e3–2088.e4
case of esophageal rupture diagnosed with, 2093.e5–2093.e7
in ED, posterior urethral valves diagnosed by, 633.e1–633.e2
effect on diagnosis and management of soft tissue infections in pediatric ED, 1347–1351
evaluation of tendon injuries, 1617–1621
initial accuracy of, performed by emergency physicians for multiple indications after short training period, 1943–1949

- measurement of crown-rump length to estimate gestational age in pregnant females, accuracy of emergency physicians using, 1627-1629
- performed by novices for detection of abscess in ED patients with soft tissue infections, 1569-1573
- renal, in the evaluation of suspected ureterolithiasis, 218-221
- three-view, for the differentiation of acute respiratory distress syndrome from cardiogenic pulmonary edema, 1324.e1-1324.e4
- use in evaluation of neck mass, 389.e3-389.e4
- chest, useful in detecting pulmonary embolism in patient with COPD and chronic renal failure, 1665.e1-1665.e3
- contrast-enhanced, detects gallbladder perforation in patient with acute abdominal pain, 516.e5-516.e6
- contrast-enhanced, interobserver variability between radiologist and emergency physician in liver trauma diagnosis with, 1229-1234
- detection of sliding lung sign by prehospital critical care providers, 485-488
- Doppler, noninvasive, cardiac output monitor for differential diagnosis of shock (letter), 629-630
- in ED, diagnosis of type B aortic dissection using suprasternal view, 2084.e1-2084.e5
- in ED, measuring cardiac index with focused, 1845-1851
- guidance for peripheral intravenous catheters, decrease in central venous catheter placement due to utilization of, 1950-1954
- guided abdominal wall nerve blocks in ED, 759-764
- guided internal jugular vein catheterization (letter), 372-373
- guided interscalene brachial plexus nerve block, sonographic evaluation of paralyzed hemidiaphragm from, 2099.e7-2099.e9
- guided peripheral intravenous catheter longevity, effect of vessel depth, diameter, and location on, 1134-1140
- guided peripheral vein cannulation, long catheters vs standard-length in, 712-716
- guided superficial cervical plexus block for anesthesia and analgesia in emergency care settings, 1263-1267
- guided transversus abdominis plane block in ED (letter), 626-627
- lung, associated to capnography to verify correct endotracheal tube positioning in prehospital, 2080.e5-2080.e6
- methods as marker of blood loss, comparison of (letter), 821-826
- m-mode, for detection of pneumothorax during helicopter transport, 1577-1580
- nail bed injury detected by, 1323.e5-1323.e6
- new technique for evaluating jugular venous distension in congestive heart failure using (letter), 1650-1652
- optic nerve, for detection of elevated intracranial pressure in hypertensive patient, 1357-1363
- or chest computed tomographic scan for subcutaneous emphysema (letter), 501-502
- pocket-sized, for quick-look cardiac imaging, diagnostic performance of, 32-36
- point-of-care, diagnosis of acute Achilles tendon rupture in ED, 634.e3-634.e4
- point-of-care, during the last 20 years, analysis of lawsuits filed against emergency physicians for, 338-341
- portable, noninvasive detection of elevated intracranial pressure using, 936-941
- portable, noninvasive detection of elevated intracranial pressure using (letter), 244-245
- prospective outcomes of pregnant in ED with documented fetal cardiac activity on, 472-475
- to reduce cognitive errors in ED, 2030-2033
- screening in ED, anatomical distribution of traumatic pneumothoraces on chest computed tomography, implications for, 1025-1031
- Underdosing, of common antibiotics for obese patients in ED, 1212-1214
- University of Virginia Public Access Defibrillation Program, introduction of public access defibrillation to, e1-e8
- Uremia, recombinant factor VIIa use in refractory ulcer bleeding of patient with, 1319.e1-1319.e4
- Ureterolithiasis, suspected, bedside renal ultrasonography in the evaluation of, 218-221
- Ureter rupture, spontaneous, an unusual cause of acute abdominal pain, 390.e1-390.e2
- Urethral valves, posterior, diagnosed by bedside ultrasound in ED, 633.e1-633.e2
- Urinary bladder perforation, spontaneous, unusual cause of death, 2081.e3-2081.e5
- Urinary bladder rupture
- spontaneous
 - diverse presentation of, 832.e1-832.e3
 - in ED, diagnosis of (letter), 379-382
- Urinary retention
- acute
 - and Guillain-Barré syndrome, association between (letter), 373-374
 - rectus sheath hematoma due to Foley catheterization after, 837.e3-837.e4
- Urinary tract infection (UTI)
- in ED, high rates of quinolone resistance among, 68-74
 - uncomplicated, in 3 California EDs, antimicrobial resistance in, 942-949
- Vaccination, influenza, cost-effectiveness of older adults in ED setting, 1072-1079
- Vascular access, after failure of peripheral venipuncture in patients with portal hypertension, 258.e1-258.e2
- Vasopressin
- in cardiac arrest resuscitation, 811-818
 - improve neurologic outcome in porcine asphyxial cardiac arrest, 1549-1554
- Vasopressors, critical care literature 2010, 1268-1273
- Venous blood gas
- vs. arterial
 - in assessment of patients presenting with an exacerbation of COPD, 896-900
 - measurements in trauma patients, prospective correlation of, 1371-1377
- Venous thromboembolism
- from high-risk surgery, delayed subdural hematoma after receiving enoxaparin for prevention of, 1017.e5-1017.e8
 - in medical patients, evaluating risk of (letter), 504-505
- Ventilation
- delivery, precise minute, using bag-valve mask and audible feedback, 1068-1071
 - mechanical, and left ventricular assist device, patent foramen ovale with association of, 259.e1-259.e3
 - mechanical, use in ED, 1183-1188
 - noninvasive, use in French out-of-hospital settings, 765-769
 - through needle cricothyrotomy in pigs, influence of hemorrhagic shock on, 1684-1690
- Ventricular arrhythmia
- malignant, early, in patients with acute myocardial infarction, additional predictive value of serum potassium to TIMI risk score for, 1089-1094
 - after ST-segment elevation myocardial infarction, incidence and predictors of, 580-586
- Ventricular dysfunction, left, screening in hypertensive patients with proBNP and electrocardiogram, 214-217
- Ventricular fibrillation (VF)
- and asphyxial cardiac arrests, difference in myocardial injuries and mitochondrial damages between, 1540-1548
 - idiopathic, in pregnant woman, isoproterenol for treatment of, 251.e3-251.e5
 - prolonged, continuous chest compressions improve survival and neurologic outcome in swine model of, 1389-1394
 - prolonged, passive raising of leg during CPR results in improved neurological outcome in swine model of, 1935-1942
- Ventricular tachycardia
- aluminum-induced, 262.e1-262.e2
 - therapy-resistant, due to amiodarone-induced thyrotoxicosis, 2092.e9-2092.e11
 - unresponsive, associated with aluminum phosphide poisoning, 633.e3-633.e5
 - unresponsive, associated with aluminum phosphide poisoning (letter), 384-385
- Vertigo, associated with acute stroke, ED patients with, 587-591
- Vibrio vulnificus*, sepsis, misdiagnosed as simple deep vein thrombosis, 2098.e9-2098.e10
- Video game, machine, on older trekkers, alpine accidents and performance assessed using, 1125-1128
- Vital organs, of rats subjected to hemorrhagic shock, quantification of superoxide radical production in, 476-480
- Vitreous detachment, posterior, in decompression illness, 637.e5-637.e6
- Volar subluxation, of metacarpal-phalangeal joint, 1016.e1-1016.e2
- Vomiting
- induced hypokalemia, pathophysiology and diagnostic approach of (letter), 384
 - spontaneous rupture of short gastric artery following, 513.e1-513.e3
- Warfarin, associated intraparenchymal hemorrhage presenting with blood-fluid level on CT head, 2079.e1-2079.e2
- Weight, analysis of appropriate age and, of pediatric patient sedation for MRI, 1189-1195
- Wellens syndrome, a life-saving diagnosis of, 255.e3-255.e5
- Wernicke's encephalopathy, with atypical MR imaging, 2086.e1-2086.e3
- Wound irrigation, before abdominal CT scan, 835.e1-835.e4
- Wounds, and injuries, stab, abdominal, comparison of conservative management and laparotomy in management of stable patients with, 1146-1151
- Xynthia storm, cardiovascular emergency related to (letter), 377-379
- Ziprasidone
- single-dose
 - associated with QT interval prolongation, 837.e1-837.e2
 - associated with QT interval prolongation (letter), 627